



저작자표시-비영리-변경금지 2.0 대한민국

이용자는 아래의 조건을 따르는 경우에 한하여 자유롭게

- 이 저작물을 복제, 배포, 전송, 전시, 공연 및 방송할 수 있습니다.

다음과 같은 조건을 따라야 합니다:



저작자표시. 귀하는 원저작자를 표시하여야 합니다.



비영리. 귀하는 이 저작물을 영리 목적으로 이용할 수 없습니다.



변경금지. 귀하는 이 저작물을 개작, 변형 또는 가공할 수 없습니다.

- 귀하는, 이 저작물의 재이용이나 배포의 경우, 이 저작물에 적용된 이용허락조건을 명확하게 나타내어야 합니다.
- 저작권자로부터 별도의 허가를 받으면 이러한 조건들은 적용되지 않습니다.

저작권법에 따른 이용자의 권리는 위의 내용에 의하여 영향을 받지 않습니다.

이것은 [이용허락규약\(Legal Code\)](#)을 이해하기 쉽게 요약한 것입니다.

[Disclaimer](#)

Predicting Movie Success with Machine Learning

Techniques:

Theoretical and Methodological Approaches to Improve Model Performance

Kyuhan Lee

Department of Management Information Systems

College of Business Administration

Seoul National University

Abstract

Previous studies on predicting the box-office performance of a movie using machine learning techniques have shown practical levels of predictive accuracy. However, their efforts to improve the model accuracy have been limited only to the methodological perspective. In this paper, we combine a theory-driven approach and a methodology-driven approach to further increase the accuracy of prediction models. First, we add a new feature derived from the theory of transmedia storytelling. Such theory-driven feature selection not only increases the forecast accuracy, but also enhances the explanatory power of the prediction model. Second, we use an ensemble approach, which has rarely been adopted in the research on predicting box-office performance. As a result, our model, Cinema Ensemble Model (CEM), outperforms the prediction models from the past studies using machine learning algorithms. We suggest that CEM can be extensively used for industrial experts as a powerful tool for improving decision-making process.

Keywords: Prediction model, Movie performance, Machine learning techniques, Cinema Ensemble Model, Transmedia storytelling, Feature selection

Table of Contents

1.	Introduction	4
2.	Related Works	5
2.1.	Predictive studies in the movie domain	5
2.2.	The theory of transmedia storytelling	6
3.	Methodology	7
3.1.	Building an Ensemble Model for Predicting Movie Success.....	7
3.2.	Descriptions of Learning Algorithms for Component Models	8
3.2.1.	Adaptive Tree Boosting	8
3.2.2.	Gradient Tree Boosting.....	9
3.2.3.	Linear Discriminant	9
3.2.4.	Logistic Regression.....	10
3.2.5.	Random Forests	10
3.2.6.	Support Vector Classifier.....	10
3.3.	Discretization of the Movie Success.....	11
3.4.	Feature Definition	11
3.4.1.	Genre.....	12
3.4.2.	Sequel	12
3.4.3.	Number of Plays at the Initial Day of Release	13
3.4.4.	Movie Buzz before the Release	13
3.4.5.	Transmedia Storytelling.....	14
3.4.6.	Star Buzz (i.e., Star Power).....	15
4.	Data Collection.....	16
5.	Analysis.....	17
5.1.	Performance Metrics.....	17
5.2.	Candidate-model Performance.....	18
5.3.	Cinema Ensemble Model (CEM) Performance	19
5.4.	Performance Improvement by Transmedia Storytelling Feature	21
6.	Discussion	22
	References	25

Table Index

Table 1 Movie Performance Classes.....	11
Table 2 Model Performance Rank	18
Table 3 APHRs of Six Candidate Models	19
Table 4 APHRs of CEM	21
Table 5 APHRs of CEM without <i>Transmedia Storytelling</i>	21

Figure Index

Fig. 1 The Process of Building CEM.....	8
Fig. 2 <i>The Martian</i> 's Page on <i>Naver Movie</i>	14
Fig. 3 Distribution of Movie Classes	16
Fig. 4 Pseudocode for the Process of Determining the Estimates of CEM.....	20

1. Introduction

The expansion of the movie industry has been a worldwide phenomenon. According to the annual report from Motion Picture Association of America, the global box-office market reached \$36.4 billion in 2014. Reflecting on its economic impact, many researchers have conducted studies on the movie industry. Recently, a new research stream has emerged on box-office prediction models using machine learning techniques (e.g. Sharda and Delen 2006; Zhang, Luo, and Yang 2009; Du, Xu, and Huang 2014). The predictive nature of these studies has a significant impact on the movie industry (Simonoff and Sparrow 2000), since it provides directional guidelines to the movie producers who bear the risk of uncertainty when deciding which movies to produce. Indeed, we can cite numerous cases of failure regarding the predictions of movie success. For example, the number of audience attracted by *Mr.go*, a Korean movie produced in 2013 with the record-breaking production cost, was far below investors' expectation. The money invested in the production of *Mr.go* was about 20 million US-Dollars, and the movie was expected to attract at least five million movie-goers in Korea. However, the total attendance was less than 1.5 million according to the Korean Film Council. Thus, building a highly accurate model for predicting movie's success is a requisite to industrial decision makers who desperately wish to decrease the possibility of making false decision in green-lighting process.

In this study, we suggest such model that can attenuate the uncertainty in forecasting the performance of a movie. As mentioned above, there has been a stream of research on building a prediction model for movie's success with a fairly high-level of accuracy. However, their efforts to improve the models' prediction power have been limited only to the methodological perspective. To elaborate, the researchers in the past have mainly focused on introducing new machine learning algorithms and testing their performances and it was pretty much the sole objective of their studies. Although such efforts have contributed to the increase of the prediction

accuracy, we expect that there are still ample spaces to further improve the prediction-model performance with better explanatory power.

As one of the ways to achieve the goal, we suggest to select feature based on a solid theory. To specify, we suggest a new feature to our prediction model based on the concrete theory of transmedia story telling. To the best of our knowledge, this is the first study that examines the impact of transmedia storytelling in the movie success prediction. Based on our results, the introduction of transmedia storytelling feature has boosted the performance of our prediction model.

In addition to the aforementioned theory-driven approach, we, in this study, also consider methodology-driven approach to elevate the prediction accuracy. In detail, we use an ensemble approach to build a better-performing prediction model. The effect of the ensemble approach in enhancing the model accuracy has been widely recognized in academia (Elder 2003). However, few, if any, studies have used the ensemble method in building a prediction model for movie's success.

The rest of this article is organized as follows. First, Section 2 provides a brief survey of the past research on predicting movie's success. In Section 3, we suggest the detailed descriptions on the methodology implemented in this study. In the following section (Section 4), the information on the data used in this study is given. Then, in Section 5, we suggest the results of the prediction model built in this study. Finally, research implications and future research are discussed in Section 6.

2. Related Works

2.1. Predictive studies in the movie domain

Most of the past studies regarding the movie industry have had the explanatory nature, investigating factors that affect the box-office performances of movies. Recently, based on the knowledge accumulated from these studies, a few researchers have begun to conduct the studies

that have the predictive characteristic. For example, forecasting the movies that are highly possible to succeed is one of the types of such research (e.g., Asur and Huberman 2010; Mishne and Glance 2006). Especially, using machine learning techniques, several studies have produced the prediction models with the moderate level of accuracy (e.g. Sharda and Delen 2006; Eliashberg, Hui, and Zhang 2007; Zhang, Luo, and Yang 2009; Du, Xu, and Huang 2014). Some of these studies have examined the different set of machine learning algorithms to predict the performance of a movie. For example, Sharda and Delen (2006) have examined the performance of the logistic regression, discriminant analysis, decision tree, and neural networks to forecast movie's success. Du, Xu, and Huang (2014) have evaluated the performance of the linear regression, support vector machine, and neural networks. Others have developed a new prediction model, enhancing the performance of an existing algorithm. For example, Zhang, Luo, and Yang (2009) have suggested a multi-layer back propagation neural network that has improved the neural network model presented by Sharda and Delen (2006).

While these studies have focused only on methodological perspective to improve their model accuracy, we suggest more comprehensive method that enhances the performance of our model. In this study, we implement both the theory-driven and methodology-driven approach. First, we introduce a new feature derived from the solid theory of transmedia storytelling. Second, we use an ensemble method that has hardly been applied to the research in the movie domain. In the following sections, we provide a detailed explanation on the theory of transmedia storytelling as well as the process of constructing the ensemble model.

2.2. The theory of transmedia storytelling

Transmedia storytelling refers to the consumption of a single story via different media platforms such as television, books, and games. The contents on different platforms provide distinctive experiences, but essentially people consume them in a coordinated way (Edwards 2012). If such contents interact with each other and evolve to be a transmedia story, it may produce a synergy

effect and attract a wider audience (Jenkins 2003). This transmedia storytelling is “one of the most important sources of complexity in contemporary popular culture” (Scolari 2009, p 587). Transmedia storytelling improves the consumer experience of not only the content it carries but also the content that other media transfers.

The theory of transmedia storytelling is not a new concept and has been adopted by many areas including the entertainment industry. However, it is receiving ever more attention in the context of today’s convergence culture (Edwards 2012). Particularly, in the movie industry, the transmedia storytelling strategy is being implemented mostly in the form of porting a story from television series, novels or comics to movies. For example, the movie *Ant-Man* (2015) is based on the comic books published by *Marvel Comics*, and the movie *Martian* (2015) is based on the novel written by Andy Weir. In this study, we examine the impact of the transmedia storytelling as a feature to predict movie’s success. To do so, we construct two prediction models – one with and the other without the transmedia storytelling feature – and compare the model performances.

3. Methodology

3.1. Building an Ensemble Model for Predicting Movie Success

According to Dietterich (1997), there are several classic approaches to construct an ensemble model. First, we can subsample training sets, build different classifiers on each set, and combine the estimates of these classifiers. Second, we may use different subset of features to make different classifiers and combine their estimates. Third, it is possible to manipulate the output targets to build multiple classifiers and merge them into one.

In this study, we use a different approach to build an ensemble model. To elaborate, we first build candidate classifiers for the ensemble model using six different algorithms. The rationale for inclusion of these algorithms is suggested in the subsequent section. Among the candidates, we select ones that present relatively high level of accuracy for our ensemble model.

Then, we build a new model by voting the estimates of each component model. In this paper, we use a plurality voting system in which the winning estimate is the one that with the largest votes. Through such process, the Cinema Ensemble Model (CEM), an ensemble model for the prediction of movie’s success, can be constructed. The process is schematized in Fig. 1.




Fig. 1 The Process of Building CEM

It is also important to note that some of the candidate classifiers in this study are themselves ensemble models. For example, Ada Tree Boosting, Gradient Tree Boosting, and Random Forests are ensemble algorithms. Thus, CEM is an ensemble model constructed upon other ensemble methods. It can be considered to be the ‘ensemble-of-ensemble.’

3.2. Descriptions of Learning Algorithms for Component Models

As explained above, six machine learning algorithms are used to build candidate models: *Adaptive tree boosting*, *gradient tree boosting*, *linear discriminant*, *logistic regression*, *random forests*, and *support vector classifier*. The brief description and the rationale for the selection of these algorithms are presented in the following.

3.2.1. Adaptive Tree Boosting

Adaptive tree boosting (ATB) is the algorithm of which the concept is based on *boosting*. *Boosting* is a method to improve the performance of an algorithm by producing multiple classifiers and combining the estimates of these classifiers (Freund and Schapire 1999). Although each classifier is moderately inaccurate, the model accuracy is high when combined altogether. In such fashion, *ATB* produces a number of weak classifiers whose error rate is slightly better than random guessing. Each classifier is consecutively built after one another using a modified set of

training data. To specify, if we suppose *ATB* builds the weak classifiers for t rounds, at each round, the weights of data points are adjusted based on whether the points are correctly classified in the previous round. For the points that are incorrectly classified, the weights are increased so that the weak classifier can be trained focusing on such points (Hastie 2005; Freund and Schapire 1999). The performance of *ATB* algorithm has been widely recognized, and especially it is well-fitted to multi-class classification problems (Zhu et al. 2009). Thus, we include *ATB* as one of the algorithms to build candidate models.

3.2.2. Gradient Tree Boosting

Gradient tree boosting (GTB) works in a similar way to *ATB* in that it builds, at each round, a classifier using residuals of the previous prediction function (Yamagashi, Kawai, and Kobayashi 2008). However, *GTB* differs from *ATB* that it uses a different measure (i.e., binomial deviance) to determine the cost of errors (Hastie et al. 2009; Chamber and Dinsmore 2014). It is commonly accepted that *GTB* is robust with the problem in which a multicollinearity issue exists and the number of features is relatively large to the number of data points (Mayr et al. 2014; Prettenhofer and Louppe 2014). Since, in this study, we have collected 375 data points with 21 variables (i.e., 21 variables derived from 6 features), we assume that *GTB* can produce reliable results with our data set.

3.2.3. Linear Discriminant

Linear discriminant (LD) is one of the commonly used algorithms for data classification. *LD* extracts the classification criterion from data sets (Zhang 2003). By this criterion, the between class variance is maximized while the within class variance is minimized (Balakrishnama and Ganapathiraju 1998). If the assumption of normality for the data is fulfilled, *LD* produces robust and reliable results even when the sample size is small. In addition, the robustness of *LD* remains with the multiple target variables (Pohar, Blas, and Turk 2004). Thus, we consider *LD* as one of the candidate algorithms that may be suitable to our multi-classification problem.

3.2.4. Logistic Regression

Logistic regression (LR) is one of the most widely-used algorithms to predict binary outcomes. The prediction is based on the probability calculated by the logistic function which ranges between 0 and 1. Although *LR* is commonly used to explain the relationship between multiple predictor variables and dichotomous dependent variables, it can also be applied to the problems with multi-categorical dependent variables (Kleinbaum and Klein 2010). There exist several methods, such as one-vs-all and one-vs-one strategy, to convert a binary classification problem into a multiple classification problem. In this study, we use one-vs-all strategy, which fits one classifier per class against all the other classes (DeMaris 1995). Unlike *LD*, *LR* makes no assumption regarding the normal distribution of sample data. Thus, it is more flexible and robust with the data that do not fulfil the normality assumption (Pohar, Blas, and Turk 2004).

3.2.5. Random Forests

Random forests (RF) is an algorithm that makes a prediction by combining the estimates of randomly-built independent decision trees (Breiman 2001). Although it has less interpretability than an individual tree, it is widely recognized that *RF* presents significantly better performance. At the same time, *RF* is robust to outliers and has a good ability to deal with irrelevant inputs (Montillo 2009). We expect *RF* can produce a candidate model with high prediction accuracy.

3.2.6. Support Vector Classifier

Support Vector Classifier (SVC) aims to find the maximum-margin hyperplanes that optimally separate the classes in the training data (Auria and Moro 2008). *SVC* has the advantages that it shows strong generalization ability and is robust to outliers (Abe 2005). It is one of the most widely used machine learning algorithm these days. It is utilized to improve the performance of the medical diagnostics, optical character recognition, and many other fields.

3.3. Discretization of the Movie Success

In this study, we define the prediction of box-office success as a classification problem. This strategy has been applied in a few past studies (e.g., Sharda and Delen 2006; Zhang, Luo, and Yang 2009). We discretize the dependent variable (i.e. box-office performance) into six classes. The range for each class is determined based on interviews with industry experts. Since a budget for each movie is different, we cannot generalize a break-even-point (BEP) of the movie. According to the experts, BEP attendance commonly exists within the range of class 3. However, for the movies with large amount of investment, their BEPs can be within the range of upper classes. The breakpoints used to discretize the dependent variable are shown in Table 1.

Table 1 Movie Performance Classes

Class	Attendance Range (in thousands)	Revenue Range (Approx. in \$ thousands)
1(Blockbuster)	> 4,000	> 26,700
2	2,000 - 4,000	13,300 - 26,700
3	750 - 2,000	5,300 - 13,300
4	250 – 750	1,800 - 5,300
5	100 – 250	700 - 1,800
6(Flop)	< 100	< 700

3.4. Feature Definition

We use six different types of features in this study. We have selected the features including the ones that widely used in the past studies. In addition, the cadre of a Korean film production and distribution company has verified whether our selection of features is comprehensive enough to successfully predict a movie’s performance.

We note that categorical features with more than two possible values are converted into n -binary features, where n represents the number of the values. For example, *genre*, one of the features in this study, has sixteen possible values including ACTION, ADVENTURE, COMEDY, and so on. We convert these values into sixteen-binary features so that each feature is set to either 0 or 1. To elaborate, when a movie is assigned to two categories – ACTION and COMEDY, the

values of these two features are set to 1, and the values of the other fourteen features are set to 0. The following sub-sections describe the features included in this study.

3.4.1. Genre

Genre is one of the most basic and commonly used variables in predicting a movie's success (Sharda and Delen 2006). In this study, we use the sixteen categories suggested by the Korean Media Rating Board (KMRB) to classify each movie. Each movie can be classified into multiple genres. The genres included in this study are as follows: ACTION, ADVENTURE, ANIMATION, COMEDY, CRIMINAL, DOCUMENTARY, DRAMA, EPIC, FAMILY, FANTASY, HORROR, INDEPENDENT, MYSTERY, ROMANCE, SF, and THRILLER. The information on movie genres has been collected from the webpage of the KMRB.

3.4.2. Sequel

The impact of sequels on a movie's success is also well-recognized by practitioners. Movie producers often produce sequel movies to reduce risk and uncertainty (Eliashberg, Elberse, and Leenders 2006). For example, the Marvel Studios has produced a sequence of movies under the series name of *Avengers*. The series have been successful not only in the North American market but also worldwide. Besides, Dhar, Sun, and Weinberg (2012) have identified that sequels have a positive impact on both supply and demand side of movie distribution. More often than not, a sequel movie tends to be distributed to a significantly larger number of theaters (i.e., positive impact on the supply side). Also, sequels tend to attract more movie-goers than non-sequels (i.e., positive impact on the demand side). Thus, we include *sequel* as an important feature to predict a movie's success. It is necessary to note that we do not consider the movie that has been remade as a sequel of the original movie since such a movie is unlikely to be helpful in discriminating between demographic classes.

3.4.3. Number of Plays at the Initial Day of Release

Several past studies have used *the number of screens at the initial day of release* as one of the features for their prediction models (e.g., Sharda and Delen 2006; Zhang, Luo, and Yang 2009; Ghiassi, Lio, and Moon 2015). The industry experts that we interviewed also pointed out that the number of screens is an effective predictor of movie's success.

In this study, we use *the number of plays at the initial day of release*, instead of *the number of screens at the initial day of release*, as a feature for our prediction model. The rationale for our decision is that *the number of screens at the initial day of release* does not reflect the running time of a movie. This may result in the misinterpretation on the influence of the number of screens, because two movies with different running times may vary in their numbers of plays even when the numbers of screens for the both movies are exactly the same. Such different numbers of plays mean distinctive levels of exposure to movie goers, affecting movies' performances. For example, the movie *The Martian* with the running time of 144 minutes may be shown less number of times a day than the movie *The Good Dinosaur* with the running time of 100 minutes. Consequently, *The Good Dinosaur* has higher possibility to succeed in box-office if all the other factors affecting movie's performance are controlled.

Our data on *the number of plays at the initial day of release* has been collected from the webpage of KMRB. KMRB tracks and provides the information on the daily number of screens and plays of a movie for its entire screening period.

3.4.4. Movie Buzz before the Release

Movie buzz is the feature that has been recently highlighted. For example, Mishne and Glance (2006) has made a prediction of movie sales using the buzz data on web blog. Liu (2006) has identified the explanatory power of movie buzz in box-office prediction. In Liu's research, he describes the volume of buzz as the major factor that explains box-office performance. In this study, we include the number of movie comments (i.e., *movie buzz*) on *Naver Movie* (see

<http://movie.naver.com/>) as one of the features for our prediction model. The *naver.com*, the most popular search engine site in Korea, has a movie page showing various types of information on movies. An example of the movie page is presented in Fig. 2. On the movie page, there is a review section where people can write comments before and/or after the movie release. From this section, we count the number of comments that have been written before the movie release.




Fig. 2 *The Martian's* Page on *Naver Movie*

3.4.5. Transmedia Storytelling

As mentioned above, we have considered the movies based on television series, novels or comics to be the ones implementing the transmedia storytelling strategy. For the foreign movies, we have used the data provided by *IMDB.com*¹. For the domestic movies, we have used the information presented on *Naver Movie*. Either 0 or 1 is assigned as the value of *transmedia storytelling*. When the writing credit goes solely to a single or multiple screenplay writer(s), 0 is assigned, and when the movie is based on the story from other media, 1 is assigned. We have not considered remade movies the ones that implement the transmedia storytelling strategy.

¹ *IMDB.com* is the most popular website that provides movie-related information in the U.S.

3.4.6. Star Buzz (i.e., Star Power)

Although a plethora of research has been conducted to identify the impact of stars on movie's success (e.g., Ravid 1999; Elberse 2007; Nelson and Glotfelty 2012; Treme and Craig. 2013), the empirical findings of their research show mixed results. There may be multiple reasons for such inconsistent results, but the most explicit cause is the use of different metrics for measuring the star power. For example, while Academy Award wins and nominations have been widely used as a proxy for the star power (e.g. Litman 1983; Ravid 1999; Basuroy, Chatterjee, and Ravid 2006), there are other metrics that are alternatively utilized to measure star power. Nelson and Glotfelty (2012) have used STARMeter rankings from *IMDB.com*. Treme and Craig (2013) have used the number of times that actors/actresses appear in *People* magazine before the movie release.

In addition, each of these metrics involves limitations. First, Academy Award wins and nominations highly limit the number of actors/actresses who are classified as stars (Nelson and Glotfelty 2012). Second, since the STARMeter rankings change weekly, it only gives fragmented information on star power at a point, making it hard to track star power spanning more than a week. Lastly, stars' appearance on *People*, as Academy Award wins and nominations, limits the scope of actors/actresses whose star power can be empirically measured.

In this study, we use online *star buzz* as an appropriate proxy to measure the star power. We have counted the number of posts on *Naver Blog*² in which stars are referred. We find this metric compelling since it does not reveal any of the weaknesses mentioned above. In other words, it can measure the star power with infinite number of actors/actresses over any period of time.

Since movie producers and distributors generally start to promote movies a month before their release, it will be advantageous for them to know the expected performance of the

² *Naver Blog* is the most popular personal blog site in Korea. Individuals mostly use it as a way to express their thoughts and communicate with others. Commercial companies also utilized *Naver Blog* with the purpose of advertising their products and services. (see <http://blog.naver.com>)

movies in advance to the outset of the promotion. Thus, we have collected *star buzz* data from two months before the movie release to a month before the movie release.

4. Data Collection

The data used in our study includes movies that are released from October 25, 2012, to December 31, 2014. The data has been collected from the Korean Film Council webpage and *naver.com*. We have considered only the top 400 movies by the number of viewers, because including movies beyond the top 400 can lead to a ‘spurious improvement’ of the prediction models. That is, since all movies beyond the top 400 are categorized into the same class (i.e. ‘flop’ class; refer to Table 1), the inclusion of those movies tends to increase the probability of correct classification.




Fig. 3 Distribution of Movie Classes

Furthermore, through the interview with decision makers from a film production company, we have found that practitioners are far more interested in predicting the performance of ‘major’ movies whose budgets are usually more than two million US dollars. The performances of these movies do not usually fall into the ‘flop’ class even in the worst cases. Thus, we assume that including movies beyond the top 400 is unnecessary. Among the 400

movies, excluding movies that have missing values leaves us with 375 movies. A summary of the statistics from the collected data is presented in Fig. 3.

5. Analysis

5.1. Performance Metrics

In this study, we adopt the performance metrics of Sharda and Delen (2006). They have used Average Percent Hit Rate (APHR) to measure the accuracy of their prediction models. Two different types of APHRs are calculated in this study: Bingo and 1-Away. Bingo counts the number of classifications that exactly matches their actual classes, 1-Away represents within-one-class hit rate. Two APHRs can be formulated in the following equations:

$$\text{APHR} = \frac{\text{Number of test data points correctly classified}}{\text{Total number of test data points}},$$

$$\text{APHR}_{\text{Bingo}} = \frac{1}{n} \sum_{i=1}^g p_i,$$

$$\text{APHR}_{\text{1-Away}} = \frac{1}{n} (\sum_{i=1}^g (p_{i-1} + p_i + p_{i+1}) - (p_0 + p_{g+1})),$$

where g is the total number of classes (i.e. $g = 6$), n is the total number of test data points (i.e. $1 \leq n \leq 375$), and p_i is the total number of data points correctly classified as class i . In the case of $\text{APHR}_{\text{1-Away}}$, we define $(p_{i-1} + p_i + p_{i+1})$ as the total number of data points correctly classified as class i . These metrics have been used not only in Sharda and Delen's research but also in Zhang, Luo, and Yang (2009). By using the same metrics as the ones used in the past two studies, we are able to compare our model to the previous ones and identify whether our approaches have improved the model performance.

5.2. Candidate-model Performance

As mentioned above, we build six candidate models based on different machine learning algorithms. The performance of each model has been evaluated by repeated random sub-sampling validation method. This method repeats the validation with the random partitions of training data and test data. Repeated random sub-sampling validation resolves the issue of k -fold cross validation that the size of test data shrinks as k grows, increasing the performance variance of each individual fold (Thornton et al. 2012). The influence of such issue can deteriorate when the volume of data is small. Since the size of data set in this study is limited, we have concluded that repeated random sub-sampling validation is far more suitable than k -fold cross validation. We have repeated the validation process ten times with an 80/20 split of training and test dataset.

Table 2 ranks the candidate models based on two metrics: Bingo and 1-Away. In addition, the detailed result of model performance is shown in Table 3. According to the result, we find that *GTB* has performed the best for APHR Bingo. *GTB* has correctly classified 55.1% of the movies from the test dataset. *RF* has shown the second highest APHR Bingo. It has correctly classified 53.1% of the movies. *LR* and *LD* have presented moderate levels of APHR Bingo, 49.7% and 48.5% respectively.

Table 2 Model Performance Rank

Rank	Bingo	1-Away
1	Gradient Tree Boosting	Gradient Tree Boosting
2	Random Forests	Logistic Regression
3	Logistic Regression	AdaBoost
4	Linear Discriminant	Random Forests
5	AdaBoost	Linear Discriminant
6	Support Vector Classifier	Support Vector Classifier

Table 3 APHRs of Six Candidate Models

Rep.	<i>ATB</i>		<i>GTB</i>		<i>LD</i>		<i>LR</i>		<i>RF</i>		<i>SVC</i>	
	Bingo	1-A										
1	37.3%	89.3%	58.7%	85.3%	53.3%	85.3%	36.0%	85.3%	46.7%	84.0%	26.7%	64.0%
2	46.7%	92.0%	46.7%	92.0%	41.3%	88.0%	45.3%	93.3%	56.0%	90.7%	30.7%	62.7%
3	33.3%	78.7%	56.0%	86.7%	53.3%	88.0%	61.3%	88.0%	53.3%	90.7%	26.7%	56.0%
4	40.0%	88.0%	52.0%	89.3%	50.7%	85.3%	54.7%	86.7%	56.0%	86.7%	26.7%	48.0%
5	42.7%	92.0%	57.3%	93.3%	54.7%	89.3%	56.0%	90.7%	62.7%	89.3%	26.7%	61.3%
6	50.7%	88.0%	54.7%	88.0%	56.0%	80.0%	54.7%	89.3%	49.3%	88.0%	41.3%	74.7%
7	40.0%	85.3%	57.3%	86.7%	53.3%	88.0%	50.7%	90.7%	57.3%	81.3%	29.3%	44.0%
8	41.3%	84.0%	56.0%	85.3%	41.3%	82.7%	45.3%	86.7%	49.3%	86.7%	28.0%	65.3%
9	38.7%	85.3%	57.3%	90.7%	34.7%	86.7%	42.7%	89.3%	50.7%	90.7%	25.3%	53.3%
10	37.3%	84.0%	54.7%	85.3%	46.7%	80.0%	50.7%	82.7%	49.3%	76.0%	25.3%	60.0%
AVG	40.8%	86.7%	55.1%	88.3%	48.5%	85.3%	49.7%	88.3%	53.1%	86.4%	28.7%	58.9%
SD	5.0%	4.1%	3.5%	2.9%	7.2%	3.4%	7.5%	3.1%	4.9%	4.8%	4.8%	8.9%

In addition, *GTB* and *LR* have performed the best for APHR 1-Away. 88.3% of the movies are classified correctly or misclassified by one class (i.e., 1-Away) by these algorithms. Models by *ATB*, *RF*, and *LD* have shown moderate levels of accuracy, reporting 86.7%, 86.4%, and 85.3% of APHR 1-Away, respectively. In both metrics, *SVC* has not performed well, reporting 28.7% of APHR Bingo and 58.9% of APHR 1-Away.

5.3. Cinema Ensemble Model (CEM) Performance

As an effort to improve the accuracy of predictions, we introduce CEM. As noticed earlier, we first select the appropriate candidates as the component models for CEM. According to the result in the previous section, *GTB*, *LD*, *LR*, and *RF* have shown good performance in predicting a movie's success. Thus, we include these four models as component models.

Each of the component models produces its own estimates (i.e., predicted classes of movies). To build CEM, we combine these estimates. In ensemble approach, the combination of estimates can be done by various strategies including voting and averaging (Elder 2003). In this

paper, we use plurality voting system in which the winning estimate is the one that gets the largest votes. When two or more classes have the same number of votes (e.g., two votes for blockbuster and two votes for flop), we choose the class which *GTB* votes. Such criterion is plausible since *GTB* is one with the highest accuracy among the candidate models. The process of determining the estimate for CEM is described as the pseudocode in Fig. 4. To validate the result, we have applied the repeated random sub-sampling validation method. The result is shown in Table 4.

```

Set of Candidate Model CM ← {GTB, LD, LR, RF}
Set of Performance Classes PC ← {PCn | 1 ≤ n ≤ 6}
for CM
  N = 1
  while (true)
    if (the estimate of CM == N)
      PCN += 1
    end while
  else
    N += 1
if multiple classes get largest votes
  return the estimated class by GTB
else
  return the estimated class with largest votes

```

Fig. 4 Pseudocode for the Process of Determining the Estimates of CEM

When compared to the performances of component models, CEM improves APHR Bingo of *GTB*, the best performing component model, by 3.4%. However, APHR 1-Away has not shown significant improvement in the ensemble model. Comparing to the performances of the models from past studies, our model also presents enhanced result. In the study of Sharda and Delen (2006), the best performing model has showed 36.9% of APHR Bingo and 75.2% of APHR 1-Away. Our model improves the APHR Bingo by 21.6% and APHR 1-Away by 13.1%. Another study by Zhang, Luo, and Yang (2009) suggests that their model predicts the movie success with 47.9% of APHR Bingo and 82.9% of APHR 1-Away. Our model increases the accuracy of their model by 10.6% in APHR Bingo and 5.4% in APHR 1-Away.

Table 4 APHRs of CEM

CEM		
Rep.	Bingo	1-Away
1	60.0%	88.0%
2	56.0%	88.0%
3	61.3%	92.0%
4	62.7%	92.0%
5	48.0%	88.0%
6	58.7%	82.7%
7	56.0%	94.7%
8	58.7%	88.0%
9	62.7%	82.7%
10	61.3%	86.7%
Mean	58.5%	88.3%
SD.	4.4%	3.9%

5.4. Performance Improvement by Transmedia Storytelling Feature

The models from the previous section use all the features including *transmedia storytelling* to make a prediction. In this section, to investigate the impact of *transmedia storytelling* on model performance, we exclude *transmedia storytelling* feature from our data sets. Then, we train a CEM model with the data and examine its performance with test data. The performance of such model, CEM without *transmedia storytelling*, is shown in Table 5.

Table 5 APHRs of CEM without Transmedia Storytelling

CEM w/o TS		
Rep.	Bingo	1-Away
1	62.7%	90.7%
2	58.7%	96.0%
3	49.3%	88.0%
4	64.0%	86.7%
5	53.3%	88.0%
6	49.3%	90.7%
7	57.3%	88.0%
8	50.7%	86.7%
9	42.7%	84.0%
10	49.3%	93.3%
Mean	53.7%	89.2%
SD.	6.8%	3.5%




Fig. 5 Model Performance Comparison

As depicted in Fig. 5, we find that *transmedia storytelling* increases APHR Bingo of CEM by 4.8%. However, APHR 1-Away is decreased by 0.9%. Our explanation for the decreased APHR 1-Away is that some of movies misclassified by one class are correctly reclassified in the model using *transmedia storytelling* feature. Since APHR Bingo is the primary criterion for evaluating the performance of a prediction model, we conclude that *transmedia storytelling* increases the accuracy of the prediction models in this study.

6. Discussion

This research presents a model for predicting box-office performances of movies. Cinema Ensemble Model (CEM) is proposed for the improvement of prediction accuracy. In addition, a new feature, *transmedia storytelling*, is introduced based on its solid theoretical basis. As a result,

our model has forecasted movie's success with the accuracy of 58.5%, enhancing the performances of the models from past studies.

Our study has several good implications both academically and practically. First, to the best of our knowledge, our research, among the studies estimating the movie success, is one of the few studies that have focused on the feature selection of their prediction models. Especially, we suggest an idea of choosing features based on concrete theories. Such theory-driven feature selection is especially compelling in that, unlike explanatory studies, most predictive studies using machine learning techniques tends to focus only on the enhancement of predictive power. In other words, they emphasize more on the construction of better-performing model, not paying much attention to the explanation of how the model's features are related to its outcome. This causes the blame on the black-box nature of machine learning techniques. However, by determining what features to include based on concrete theories, we can defend such negative critiques. Second, we identify which machine learning algorithms are suitable to movie domain and build a prediction model, CEM, based on the ensemble approach which has rarely been adopted in the previous studies. CEM has increased the prediction accuracies of past studies by at least 10%.

Our study also has a good practical implication for the decision makers in movie industry. For movie producers, our model can be used as a supplementary tool for green-lighting processes. For distributors and theater owners, the model can provide an effective way to determine which movie to select, distribute, promote, and play.

In the future work, we plan to implement the strategies to enhance our model further. First, a more sophisticated voting criterion can be used for building an ensemble model. For example, weighted-voting criterion can be considered to increase the model accuracy. Second, other types of classification algorithms such as *artificial neural network (ANN)* can be considered. A few studies have reported the moderate accuracy of *ANN* in predicting movie's success (e.g.,

Sharda and Delen 2006). Third, other features or data that may boost the prediction accuracy can be added. For example, movie buzz data on social media such as *Twitter* can be used.

References

- Abe, S. 2005. *Support vector machines for pattern classification*, Springer, London, 58-59.
- Auria, L., and Moro, R. A. 2008. *Support vector machines (SVM) as a technique for solvency analysis*, DIW Berlin, Berlin, Germany.
- Asur, S., and Huberman, B. 2010. "Predicting the future with social media," *Web Intelligence and Intelligent Agent Technology (WI-IAT), 2010 IEEE/WIC/ACM International Conference on*, (1), 492-499.
- Balakrishnama, S., and Ganapathiraju, A. 1998. "Linear discriminant analysis - a brief tutorial," *Institute for Signal and information Processing*.
- Basuroy, S., Desai, K. K., & Talukdar, D. 2006. "An empirical investigation of signaling in the motion picture industry," *Journal of Marketing Research*, 43(2), 287-295.
- Chambers, M., & Dinsmore, T. W. 2014. "Advanced Analytics Methodologies: Driving Business Value with Analytics," *Pearson Education*.
- DeMaris, A. 1995. "A tutorial in logistic regression," *Journal of Marriage and the Family*, 956-968
- Dhar, T., Sun, G., & Weinberg, C. B. 2012. "The long-term box office performance of sequel movies," *Marketing Letters*, 23(1), 13-29.
- Dietterich, T. G. 1997. "Machine-Learning Research," *AI magazine*, 18(4), 97-136.
- Du, J., Xu, H., and Huang, X. 2014. "Box office prediction based on microblog," *Expert Systems with Applications*, 41(4), 1680-1689.
- Edwards, L. H. 2012. "Transmedia storytelling, corporate synergy, and audience expression," *Global Media Journal*, 12(20), 1-12.
- Elberse, A. 2007. "The power of stars: Do star actors drive the success of movies?" *Journal of Marketing*, 71(4), 102-120.

- Elder IV, J. F. 2003. "The Generalization Paradox of Ensembles," *Journal of Computational and Graphical Statistics*, 12(4), 853-864.
- Eliashberg, J., Elberse, A., and Leenders, M. A. 2006. "The Motion Picture Industry: Critical Issues in Practice, Current Research, and New Research Directions," *Marketing Science*, 25(6), 638-661.
- Eliashberg, J., Hui, S. K., and Zhang, Z. J. 2007. From Story Line to Box Office: A New Approach for Green-Lighting Movie Scripts," *Management Science*, 53(6), 881-893.
- Freund, Y., Schapire, R., & Abe, N. 1999. "A short introduction to boosting," *Journal-Japanese Society For Artificial Intelligence*, 14(5), 771-780.
- Ghiassi, M., Lio, D., and Moon, B. 2015. "Pre-Production Forecasting of Movie Revenues with a Dynamic Artificial Neural Network," *Expert Systems with Applications*, 42(6), 3176-3193.
- Han, M.H., Kang, H.M., and Kim, D.S. 2010. "Three Stage Performances and Herding of Domestic and Foreign Films in the Korean Market," *Asia Marketing Journal*, 11(4), 21-48.
- Hastie, T., Tibshirani, R., Friedman, J., and Franklin, J. 2009. "The Elements of Statistical Learning: Data mining, Inference and Prediction," *Springer*.
- Jenkins, H. 2013. "Transmedia Storytelling: Moving Characters from Books to Films to Video Games Can Make Them Stronger and More Compelling," *MIT Technology Review*, from <http://www.technologyreview.com/news/401760/transmedia-storytelling/>
- Karniouchina, E. V. 2011. "Impact of star and movie buzz on motion picture distribution and box office revenue," *International Journal of Research in Marketing*, 28(1), 62-74.
- Kleinbaum, D. G., & Klein, M. 2010. *Logistic Regression*, New York, Springer, 1-39.
- Litman, B. R. 1983. "Predicting success of theatrical movies: An empirical study," *The Journal of Popular Culture*, 16(4), 159-175.
- Liu, Y. 2006. "Word of mouth for movies: Its dynamics and impact on box office revenue." *Journal of marketing*, 70(3), 74-89.

- Mayr, A., Binder, H., Gefeller, O., and Schmid, M. 2014. "The Evolution of Boosting Algorithms," *Methods of Information in Medicine*, 53(6), 419-427.
- Mishne, G., and Glance, N. S. 2006. "Predicting Movie Sales from Blogger Sentiment," in *AAAI Spring Symposium: Computational Approaches to Analyzing Weblogs*, 155-158.
- Montillo, A. A. 2009. *Statistical Foundations of Data Analysis*, New York, Springer.
- Nelson, R. A., and Glotfelty, R. 2012. "Movie Stars and Box Office Revenues: An Empirical Analysis," *Journal of Cultural Economics*, 36(2), 141-166.
- Pohar, M., Blas, M., & Turk, S. 2004. "Comparison of logistic regression and linear discriminant analysis," *Metodoloki zvezki*, 1(1), 143-161.
- Prettenhofer, P., & Louppe, G. (2014). Gradient Boosted Regression Trees in Scikit-Learn. In *PyData, London 2014*
- Ravid, S. A. 1999. "Information, Blockbusters, and Stars: A Study of the Film Industry," *The Journal of Business*, 72(4), 463-492.
- Scolari, C. A. 2009. "Transmedia Storytelling: Implicit Consumers, Narrative Worlds, and Branding in Contemporary Media Production," *International Journal of Communication* (3), 586-606.
- Sharda, R., and Delen, D. 2006. "Predicting Box-Office Success of Motion Pictures with Neural Networks," *Expert Systems with Applications*, 30(2), 243-254.
- Simonoff, J. S., and Sparrow, I. R. 2000. "Predicting Movie Grosses: Winners and Losers, Blockbusters and Sleepers," *Chance*, 13(3), 15-24.
- Thornton, C., Hutter, F., Hoos, H. H., and Leyton-Brown, K. 2012. "Auto-WEKA: Automated Selection and Hyper-Parameter Optimization of Classification Algorithms."
- Treme, J., and Craig, L. A. 2013. "Celebrity Star Power: Do Age and Gender Effects Influence Box Office Performance?," *Applied Economics Letters*, 20(5), 440-445.
- Yamagishi, J., Kawai, H., & Kobayashi, T. 2008. "Phone duration modeling using gradient tree boosting," *Speech Communication*, 50(5), 405-415.

- Zhang, X. 2003. "Discriminant analysis as a machine learning method for revision of user stereotypes of information retrieval systems," presented at the *MLIRUM'03: 2nd Workshop Machine Learning, Information Retrieval, and User Modeling, 9th Int. Conf. User Modeling, Pittsburgh, PA*.
- Zhang, L., Luo, J., and Yang, S. 2009. "Forecasting Box Office Revenue of Movies with BP Neural Network," *Expert Systems with Applications*, 36(3), 6580-6587.
- Zhu, J., Zou, H., Rosset, S., & Hastie, T. 2009. "Multi-class adaboost," *Statistics and its Interface*, 2(3), 349-360.