

VASCULAR PLANTS AND THEIR USES IN KOREA

Tchang Bok Lee

The first vascular plants of Korea introduced to the botanical science of the western world were the specimens collected at Wonsan by Admiral B. A. Schlippenbach of Germany. He sent about 50 specimens to Europe when he was surveying the eastern coast of Korea in the warship "Pallada" on a day in April 1854. *Rhododendron schlippenbachii* was one of the specimens of that collection. In 1858 Wilford and in 1863 Oldham, both members of the Kew Botanic Gardens, England, explored for plants through the southern archipelago while in 1869 Williamson reached Mt. Paektu through Manchuria. Admiral W.W. Perry (1881~4) and captain Carpenter(1882) of England sent some specimens from Korea to Kew Gardens. All those specimens, together with those collected by Carles (1883~4), who was stationed in Inchon, appear in the Index Flora Sinensis of Forbes and Hemsley (1888~1905).

About this time Carl Gottsche, a German soil scientist, sent his collections made from Inchon, Seoul and up to the Yalu River to Berlin, Germany. Hanabusa sent 148 species to the University of Tokyo, Japan during his stay in Korea (1877~1882). J. Ross and Webster, both missionaries, sent some specimens to Kew Gardens that had been collected in Korea when they reached the northern frontier from Mukden, Manchuria. Kalinowsky(1886), Walbrook(1887), A. Bunge and N.C. Epow, both medical doctors(1889), Henry, a collector of Veitch(1892) and Anthony Son-tag, a Russian missionary, all collected plants in the Pusan, Inchon and Seoul areas. In 1897 V.L. Komarov made a botanizing trip to the northern part of Korea, in the areas along the Amur and Ussuri Rivers, the results of which were published in his *Flora Manshuriae* vols. 1~3 (1901~7). All the Korean plants disclosed up to this time, a total of 655 taxa of vascular plants, are included in the *Conspectus Flora Koreae* (vols. 1~3; 1898~1901) of J. Palibin.

Extensive collections of Korean plants were made by U. Faurie and J. Taquet, Catholic missionaries. Rev. Faurie (1847~1915), who was stationed at Aomori, Japan, collected plant specimens from Tsushima and Korea. In the years of 1906~7 Rev. Taquet cooperated with him and sent many thousands of specimens to Europe through Foreign Missions, Paris, France. Those specimens were studied by C. Christensen, H. Christ, H. Leveille, Vaniot, Kükenthal, E. Hackel and Boissieu.

Rev. J. Taquet (1873~1952) was born on 30th October 1873 in Hecq Quesmoy Nord, France, near the Belgian border. He landed in Seoul on 5th January 1898 soon after graduating from the School of Theology, Paris. He was stationed at Hongno-ri, a village on the southern slopes of Mt. Halla, Quelpart during the period from 1902 until 1915, after missionary work through Tongnae, Miryang, Kimhae, Chinju, Koje and Masan. He started to collect plant specimens of Korea in 1906 and his exploration reached a peak between 1908 and 1912. From 1915 he devoted himself primarily to missionary work until his death on 27th January 1952, although his plant exploration continued to some extent up to the time of his appointment as principal of the seminary in Taegu in 1922. Among many species disclosed by him are *Tilia taquetii*, *Ligularia taquetii* etc.,



Rev. J. Taquet

World War he concluded the results of his study on Korean flora in the Synoptical Sketch of Korean Flora in 1952.

Three young amateur taxonomists (Mori, Ishidoya and Uyeki) came to Korea early in this century and competed with each other in the exploration of Korean flora. Mori shifted his interest into fish after publication of his Enumeration of Korean Plants in 1922. Ishidoya turned to the study of medicinal sources from woody plants while H. Uyeki put all his effort into the genus *Pinus* from the standpoint of silviculture, including an exploration of conifers in Korea along with teaching forest botany and silviculture at the College of Agriculture and Forestry at Suwon up to the end of the Second World War.

The first Korean to enter the taxonomic field was Taihyon Chung in 1911. Chung, at first, worked in the collection of woody plants with Ishidoya at the Forest Experimental Station, Seoul. From 1913 he began to work with Nakai. The appendix of the Illustrated Encyclopedia of Fauna and Flora of Korea (volume 5) was his last publication in 1970. The naming of *Abelia taihyoni* Nakai is a testimony to their joint exploration in Korea.

About the same time as Chung, teachers of biology turned their eyes towards the plant kingdom by organizing a Society of Korean Natural History in 1923, which continued up to 1941. Publication of Common Names of Korean Plants (1937) by the Biology Club of Korea and Illustrated Forest Plants by T.H. Chung (1943) show good evidence of their efforts in plant exploration. However some members shifted their courses soon after the withdrawal of Japanese from Korea. Except T. Chung and H. Chang, most of the old members were too busy to do biological work and some were captured or killed during the Korean War. Moreover, the Herbarium of the Department of Forestry, College of Agriculture, Seoul National University including all specimens and references, was completely turned to ashes during the war.

plants familiar to present taxonomists.

Japanese botanists have busied themselves with Korean Flora since 1900. T. Uchiyama of the Botanic Garden, University of Tokyo, made two plant exploration trips to Korea during the summers of 1900 and 1902. T. Nakai began to direct his attention to Korean flora soon afterwards. In 1909 he published the first volume of *Flora Koreana* from a study of former specimens and references, and the following year (1910) he made a botanizing trip from Wonsan to the northern boundary, the results of which along with a study of specimens added by others formed the second volume of his work. After his appointment as a botanist of the Government General of Korea in 1913 he published many papers including *Korean Plants* (1914) and 22 volumes of *Flora Sylvatica Koreana* up to 1942, and then left for Java to join the Japanese military forces. However, after the Second

There was not even a room to use and the author was the only one in the Department. All he could see was the ruins left by the war. However, the author decided to restore specimens first in order to be able to teach students. In the interim the collection has grown to about 80,000 specimens.

A grove on the campus, which escaped from fire damage, was used for al fresco teaching and cardboard boxes from army rations served as good specimen cases until our present building was built. During restoration of specimens the funds given by the USDA under Public Law 480 were of great benefit. With this aid the author was able to examine all the Korean specimens preserved at the University of Tokyo, Japan. With the restoration of plant resources the author began to publish an Index Seminum in 1970 and have continued every other year since then. Furthermore, a concrete plan to establish an arboretum at the College of Agriculture, S.N.U. was pronounced by Presidential Decree No. 5666 in October 1971.

Nakai enumerated 3176 species of vascular plants in his Synoptical Sketch of Korean Flora (1952). As a result of further studies, those were reduced to 2898 species which are presented as below (+ indicates number of exotic species introduced). The second table shows the number of woody plants among the vascular plants of Korea.

Number of Vascular Plants

Taxon	Family	Genus	Species	Subspecies	Variety	Forma	Hybrid
<i>Filicineae</i>	21	62	229	—	21	4	
<i>Gymnospermae</i>	4 + 2	11 + 9	26 + 23	—	19 + 1	22	1
<i>Dicotyledoneae</i>	122 + 10	621 + 122	1920 + 303	7 + 2	753 + 28	252 + 6	22
<i>Monocotyledoneae</i>	23 + 3	203 + 37	723 + 69	—	136 + 4	23 + 2	—
Total	170 + 15	897 + 168	2898 + 395	7 + 2	929 + 33	301 + 8	23

Total Taxa 4158+438=4596

Number of Woody Plants

<i>Gymnospermae</i>	4 + 2	11 + 9	26 + 23	—	19 + 1	22	1
<i>Dicotyledoneae</i>	72 + 3	198 + 30	589 + 103	1	331 + 10	152 + 5	22
<i>Monocotyledoneae</i>	2	6	10 + 3	—	4	1	—
Total	78 + 5	215 + 37	625 + 129	1	354 + 11	175 + 5	23

Total Taxa 1178+145=1323

On the use of plants, many uses of vascular plants have been devised since human history began in Korea. Our life has been dependent on plant resources and will require more and more such dependency in order to maintain a proper prosperity of human life. The uses of plants are indicated following the name by abbreviations; E for edible source, M for medicinal, P for forage, R for industrial raw material, O for ornamental and T for timber source.

Edible plants are those that have at least one part edible. For example the entire plant of *Capsela* including roots and leaves are used as greens in the early spring while in the case of

Codonopsis and *Platycodon* the roots alone are an edible source. Berries of *Actinidia*, young leaves of *Euonymus alatus* and *Pteridium*, corolla of *Rhododendron mucronulatum*, and pedicels of *Hovenia* are the only edible parts of those plants but they are shown as edible plants. Edible plants total 839 taxa, belonging to 238 genera and 80 families as below. These are described in the Illustrated Wild Edible Plants of Korea by T. Lee (1969.)

Taxon	Family	Genus	Species	Subsp.	Variety	Forma	Hybrid
<i>Filicinaeae</i>	4	6	9		1		
<i>Gymnospermae</i>	3	4	7		1	6	
<i>Dicotyledoneae</i>	65	204 + 1	441 + 3	4	213	59	7
<i>Monocotyledoneae</i>	8	23	65		19	4	
Total	80	237 + 1	522 + 3	4	234	69	7

Total Taxa 836+3=839

Medicinal plants are those that serve to cure human disease. As in the case of edible plants medicinal plants do not mean the whole plant body is used but only a part according to the nature of the medicinal contents. Moreover, those resources did not all come from the data of medicinal analysis though most of them were made from those sources. Some of them, therefore, will require chemical analysis in the future. There are 384 genera and 996 species enumerated in the Illustrated Medicinal Plants of T. Lee (1971) as are presented following table. Some of these species such as *Angelica gigas* and most of *Paeonia* are disappearing from their natural sites due to their continued use for medicinal purposes.

Taxon	Family	Genus	Species	Subsp.	Variety	Forma	Hybrid
<i>Filicinaeae</i>	9	14	21		2		
<i>Gymnospermae</i>	4	6	13		2	6	
<i>Dicotyledoneae</i>	92 + 1	275 + 36	495 + 48	2	195 + 1	76 + 1	1
<i>Monocotyledoneae</i>	16	49 + 4	93 + 4		26	10	
Total	121 + 1	344 + 40	622 + 52	2	225 + 1	92 + 1	1

Total Taxa 942+54=996

Forage plants are those that are fed to domestic animals. They differ from animal to animal and even in the same species it depends on the time of maturation of plant tissues as well as the quantity of the plant resources. For example, goats eat most species of plants while cattle are much more choosy. Cattle devour all members of *Gramineae* and the genus *Carex* of *Cyperaceae*. This is why some people think of only the grass family as forage resources. On the other hand *Hedera* has been called the bread tree of cattle in the south while *Albizia* has been called the rice tree. However, sometimes it is difficult to decide fodder plants as in the case of *Cirsium*. Cattle avoid it because of the sharp spines while horses eat it in time after

beating down the spines with their hooves. Our people also consume this plant but by cooking the young greens. On the other hand *Lysimachia* is considered an edible plant even though the cattle never take it, probably because of its sour taste. Illustrated Forage Resources of Korea of T. Lee (1973) contains 1101 taxa, which belong to 279 genera and 71 families as below.

Taxon	Family	Genus	Species	Subsp	Variety	Forma	Hybrid
<i>Filicineae</i>	1	1	7		2	2	
<i>Dicotyledoneae</i>	61	160 + 5	324 + 19	5	144	70	1
<i>Monocotyledoneae</i>	9	108 + 5	400 + 14		95 + 1	17	
Total	71	269 + 10	731 + 33	5	241 + 1	89	1

Total Taxa $1067 + 34 = 1101$

Ornamental plants are very different from edible, medicinal and forage resources. Many factors are necessary to evaluate ornamental value since the categories, with which to decide ornamental value differ not only from person to person but also from time to time. However, there appears a firm tendency of economy and duration at present, which gradually erases away the idea of the flower as the best criterion. The number of ornamental species has increased simply because of economic importance and fashion rather than a result of native resources explored. However, the author has included some ornamentals which are little known to the general public as yet. Enumerated are 761 taxa which belong to 241 genera. Among those *Abeliophyllum distichum*, *Juniperus chinensis*, and *Taxus cuspidata* are endangered species and will require special attention for proper protection in mountainous areas.

Timber resources are trees that reach an economic size, which total 423 taxa as below. All appear in the Textbook of Dendrology of T. Lee (1974)

Taxon	Family	Genus	Species	Variety	Forma	Hybrid
<i>Gymnospermae</i>	4 + 2	11 + 9	26 + 23	17 + 1	14	1
<i>Dicotyledoneae</i>	25 + 3	62 + 14	196 + 45	76 + 3	12 + 1	4
<i>Monocotyledoneae</i>	1	2 + 1	2 + 2			
Total	30 + 5	75 + 24	224 + 70	93 + 4	26 + 1	5

Total Taxa $348 + 75 = 423$

Requirement of raw materials seems to be increasing with the development of new industries and extensive exploration for this purpose is necessary. Very few materials other than the wood itself have been used so far but mention can be made of the cork of *Quercus variabilis*, fiber of *Broussonetia* and *Pueraria*, lacquer from *Rhus verniciflua*.

Besides these uses, plants themselves protect the soil from erosion and fertilize the land to provide beautiful scenery as a whole. Therefore, the intention had been to list all plant resources so as to know what treasure we have in nature. Illustration of all the plant listed below will be published soon with the hope of protection of our plant resources as the eternal treasure of Korea.

Vascular Plants and their Uses

Psilotaceae 솔잎난파

1. *Psilotum nudum* (L.) Griseb. 솔잎난파 U

Lycopodiaceae 석송과

2. *Lycopodium alpinum* L. var. *planiramulosum* Takeda, 산석송, U
3. *Lycopodium annotinum* L. 개석송, U
4. *Lycopodium chinense* Christ. 달립취꼬리, U
5. *Lycopodium clavatum* var. *nipponicum* Nak. 석송(애기석송), M
6. *Lycopodium complanatum* L. 비늘석송, U
7. *Lycopodium cryptomerinum* Max. 왕다람취꼬리, U
8. *Lycopodium integrifolium* Matsuda et Nakai, 긴다람취꼬리, U
9. *Lycopodium obscurum* L. 만년석송, M
10. *Lycopodium selago* L. 좀다람취꼬리, U
11. *Lycopodium serratum* Thunb. 뱀톱, M
12. *Lycopodium sieboldii* Miquel, 줄석송, U

Selaginellaceae 부처손과

13. *Selaginella helvetica* (L.) Link. 왜구실사리, U
14. *Selaginella involvens* (Sw.) Spring, 바위손, U
15. *Selaginella rossii* (Baker) Warburg, 구슬사리, U
16. *Selaginella sibirica* (Milde) Hieron, 실사리, U
17. *Selaginella stauntoniana* Spring, 개부처손, U
18. *Selaginella tamariscina* (Beauv.) Spring, 부처손, M.O

Isoetaceae 물부추과

19. *Isoetes japonica* A. Braun, 물부추, U

Equisetaceae 속새과

20. *Equisetum arvense* L. 쇠뜨기, E. P
21. *Equisetum arvense* L. var. *boreale* (Bong.) Rupr. 북쇠뜨기, E. P
22. *Equisetum hyemale* L. 속새, M. P
23. *Equisetum limosum* L. 물속새, P
24. *Equisetum palustre* L. 개쇠뜨기, P
25. *Equisetum pratense* Ehrh. 물쇠뜨기, P
26. *Equisetum ramosissimum* Desf. 개속새, P
27. *Equisetum sylvaticum* L. 능수쇠뜨기, P

Ophioglossaceae 고사리삼과

28. *Botrychium boreale* Milde, 빼고사리삼, U

- 29. *Botrychium japonicum* Underwood, 산꽃고사리삼 U
- 30. *Botrychium lunaria* Swartz, 백두산고사리삼, U
- 31. *Botrychium multifidum* var. *robustum* (Rupr.) C. Christ. 산고사리삼, U
- 32. *Botrychium ramosum* (Roth) Ascherson, 난장이고사리삼, U
- 33. *Botrychium strictum* Und. 긴꽃고사리삼, U
- 34. *Botrychium ternatum* (Thunb.) Swartz, 고사리삼, M
- 35. *Botrychium virginicum* (L.) Swartz, 늦고사리삼, M
- 36. *Ophioderma pendulum* (L.) Pr. 다시마고사리, U
- 37. *Ophioglossum petiolatum* Hook. 나도고사리삼, U
- 37-1. *O. thermale* v. *nipponicum* Nishida. 좀나도고사리삼, U

Osmundaceae 고비과

- 38. *Osmunda cinnamomea* var. *fokiensis* Dopel, 펑고비, U
- 39. *Osmunda claytoniana* L. 음양고비, U
- 40. *Osmunda japonica* Thunb. 고비, E. M

Schizaeaceae 실고사리과

- 41. *Lygodium japonicum* (Thunb.) Swartz. 실고사리, M

Gleicheniaceae 풀고사리과

- 42. *Gleichenia dichotoma* (Thunb.) Hooker. 발풀고사리, U
- 43. *Gleichenia japonica* Sprengel, 풀고사리, U
- 44. *Gleichenia laevissima* Christ, 암풀고사리, U

Hymenophyllaceae 쳐녀이끼과

- 45. *Crepidomanes makinoi* var. *tosae* (Christ.) K. Iwats. 괴불이끼, U
- 46. *Gonocormus minutus* (Blume) Bosch. 부채괴불이끼, U
- 47. *Hymenophyllum barbatum* (Bosch.) Baker. 수염이끼, U
- 48. *Mecodium wrightii* (V.D. Bosch.) Copel. 쳐녀이끼, U
- 49. *Vandenboschia amabilis* (Nak.) K. Iwats. 난쟁이이끼, U
- 50. *Vandenboschia radicans* var. *orientalis* (C. Christ.) H. Ito, 누운괴불이끼, U

Pteridaceae 고사리과

- 51. *Adiantum capillus-junonis* Rupr. 암공작고사리, U 51-1 ※ *A. capillus-veneris* L., 남작고사리, O
- 52. *Adiantum coreanum* Tagawa, 고려공작고사리, U
- 53. *Adiantum monochlamys* Eaton, 섬공작고사리, U
- 54. *Adiantum monochlamys* var. *plurisorum* H. Christ. 큰공작고사리, U
- 55. *Adiantum pedatum* L. 공작고사리, O
- 56. *Cheilanthes argentea* (Gmel.) Kunze, 부시铗고사리, U
- 57. *Cheilanthes argentea* var. *obscura* Christ. 청부시铗고사리, U
- 58. *Cheilanthes chusana* Hook. 개부시铗고사리, U
- 59. *Cheilanthes kuhnii* Milde, 산부시铗고사리, U

60. *Cheilanthes kuhnii* for. *gracilis* Kitagawa, 북부시벳고사리, U
 61. *Coniogramme intermedia* Hieron, 고비고사리, U
 62. *Coniogramme japonica* (Thunb.) Diels. 가지고비고사리, U
 63. *Coniogramme japonica* var. *fauriei* (Hieron) Tagawa, 개가지고비고사리, U
 64. *Dennstaedtia hirsuta* (Sw.) Mett. 잡고사리, U
 65. *Dennstaedtia wilfordii* (Moore) Christ. 학고사리, U
 66. *Hypolepis punctata* (Thunb.) Mett. 점고사리, U
 67. *Lindsaea japonica* (Bak.) Diels. 비고사리, U
 68. *Microlepia marginata* (Panzer) C. Christ. 돌잔고사리, U
 69. *Microlepia pseudo-strigosa* Mak. 겹돌잔고사리, U
 70. *Microlepia strigosa* (Thunb.) Presl. 돌토끼고사리, U
 71. *Onychium japonicum* (Thunb.) Kunze 선바위고사리, U
 72. *Pleurosoriopsis makinoi* (Max.) Fomin, 좁고사리, U
 73. *Pteridium aquilinum* (L.) Kuhn var. *glabrum* (Tausch) Luerss. 총총고사리 E
 74. *Pteridium aquilinum* var. *latiusculum* (Desv.) Underw. 고사리, E.M
 75. *Pteris cretica* L. 큰 봉의꼬리, U
 76. *Pteris dispar* Kunze, 반쪽고사리, U
 77. *Pteris inaequalis* var. *aequata* (Miquel) Tagawa, 큰 반쪽고사리, U
 78. *Pteris inaequalis* var. *fauriei* (Christ.) Tagawa, 탑라반쪽고사리, U
 79. *Pteris multifida* Poiret, 봉의꼬리, M
 80. *Sphenomeris chusana* (L.) Copel. 바위고사리, U

Parkeriaceae 물고사리과

81. *Ceratopteris thalictroides* (L.) Brongn. 물고사리, U

Davalliaceae 네줄고사리과

82. *Davallia mariesii* Moore, 네줄고사리, O

Plagiogyriaceae 평고사리과

83. *Plagiogyria euphlebia* (Kunze) Mettenius, 평고사리, U
 84. *Plagiogyria japonica* Nakai, 심평고사리, U

Aspidiaceae 면마과

85. *Athyrium acutipinnulum* Kodama ex Nakai, 신고사리 U
 86. *Athyrium alpestre* (Hoppe) Rylands, 산고사리 U
 87. *Athyrium brevifrons* Nakai ex Mori, 참새발고사리, E.M
 88. *Athyrium brevifrons* var. *angustifrons* Kodama ex Mori, 진새발고사리, E
 89. *Athyrium concinnum* Nakai, 꽁꽁개고사리, U
 90. *Athyrium coniliif* (Fr. et Sav.) Tagawa, 좁진고사리, U
 91. *Athyrium crenatum* (Sommerf.) Rupr. 두께고사리, U

92. *Athyrium crenatum* var. *glabrum* Tagawa, 민두께고사리, U
 93. *Athyrium deltoidofrons* Makino, 구슬고사리, U
 94. *Athyrium dimorphophyllum* (Koidz.) Tagawa, 큰진고사리, U
 95. *Athyrium excelsius* Nakai, 자리산고사리, U
 96. *Athyrium henryi* (Bak.) Diels. 곱세고사리, U
 97. *Athyrium iseanum* Ros. 가는잎개고사리, U
 98. *Athyrium japonicum* (Thunb.) Copel. 진고사리, U
 99. *Athyrium koryoense* Tagawa ex Nakai, 그늘개고사리, U
 100. *Athyrium lobato-crenatum* (Tagawa) Tagawa, 외잎 진고사리, U
 101. *Athyrium mesosorum* (Mak.) Makino, 큰깨고사리, U
 102. *Athyrium nakaii* Tagawa ex Nakai, 강원고사리, U
 103. *Athyrium nikkoense* Makino, 산뱀고사리, U
 104. *Athyrium nipponicum* (Mett.) Hance, 개고사리, E
 105. *Athyrium otophorum* Koidz. 굳개고사리, U
 106. *Athyrium pterorachis* Christ. 왕고사리, U
 107. *Athyrium pycnosorum* H. Christ. 텁고사리, U
 108. *Athyrium reflexipinnum* Hayata, 거꾸리새고사리, U
 109. *Athyrium sheareri* (Bak.) Ching, 개톱날고사리, U
 110. *Athyrium spinulosum* (Max.) Milde, 두매개고사리, U ※ 110-1 *A. squamigerum* Ohwi, U
 111. *Athyrium subimbricatum* Nakai, 물뱀고사리, U
 112. *Athyrium vidalii* (Fr. et Sav.) Nakai, 산개고사리, E.M
 113. *Athyrium viridifrons* Makino, 푸른개고사리, U
 114. *Athyrium wardii* (Hook.) Makino, 넓은잎개고사리, U
 115. *Athyrium yokoscense* (Fr. et Sav.) Christ. 뻐고사리, E
 116. *Cornopteris crenulato-serrulata* (Mak.) Nakai 음달고사리, U
 117. *Cornopteris decurrenti-alata* (Hook.) Nakai, 뿔고사리, U
 118. *Cornopteris decurrenti-alata* var. *pilosella* H. Christ 텁술고사리, U
 119. *Cornopteris hakonensis* (Mak.) Nakai, 자리숲고사리, U
 120. *Cyclosorus acuminatus* (Houtt.) Nakai, 별고사리, U
 121. *Cyclosorus parasiticus* (L.) Farwell, 텁별고사리, U
 122. *Cyrtomium falcatum* (L.) Presl. 도깨비 고비, U
 123. *Cyrtomium fortunei* J. Smith. 쇠고비, M
 124. *Cystopteris fragilis* (L.) Bernh. 한들고사리, U
 125. *Cystopteris sudetica* A. Br. et Milde, 바람고사리, U
 126. *Diplazium chinense* (Bak.) C. Christ. 암고사리, U
 127. *Diplazium hachijoense* Nak. 섬잔고사리, U
 128. *Diplazium subsinuatum* (Wall.) Tagawa, 바둑참빗, U
 129. *Diplazium virescens* Kunze. 검정비늘고사리, U
 130. *Diplazium wichurae* (Mett.) Diels. 주름고사리, U
 131. *Dryopteris amurensis* Christ. 아물고사리, U
 132. *Dryopteris atrata* (Wall.) Ching, 톱지네고사리, U

133. *Dryopteris austriaca* (Jacq.) Woynar. 페진고사리, U
 134. *Dryopteris austriaca* for. *subopposita* H. Ito, 금강고사리, U
 135. *Dryopteris bissetiana* (Bak.) C. Christ. 쪽제비고사리 U
 136. *Dryopteris championii* (Benth.) C. Christ. 제주자네고사리, U
 137. *Dryopteris chinensis* (Bak.) Koidz. 가는잎 쪽제비고사리, U
 138. *Dryopteris coreanomontana* Nakai, 보태면마 (북관중), U
 139. *Dryopteris crassirhizoma* Nakai, 관중 M. E
 140. *Dryopteris erythrosora* O. Kuntze. 흥지네고사리, U
 141. *Dryopteris erythrosora* var. *ambigens* Nakai, 반들고사리, U
 142. *Dryopteris fragrans* Schott. 주자리고사리, U
 143. *Dryopteris fuscipes* C. Christ. 큰 지네고사리, U
 144. *Dryopteris gymnophylla* (Bak.) C. Christ. 금쪽제비고사리, U
 145. *Dryopteris kinkiensis* Koidz. 잎은 지네고사리, U
 146. *Dryopteris lacera* (Thunb.) O. Kuntze. 비늘고사리, U
 147. *Dryopteris laeta* Christ. 바위틈고사리, U
 148. *Dryopteris monticola* (Mak.) C. Christ. 왕자네고사리, U
 149. *Dryopteris pacifica* (Nak.) Tagawa. 큰쪽제비고사리, U
 150. *Dryopteris polylepis* (Fr. et Sav.) C. Christ. 산비늘고사리, U
 151. *Dryopteris sacrosancta* Koidz. 애기 쪽제비고사리, U
 152. *Dryopteris saxifraga* H. Ito 바위쪽제비고사리, U
 153. *Dryopteris saxifragivaria* Nakai, 광동쪽제비고사리, U
 154. *Dryopteris tenuissima* Tagawa. 장수주자고사리, U
 155. *Dryopteris tokyoensis* C. Christ. 노리비 고사리, U
 156. *Dryopteris uniformis* (Mak.) Makino, 곱비늘고사리, U
 157. *Dryopteris uniformis* for. *coreana* H. Ito 쪽제비 고사리, U
 158.
 159. *Gymnocarpium dryopteris* (L.) Newm. 토끼고사리, U
 160. *Gymnocarpium jessoensis* (Koidz.) Koidz. 산토끼고사리, U
 161. *Hypodematum fauriei* for. *glandulos-pilosum* Tagawa. 금털고사리, U
 162. *Lastrea beddomei* Bak. 가는잎 치녀고사리, U
 163. *Lastrea cystopteroides* (Eaton) Copel. 좀 사다리고사리, U
 164. *Lastrea glanduligera* (Kuntze) Moore, 사다리고사리, U
 165. *Lastrea glanduligera* var. *koreana* Nakai, 참사다리고사리, U
 166. *Lastrea japonica* (Baker) Copel. 지네고사리, U
 167. *Lastrea japonica* var. *glabrata* (Ching) Ohwi. 참자네고사리 U
 168. *Lastrea laxa* (Fr. et Sav.) Copel. 드문고사리, U
 169. *Lastrea nipponica* (Fr. et Sav.) Copel. 산고사리, U
 170. *Lastrea nipponica* var. *borealis* (Hara) Tagawa, 텔 산고사리, U
 171. *Lastrea oligophlebia* var. *elegans* (H. Ito) Nakai, 각시고사리, U
 172. *Lastrea omeiensis* (Bak.) Copel. 나도 진퍼리고사리, U
 173. *Lastrea quelpaertensis* (Christ.) Copel. 큰 치녀고사리, U

174. *Lastrea subochthodes* (Ching) Tagawa, 제비꼬리 고사리, U
 175. *Lastrea thelypteris* (L.) Bory, 치녀고사리, U
 176. *Lastrea viridifrons* (Tagawa) Tagawa, 푸른자씨고사리, U
 177. *Leptogramma mollissima* (Fischer) Ching, 진퍼리고사리, U
 178. *Matteucia orientalis* (Hook.) Trev. 개면마, U
 179. *Matteucia struthiopteris* (L.) Todaro, 청나래고사리, E
 180. *Onoclea sensibilis* L. var. *interrupta* Max. 야산고비, E
 181. *Phegopteris decursive-pinnata* (Van Hall) Fee, 설설고사리, U
 182. *Phegopteris polypodioides* Fee, 가래고사리, U
 183. *Polystichum braunii* (Spenn.) Fee. 좀나도히초미, U
 184. *Polystichum craspedosorum* (Max.) Diels. 뉘시고사리, U
 185. *Polystichum cyrtolepidotum* Fr. 제주개관종, U
 186. *Polystichum lepidocaulon* (Hooker) J. Smith, 더부사리고사리, U
 187. *Polystichum polyblepharum* (Rom.) Presl. 나도히초미, U
 188. *Polystichum polyblepharum* var. *fibriloso-paleaceum* (Kodama) Tagawa, 텔개관종, U
 189. *Polystichum retropaleaceum* var. *coraiense* (Christ.) Tagawa, 참나도히초미, U
 190. *Polystichum tripteron* (Kunze) Presl. 십자고사리, U
 191. *Polystichum tripteron* for. *subtripinnatum* H. Ito, 큰십자고사리, U
 192. *Polystichum tsussimense* J. Smith, 겹정개관종, U
 193. *Rumohra amabilis* (Bl.) Ching, 쇠고사리, U
 194. *Rumohra aristata* (Forst) Ching, 가는 쇠고사리, U
 195. *Rumohra maximowiczii* (Baker) Ching, 진저리고사리, U
 196. *Rumohra miqueliana* (Max.) Ching, 왁살고사리, U
 197. *Rumohra mutica* Nakai, 털비늘고사리, U
 198. *Rumohra pseudo-aristata* (Tagawa) H. Ito 좀쇠고사리, U
 199. *Rumohra standishii* Nakai, 일색고사리, U
 200. *Woodsia glabella* R. Br. 큰솜털고사리, U
 201. *Woodsia hancockii* Baker, 애기 가물고사리, U
 202. *Woodsia ilvensis* R. Br. 두매우드풀, U
 203. *Woodsia intermedia* Tagawa, 좀 가물고사리, U
 204. *Woodsia macrochlaena* Mett. ex Kuhn, 참우드풀, U
 205. *Woodsia manchuriensis* Hooker, 만주우드풀, U
 206. *Woodsia polystichoidea* Eaton, 우드풀, U
 207. *Woodsia pseudo-ilvensis* Tagawa, 메가물고사리, U
 208. *Woodsia saitoana* Tagawa, 좀썰가물고사리, U
 209. *Woodsia subcordata* Turcz. 산우드풀, U

Blechnaceae 새깃아제비과


210. *Woodwardia japonica* (L.) Smith, 새깃아재비, U

Aspleniaceae 꼬리고사리과

- 211. *Asplenium anogrammoides* Christ. 애기 좀 고사리, U
- 212. *Asplenium antiquum* Makino, 파초일엽, U
- 213. *Asplenium curtidens* (Christ.) Koidz. 섬돌담고사리, U
- 214. *Asplenium incisum* Thunb. 꼬리고사리, U
- 215. *Asplenium normale* Don, 깃 고사리, U
- 216. *Asplenium oligophlebium* Bak. 개차고사리, U
- 217. *Asplenium pekinensis* Hance, 사철고사리, U
- 218. *Asplenium prolongatum* Hook. 수풀담 고사리, U
- 219. *Asplenium ritoense* Hayata, 쪽잔고사리, U
- 220. *Asplenium sarelii* Hook., 돌담고사리, U
- 221. *Asplenium scolopendrium* L. 풀고사리, U
- 222. *Asplenium tenerum* Forster, 선녀고사리, U
- 223. *Asplenium trichomanes* L. 차꼬리고사리, U
- 224. *Asplenium unilaterale* Lamarch, 지느러미고사리, U
- 225. *Asplenium varians* Wall. 애기꼬리고사리, U
- 226. *Asplenium wilfordii* Mett. 수수고사리, U
- 227. *Asplenium wrightii* Eat. 눈썹고사리, U, var. *shikokianum* (Mak.) Makino, U
- 228. *Camptosorus sibiricus* Rupr. 거미고사리, U

Polypodiaceae 고란초과

- 229. *Colysis elliptica* (Thunb.) Ching, 손고비, U
- 230. *Colysis simplicifrons* (Christ.) Tagawa, 창고사리, U
- 231. *Colysis wrightii* (Hook.) Ching, 밤았고사리, U
- 232. *Crypsinus engleri* (Luerss.) Copel. 큰고사리, U
- 233. *Crypsinus hastatus* (Thunb.) Copel, 고란초, M
- 234. *Crypsinus veitchii* (Bak.) Cople. 총총고란초, U
- 235. *Lemnaphyllum microphyllum* Presl. 콩짜개당근, U
- 236. *Lepisorus annulifrons* (Mak.) Ching, 다시마일엽초, U
- 237. *Lepisorus onoei* (Fr. et Sav.) Ching, 애기인엽초, U
- 238. *Lepisorus thunbergianus* (Kaulf.) Ching, 일엽초, M
- 239. *Lepisorus ussuriensis* (Regel et Maack.) Ching, 산일엽초, U
- 240. *Loxogramme grammitoides* (Bak.) C. Christ. 주걱일엽, U
- 241. *Loxogramme salicifolia* (Mak.) Makino, 비둘일엽, U
- 242. *Loxogramme saziran* Tagawa, 술갈일엽, U
- 243. *Neochiropoteris ensata* (Thunb.) Ching, 밤일엽, U
- 244. *Polypodium fauriei* H. Christ. 나사미역고사리, U
- 245. *Polypodium virginianum* L. 음미역고사리, U
- 246. *Polypodium vulgare* L. 미역고사리, U
- 247. *Pyrrosia linearifolia* (Hook.) Ching, 우단일엽, U



구상나무 *Abies koreana* Wilson (한라산)

248. *Pyrrosia lingua* (Thunb.) Farwell, 석위, M
 249. *Pyrrosia petiolaris* (Christ. et Baroni) Ching, 애기석위, M
 250. *Pyrrosia tricuspidata* (Sw.) Tagawa, 세뿔석위, M

Vittariaceae 일엽아재비과

251. *Vittaria flexuosa* Fee, 일엽아재비, U

Marsileaceae 네가래과

252. *Marsilea quadrifolia* L. 네가래, U

Salviniaceae 생이가래과

253. *Salvinia natans* (L.) All. 생이가래, U
 254. *Azolla imbricata* (Roxb.) Nakai, 물개구리밥, U
 255. *Azolla japonica* Fr. 콘물개구리밥, U

Ginkgoaceae 은행나무과

256. *Ginkgo biloba* L. 은행나무, E.M.O.T.

Taxaceae 주목과

257. *Cephalotaxus koreana* Nakai, 캐비자, E.O
 258. *Taxus caespitosa* Nakai. 설악눈주목, U
 259. *Taxus cuspidata* S. et Z. 주목, E.M.O.T.
 260. *Taxus cuspidata* var. *latifolia* Nakai. 회술나무, E.M.O.T.
 261. **Taxus cuspidata* var. *nana* Rehder, 눈주목, O *印은 外來種을 표시한다.
 262. *Torreya nucifera* S. et Z. 비자나무, M.T.

Pinaceae 소나무과

263. ※ *A. firma* Sieb et Zucc. 일본젓나무, T.O.
 264. *Abies holophylla* Max. 짓나무, T.O.
 265. *Abies koreana* Wilson 구상나무, T.O.
 266. *Abies koreana* for. *chlorocarpa* T. Lee 청구상나무, T.O
 267. *Abies koreana* for. *nigrocarpa* Hatus. 검구상나무, T.O.
 268. *Abies koreana* for. *rubrocarpa* T. Lee 붉은구상, T.O
 269. *Abies nephrolepis* Max. 분비나무, T.O.
 270. *Abies nephrolepis* for. *chlorocarpa* Wilson, 청분비나무, T.O.
 271. **Cedrus deodara* (Roxb.) Loudon, 개잎갈나무, O
 272. *Larix gmelini* var. *principis-ruprechtii* (Mayr) Pilger, 잎갈나무, T
 273. *Larix gmelini* var. *principis-ruprechtii* for. *purpurea* (Uyeki) T. Lee, 자주잎갈나무, T

274. *Larix gmelini* var. *principis-ruprechtii* for. *rubescens* (Uyeki) T. Lee, 붉은잎갈나무, T
275. *Larix gmelini* var. *principis-ruprechtii* for. *viridis* (Wilson) T. Lee, 청잎갈나무, T
276. **Larix leptolepis* (S. et Z.) Gordon, 일본잎갈나무, T
277. **Picea abies* (L.) Karsten 독일가문비, O
278. *Picea jezoensis* Carriere 가문비, T
279. *Picea jezoensis* for. *rubrilepis* Uyeki, 붉은가문비, T
280. *Picea koraiensis* Nakai, 종비, T.O
281. *Picea koraiensis* var. *tonaiensis* (Nak.) T. Lee, 덤종비나무, T
282. *Picea pungsanensis* Uyeki, 풍산가문비, T
283. *Picea pungsanensis* var. *intercedens* (Nak.) T. Lee 털가문비나무, T
284. **Pinus banksiana* Lambert, 방크스 소나무, T.O
285. **Pinus bungeana* Zucc. 벼송, O
286. *Pinus densiflora* S. et Z. 소나무, E.M.O.T.
287. *Pinus densiflora* var. *aurea* Mayr, 황금송, O
288. *Pinus densiflora* var. *recurva* Mayr, 고수소나무, O
289. *Pinus densiflora* var. *tortuosa* Mayr, 용술, O
290. *Pinus densiflora* var. *variegata* Mayr, 배발송, O
291. *Pinus densiflora* for. *aggregata* Nakai, 남복송, O
292. *Pinus densiflora* for. *aureascens* Uyeki, 금빛소나무, O
293. *Pinus densiflora* for. *congesta* Uyeki, 여복송, O
294. *Pinus densiflora* for. *divaricata* Uyeki, 번가지소나무, O
295. *Pinus densiflora* for. *erecta* Uyeki, 굽강소나무, T.
296. *Pinus densiflora* for. *glauca* Uyeki, 회색송, O
297. *Pinus densiflora* for. *multicaulis* Uyeki, 반송, O
298. *Pinus densiflora* for. *pendula* Mayr, 쳐진소나무, O
299. *Pinus densiflora* for. *umbeliformis* Uyeki, 삿갓송, O
300. *Pinus densiflora* for. *vittata* Uyeki, 은송, O
301. ×*Pinus densi-thunbergii* Uyeki. 증곱술, T
302. *Pinus koraiensis* S. et Z. 잣나무, E.T.O.M.
303. **Pinus palustris* Miller 왕술나무, O
304. *Pinus parviflora* S. et Z. 심잣나무, T.O
305. *Pinus pumila* Regel, 눈잣나무, O
306. **Pinus pungens* Lambert, 풍챈스소나무, T
307. **Pinus rigida* Miller, 리기다소나무, T
308. **Pinus strobus* L. 스트로브잣나무, T-
309. **Pinus sylvestris* L. 구주소나무, T
310. *Pinus tabulaeformis* Carriere var. *mukdensis* Uyeki, 만주곰솔, T
311. **Pinus taeda* L. 태에다소나무, T
312. *Pinus thunbergii* Parlatore, 곱술, T.M.E
313. *Pinus thunbergii* for. *multicaulis* Uyeki, 곱반송, O
314. *Tsuga sieboldii* Carriere 솔송나무, T.O.

Taxodiaceae 낙우송과

- 315. **Cryptomeria japonica* D. Don, 삼나무, T
- 316. **Cunninghamia lanceolata* Hook. 넓은잎 삼나무, O
- 317. **Metasequoia glyptostroboides* Hu et Cheng, 메타세쿼이아, O
- 318. **Sciadopitys verticillata* Sieb. et Zucc, 금송, O
- 319. **Taxodium distichum* (L.) Richard, 낙우송, O

Cupressaceae 측백나무과

- 320. **Chamaecyparis obtusa* (S. et Z.) Endlicher, 편백, T.O
- 321. **Chamaecyparis pisifera* (S. et Z.) Endlicher, 화백, T.O
- 322. *Juniperus chinensis* L. 향나무, O.M.R
- 323. *Juniperus chinensis* var. *globosa* Hornibr. 동군향나무, O
- 324. *Juniperus chinensis* var. *kaizuka* Hort. 나사백, O
- 325. *Juniperus chinensis* for. *variegata* (Max.) Rehder, 은반향나무, O
- 326. *Juniperus chinensis* var. *horizontalis* Nakai, 똑향나무, O
- 327. *Juniperus chinensis* var. *aureo-variegata* Masters ex Rehder 금반향나무, O
- 328. *Juniperus chinensis* var. *sargentii* Henry, 눈향나무, O
- 329. *Juniperus communis* var. *nipponica* (Max.) Wilson, 곱령나무, O
- 330. *Juniperus conferta* Parlatoore, 깃노간주, O
- 331. *Juniperus davurica* Pallas, 단칠향나무, O
- 332. *Juniperus procumbens* (Endl.) Miquel, 섬향나무, O
- 333. *Juniperus rigida* S. et Z. 노간주나무, M.S
- 334. *Juniperus rigida* var. *koreana* (Nak.) T. Lee 해변노간주, O.M.R
- 335. *Juniperus rigida* var. *koreana* for. *rigida* (Nak.) T. Lee 길일해변노간주, O.M.R
- 336. *Juniperus rigida* var. *longicarpa* Uyeki, 곱노간주, O.M.R
- 337. *Juniperus rigida* var. *modesta* Nakai, 평강노간주, O.M.R
- 338. *Juniperus rigida* var. *seoulensis* Nakai. 서울노간주, O.M.R
- 339. **Juniperus virginiana* L. 여필향나무, O
- 340. *Thuja koraiensis* Nakai, 눈측백, M
- 341. **Thuja occidentalis* L. 서양측백, O
- 342. *Thuja orientalis* L. 측백, O.M
- 343. *Thuja orientalis* for. *sieboldii* (Endl.) Rehder, 천지백, O
- 344. *Thuja orientalis* for. *stricta* (J. Mill.) Rehder 신측백, O
- 345. **Thujopsis dolabrata* Sieb. et Zucc. 나한백, O


Saururaceae 삼백초과

- 346. *Houttuynia cordata* Thunb. 약모밀, M
- 347. *Saururus chinensis* Baill. 삼백초, U

Piperaceae 후추과

- 348. *Piper kadsura* Ohwi, 후추등, U

Chloranthaceae 뿔애비꽃대과



왕자귀나무 *Albizia coreana* Nakai (유달산 특산)

349. *Chloranthus glaber* (Thunb.) Makino, 죽절초, U
 350. *Chloranthus japonica* Sieb. 홀애비꽃대, U
 351. *Chloranthus japonica* var. *koreana* (Nakai, pro sp.) T. Lee, 옥녀꽃대, U
 352. * *Chloranthus serratus* Roem. et Schult. 꽃대, U

Salicaceae 버드나무과

353. *Chosenia bracteosa* Nakai, 채양버들(세양버들), M. S
 354. * *Populus alba* L. 은백양, O
 355. *Populus cathayana* Rehder, 중국황칠, T
 356. *Populus davidiana* Dode, 사사나무, M, P
 357. *Populus davidiana* var. *pilosa* Nakai, 던사사나무, M, P
 358. *Populus davidiana* var. *laticuneata* Nak. 긴잎사사나무, M
 359. * *Populus deltoides* Marshall, 비류, O
 360. * *Populus euramericana* Guinier, 아내리포푸라, T
 361. * *Populus sieboldii* Miquel, 일본사사나무, S
 362. *Populus jezoensis* Nakai, 왕사사나무, S
 363. *Populus koreana* Rehder, 물황칠, T
 364. *Populus maximowiczii* Henry, 황칠나무, T
 365. *Populus maximowiczii* var. *barbinervis* Nakai, 던황칠, T
 366. * *Populus nigra* L. var. *italica* (Muench.) Koehne, 양버들, O
 367. *Populus simonii* Carrière, 당버들, T
 368. × *Populus tomentiglandulosa* T. Lee, 은사사나무, T
 369. * *Salix babylonica* L. 수양버들, O
 370. *Salix berberifolia* Pallas, 매자잎버들, S
 371. *Salix berberifolia* var. *brayi* Trautvetter, 긴잎매자버들, S
 372. *Salix bicarpa* Nakai, 쌍실버들, S
 373. *Salix blinii* Levcille 세주산버들, S
 374. *Salix brachypoda* Komar, 닥장버들, S
 375. *Salix dependens* Nakai, 개수양버들, O
 376. *Salix floderusii* Nakai, 이우버들, S
 377. *Salix floderusii* var. *fuscescens* Nakai, 백산버들, S
 378. *Salix floderusii* var. *glabra* Nakai, 유가래나무, S
 379. *Salix floderusii* for. *manchurica* Nakai, 긴잎여우버들, S
 380. *Salix gilgiana* Seemen. 내버들, S
 381. *Salix glandulosa* Seemen, 왕버들, O. S
 382. *Salix glandulosa* var. *pilosa* Nakai, 달왕버들, O. S
 383. *Salix graciliglans* Nakai, 놀갯비들, P
 384. *Salix gracilistyla* Miquel, 갯버들, P
 385. *Salix hallaisanensis* Level. 떡버들, P
 386. *Salix hallaisanensis* var. *longifolia* Nakai, 긴잎떡버들, P
 387. *Salix hultenii* Floderus, 호랑버들, P

388. *Salix hulteni* var. *elongata* Nakai, 촘호랑버들, P
 389. *Salix ishidoyana* Nakai, 섬비들, S
 390. *Salix kangensis* Nakai, 강계비들, S
 391. *Salix koreensis* Andersson 베드나무, P
 392. *Salix matsudana* Koidz. for. *tortuosa* Rehder, 용벼들, O
 393. *Salix maximowiczii* Komar. 쪽벼들, S
 394. *Salix metaformosa* Nakai, 눈산벼들, S
 395. *Salix myrtilloides* L. 진피리벼들, S
 396. *Salix nipponica* Franchet et Savatier, 선벼들, S
 397. *Salix orthostemma* Nakai, 난쟁이벼들, S
 398. *Salix pentandra* L. 반작벼들, S
 399. *Salix pseudo-lasiogyne* Leveille, 능수벼들, O
 400. *Salix purpurea* var. *multinervis* (Fr. et Sav.) Matsumura, 개키벼들, S
 401. *Salix purpurea* var. *smithiana* Trautvetter, 담키벼들, S
 402. *Salix purpurea* var. *japonica* Nakai, 키벼들, S
 403. *Salix purpurea* var. *japonica* for. *rubra* Nak. 붉은키벼들, S
 404. *Salix rorida* Lackshewitz, 분벼들, S
 405. *Salix roridaeformis* Nakai, 좀분벼들, S
 406. *Salix rotundifolia* Trautv. 콩벼들, S
 407. *Salix sericeo-cinerea* Nakai, 큰산벼들, S
 408. *Salix sericeo-cinerea* var. *lanata* Nakai, 털큰산벼들, S
 409. *Salix siuzevii* Seemen, 참오골잎벼들, P
 410. *Salix stipularis* Smith, 꽃벼들, S
 411. *Salix subopposita* Miquel, 둘벼들, S
 412. *Salix suigeniensis* Uyeki, 수원베드나무, S
 413. *Salix thaymasta* Kimura, 무산벼들, S
 414. *Salix viminalis* L. 육지꽃벼들, S
 415. *Salix viminalis* L. var. *abbreviata* Doell, 좁 육지꽃벼들, S
 416. *Salix viminalis* L. var. *linearifolia* Wimmer et Grabowski, 좁은잎꽃벼들, S

Myricaceae 소귀나무과

417. *Myrica rubra* S. et Z. 소귀나무 E.O.M

Juglandaceae 호도나무과

418. *Juglans mandshurica* Max. 가래나무, E.T.F
 419. *Juglans mandshurica* for. *stenocarpa* Uyeki, 좁은 가래나무 E.T.F
 420. * *Juglans sinensis* Dode, 호도, E
 421. *Platycarya strobilacea* S. et Z. 굴피나무, S
 422. *Platycarya strobilacea* var. *coreana* Miquel, 텔굴피, S
 423. * *Pterocarya stenoptera* DC. 중국 굴피나무, O

Betulaceae 자작나무과

424. *Alnus borealis* Koidz. 떡오리, S
425. * *Alnus firma* S. et Z. 사방오리, S
426. * *Alnus firma* var. *hirtella* Fr. et Sav. 왕사방오리, S
427. *Alnus fruticosa* Ruprecht var. *mandshurica* Callier, 텁불오리, S
428. *Alnus fruticosa* Ruprecht for. *barbinervis* Nak. 험복오리, S
429. *Alnus fruticosa* Ruprecht for. *pubescens* (Mak.) T. Lee, 단만주오리, S
430. *Alnus fruticosa* Ruprecht for. *rufinervis* (Nak.) T. Lee., 붉은 텁만주오리, S
431. *Alnus hirsuta* (Spach) Ruprecht, 물오리나무(산오리), S
432. *Alnus hirsuta* var. *sibirica* (Spach) Schneider, 물槛나무, S
433. *Alnus japonica* Steudel, 오리나무, P
434. *Alnus japonica* var. *arguta* Call. 뾰족잎 오리나무, P
435. *Alnus japonica* var. *intermedia* Nakai, 넓은잎 잔털오리, P
436. *Alnus japonica* var. *resinosa* Nakai, 웅기오리나무, P
437. *Alnus japonica* var. *rufa* Nakai, 텁오리나무, P
438. *Alnus japonica* var. *serrata* Nakai, 삼오리, P
439. *Alnus maximowiczii* Call. 두메오리, S
440. *Alnus mayri* Call. 잔털오리, S
441. * *Alnus pendula* Matsumura, 좀사방오리, S
442. *Alnus vermicularis* Nakai, 설령오리, S
443. *Betula chinensis* Max. 개박달, T
444. *Betula chinensis* var. *angusticarpa* H. Winkler, 남포개박달, T
445. *Betula chinensis* var. *collina* Nak. ex Uyeki, 웅기개박달, T
446. *Betula chinensis* var. *lancifolia* Nakai, 금강개박달, T
447. *Betula costata* Trautvetter, 거제수나무, M
448. *Betula cyclophylla* Nakai, 민좀자작나무, T
449. *Betula davurica* Pallas, 물박달, T. M
450. *Betula ermanii* Chamisso, 사스레나무, T. M
451. *Betula ermanii* var. *acutifolia* Winkler, 긴고체목, T
452. *Betula ermanii* var. *communis* Koidz. 고채목, T
453. *Betula ermanii* var. *ganjuensis* Nakai, 왕사스레나무, T
454. *Betula ermanii* var. *incisa* Koidz. 가세사스레나무, T
455. *Betula ermanii* var. *saitoana* Hatusima, 좀고체목, T
456. *Betula fruticosa* Pallas, 좀자작나무 T
457. *Betula fuscenensis* Nakai, 부전자작나무, T
458. *Betula microphylla* var. *coreana* Nakai, 백두산 자작나무, T
459. *Betula paishanensis* Nakai, 텁불 자작나무, T
460. *Betula platyphylla* Sukatschev, 만주 자작나무, O
461. *Betula platyphylla* var. *japonica* Hara, 자작나무, O
462. *Betula schmidtii* Regel, 박달, T

463. *Betula schmidtii* var. *lancea* Nak. 줍은잎 박달나무, T
464. *Carpinus cordata* Blume, 까치박달, T. P
465. *Carpinus coreana* Nakai, 소사나무, S
466. *Carpinus coreana* var. *major* Nakai, 왕소시나무, O. S
467. *Carpinus coreana* var. *multiflora* Nakai, 삼소사나무, O. S
468. *Carpinus laxiflora* Blume, 서어나무, O. S
469. *Carpinus laxiflora* var. *longispica* Uyeki, 긴서어나무, O. S
470. *Carpinus laxiflora* var. *macrophylla* Nakai, 왕서어나무, O. S
471. *Carpinus tschonoskii* Max. 개서어나무, O. S
472. *Carpinus tschonoskii* var. *brevicalycina* Nakai, 당개서어나무, O. S
473. *Carpinus tschonoskii* var. *eximia* Hatusima, 왕개서어나무, O. S
474. *Carpinus turczaninowii* Hance, 산서어나무, O. S
475. *Carpinus turczaninowii* var. *arguta* Uyeki, 좀산서어나무, O. S
476. *Corylus hallaisanensis* Nakai, 병개암나무, E. M
477. *Corylus heterophylla* Fischer, 난티잎개암나무, E. M. P
478. *Corylus heterophylla* var. *thunbergii* Bl. 개암나무, E. M. P
479. *Corylus sieboldiana* Bl. 참개암나무, E. M
480. *Corylus sieboldiana* var. *brevirostris* Schneider 병풀개암나무, E. M
481. *Corylus sieboldiana* var. *mandshurica* (Max. et Rupr.) Schneider 물개암나무, E. M
482. *Corylus sieboldiana* var. *mitis* Nakai, 좀물개암나무, E. M
483. *Ostrya japonica* Sarg. 새우나무, U
484. *Ostrya japonica* var. *homochaeta* Honda, 좀새우나무, U

Fagaceae 참나무파

485. *Castanea bungeana* Bl. 약밤, E. M. T. S
486. *Castanea bungeana* for. *angustata* Uyeki, 뾰족약밤, E. M. T. S
487. *Castanea bungeana* for. *compressa* Uyeki, 넓쪽약밤, E. M. T. S
488. *Castanea bungeana* for. *dulcissima* Nakai, 중화밤, E. M. T. S
489. *Castanea bungeana* for. *multicarpa* Uyeki, 상두밤나무, E. M. T. S
490. *Castanea bungeana* for. *robiniae-rhytidoma* Uyeki, 아까시 밤나무, E. M. T. S
491. *Castanea crenata* S. et Z. 뱀나무, E. M. T. S
492. *Castanea crenata* var. *kusakuri* Nak. 산밤나무
493. *Castanea crenata* var. *gigantea* (Nak.) Uyeki, 왜밤나무, E. M. T
494. *Castanea crenata* for. *kong-bam* (Nak.) Uyeki, 콩밤, E. M. T. S
495. *Castanea crenata* for. *kurkun-bam* Uyeki, 굴균밤, E. M. T. S
496. *Castanea crenata* for. *nujin-bam*. (Nakai) Uyeki, 낫밤, E. M. T. S
497. *Castanea crenata* for. *oo-gun-bam* (Nak.) Uyeki, 어궁밤, E. M. T. S
498. *Castanea crenata* for. *oul-bam* Uyeki, 올밤, E. M. T. S
499. *Castanea crenata* for. *pak-bam* Uyeki, 팻밤, E. M. T. S
500. *Castanea crenata* for. *phyong-bam* (Nak.) Uyeki, 병밤, E. M. T. S
501. *Castanea crenata* for. *pulbam* (Nak.) Uyeki, 불밤, E. M. T. S

502. *Castanea crenata* for. *sul-bam* (Nakai) Uyeki, 시리밤, E.M.T.S
503. *Castanea crenata* for. *tudoji-bam* Uyeki, 술밤, E.M.T.S
504. *Castanea crenata* for. *tudoji-bam* Uyeki, 두더지밤, E.M.T.S
505. *Castanea crenata* for. *tol-bam* (Nak.) Uyeki, 텸밤, E.M.T.S
506. *Castanopsis cuspidata* var. *sieboldii* Nakai, 구실잣밤나무, E.T.
507. *Castanopsis cuspidata* var. *thunbergii* Nakai, 모밀잣밤나무, E.T.
508. *Castanopsis cuspidata* var. *thunbergii* for. *latifolia* Nakai, 넓은잎 모밀잣밤나무, E.T
509. *Fagus multinervis* Nakai, 너도밤나무, U *Lithocarpus edulis* Nakai, 돌참나무
510. *Quercus acuta* Thunb. 붉가시나무, T
511. *Quercus acuta* for. *subserra* (Uyeki) T. Lee, 개붉가시나무, T
512. *Quercus acutissima* Carr. 상수리, E.M.T.P
513. *Quercus acutissima* x *variabilis* Nakai, 정능침나무, E.M.T.S
514. *Quercus aliena* Bl. 갈참나무, E.T.P
515. *Quercus aliena* var. *acuteserrata* Max. 졸갈참나무, E.T.P
516. *Quercus aliena* var. *acuteserrata* for. *calvescens* Rehder 칭졸갈참나무, E.M.T.P
517. *Quercus aliena* var. *pellucida* Bl. 칭갈참나무, E.T.P
518. *Quercus alieno-serratoides* T. Lee, 신갈졸참나무, E.T.S
519. *Quercus borealis* Michx. 미국참나무, O
520. *Quercus dentata* Thunb. 떡갈나무, E.M.T.S
521. *Quercus dentata* var. *fallax* Nak. 청떡갈나무, E.M.T.S
522. x *Quercus dentato-mongolica* Nak. 떡신갈나무, E.T.S
523. x *Quercus dentato-serratoides* T. Lee, 떡신졸참나무, E.T.S
524. *Quercus fabri* Hance, 떡속소리나무, E.T.S
525. *Quercus gilva* Bl. 개가시나무, T
526. *Quercus glauca* Thunb. 종가시나무, E.T.S
527. *Quercus glauca* var. *nudata* Blume, 민종가시나무, E.T.S
528. x *Quercus grosseserrata* Bl. 물참나무, E.T
529. x *Quercus mc-cormickii* Carruthers, 떡갈참나무, E.T.S
530. x *Quercus mc-cormicko-mongolica* T. Lee, 떡신갈참나무, E.T.S
531. x *Quercus mc-cormicko-serrata* T. Lee, 떡길졸참나무, E.T.S
532. *Quercus mongolica* Fischer, 신길나무, E.T.P
533. *Quercus mongolica* var. *liaotungensis* Nak. 것참나무, E.T.F
534. *Quercus myrsinaefolia* Bl. 가시나무, E.T.
535. *Quercus phillyreoides* A. Gray, 줄가시나무, O
536. x *Quercus pontungensis* Uyeki, 봉동참나무, E.T.S
537. *Quercus serrata* Thunb. 졸참나무, E.T.P.M
538. *Quercus salicina* Blume 참가시나무, E.T.
539. *Quercus salicina* Blume var. *latifolia* (Nakai,) 넓은잎 참가시나무, E.T.
540. x *Quercus urticaefolia* Bl. 갈졸참나무, E.T.S
541. *Quercus variabilis* Bl. 굴참나무, E.T.I.M

Ulmaceae 느릅나무과

542. *Aphananthe aspera* Planchon, 푸조나무, E.O
543. *Celtis aurantiaca* Nakai, 산팽나무, E
544. *Celtis biondii* var. *heterophylla* Schneid. 폭나무, E
545. *Celtis bungeana* Blume, 촘풍개나무, E
546. *Celtis choseniana* Nakai, 검팽나무, E
547. *Celtis cordifolia* Nakai, 장수팽나무, E
548. *Celtis edulis* Nakai, 노랑팽나무, E
549. *Celtis jessoensis* Koidz. 풍개나무, E
550. *Celtis jessoensis* var. *angustifolia* Nakai, 긴잎풍개나무, E
551. *Celtis koraiensis* Nakai, 왕팽나무, E
552. *Celtis koraiensis* var. *arguta* Nak. 둥근잎왕팽나무 E
553. *Celtis sinensis* Pers. 맹나무, E.M.P
554. *Celtis sinensis* for. *magnifica* Nakai, 섬팽나무, E.P
555. *Celtis sinensis* for. *purpurascens* Nakai, 자주팽나무, E.P
556. *Celtis sinensis* for. *rotundata* Nakai, 둥근잎맹나무, E.P
557. *Hemiptelea davidii* Planchon, 시무나무, E.P
558. *Ulmus davidiana* Planchon, 당느릅나무, E.M.T.F
559. *Ulmus davidiana* var. *japonica* Nakai, 느릅나무, E.M.T.F
560. *Ulmus laciniata* (Trautv.) Mayr. 난티나무, E.M.T.F
561. *Ulmus laciniata* for. *holophylla* Nakai, 둥근잎난티나무, E.M.T.F
562. *Ulmus macrocarpa* Hance, 왕느릅나무, E.M.T.F
563. *Ulmus macrophylla* Nakai, 큰잎느릅나무, E.T.F
564. *Ulmus parvifolia* var. *coreana* Uyeki, 참느릅나무, E.T
565. *Ulmus parvifolia* for. *cycloptera* Uyeki, 둥근잎참느릅나무, E.T
566. *Ulmus parvifolia* for. *lanceolata* Uyeki, 좀참느릅나무, E.T
567. *Ulmus pumila* L. 비술나무, S.F
568. *Zelkova serrata* Makino 느티나무, E.T
569. *Zelkova serrata* var. *latifolia* Nakai, 둥근잎느티나무, E.T
570. *Zelkova serrata* var. *longifolia* Nakai, 긴잎느티나무, E.T

Moraceae 뽕나무과

571. *Broussonetia kazinoki* Siebold, 닥나무, E.F.M
572. *Broussonetia kazinoki* var. *humilis* Uyeki, 애기닥나무, E.M.F
573. *Broussonetia papyrifera* (L.) L'Heritier, 꾸지나무, F
574. *Broussonetia papyrifera* for. *lucida* (Hatusima) T. Lee, 민꾸지나무, F
575. *Broussonetia papyrifera* for. *oppositifolia* Nakai, 마주잎꾸지나무, F
576. *Cudrania tricuspidata* Bureau, 구지뽕나무, E.P
577. *Fatoua villosa* Nakai, 뽕모시풀, U
578. * *Ficus carica* L. 무(слива), E.M

579. *Ficus erecta* Thunb. 천선과, E. O., **Ficus elastica* Roxb.
 580. *Ficus erecta* var. *longe-pedunculata* Nak. 진꼭지천선과, E
 581. *Ficus erecta* var. *sieboldii* King, 좁은잎 천선과, E
 582. *Ficus nipponica* Fr. et Sav. 모람, E
 583. *Ficus stipulata* Thunb. 왕모람, U
 584. **Morus alba* L. 뽕나무, E. M. P. S
 585. *Morus alba* var. *pendula* Dippel, 처진뽕나무, E. P. S
 586. *Morus bombysis* Koidz. 산뽕나무, E. M. P. S
 587. *Morus bombysis* var. *caudatifolia* Koidz. 꼬리뽕나무, E. M. P. S
 588. *Morus bombysis* var. *maritima* Koidz. 섬뽕나무, E. M. P. S
 589. *Morus bombysis* var. *rubricaulis* Uyeki, 붉은대 산뽕나무, E. M. P. S
 590. *Morus bombysis* for. *dissecta* Nakai, 좁은잎 뽕나무, E. M. P. S
 591. *Morus bombysis* for. *kase* Uyeki, 가새뽕나무, E. M. P. S
 592. *Morus mongolica* Schneider, 몽고뽕나무, E. M. P. S
 593. *Morus mongolica* var. *diabolica* Koidz. 왕뽕나무, E. P. M. S
 594. *Morus tiliaeefolia* Makino 돌뽕나무, E. M. P. S

Cannabinaceae 삼과

595. **Cannabis sativa* L. 삼, F. M
 596. *Humulus japonicus* S. et Z. 환삼덩굴, E. P. M
 597. *Humulus japonicus* var. *minor* Nak. 좀환삼덩굴, E. P
 598. **Humulus lupulus* L. 호프, S

Urticaceae 쌈기풀과

599. *Achudenia japonica* Max. 산물통이, U = *Pilea japonica* Hand.-Mazz.
 600. *Boehmeria hirtella* Satake, 털 긴잎모시풀, F
 601. *Boehmeria longispica* Steud. 왜모시풀, F
 602. *Boehmeria nakaiana* Satake, 제주 긴잎모시풀, F
 603. *Boehmeria nivea* (L.) Gaudichaud. 모시풀, F. E. M
 604. *Boehmeria nippononivea* Koidz. 섬모시풀, F
 605. *Boehmeria pannosa* Nakai et Satake, 왕모시풀, F
 606. *Boehmeria platanifolia* Fr. et Sav. 개모시풀, F
 607. *Boehmera quelpaertensis* Satake, 제주모시풀, F
 608. *Boehmeria sieboldiana* Bl. 긴잎모시풀, F
 609. *Boehmeria spicata* Thunb. 좀깨잎나무, F
 610. *Boehmeria taquetii* Nakai, 섬거북꼬리, F
 611. *Boehmeria tricuspis* Makino, 거북꼬리, E. F
 612. *Boehmeria tricuspis* var. *unicuspis* Mak. 불거북꼬리, E. F
 613. *Elatostemma densiflora* Fr. et Sav. 북천물통이, U
 614. *Elatostemma umbellata* Blume, 우산물통이,
 615. *Girardinia cuspidata* Weddel, 큰쐐기풀, U

616. *Laportea bulbifera* Weddel, 흑색기풀, M.
 617. *Nanocnide japonica* Blume, 나도물통이, U
 618. *Parietaria micrantha* var. *coreana* (Nakai) Hara 철보개물통이, U
 619. *Parietaria micrantha* Ledebour, 개물통이, U
 620. *Pellionia scabra* Bentham, 페리온나무, U
 621. *Pilea hamaoi* Makino 큰물통이, U
 622. *Pilea mongolica* Weddel, 모시물통이, P
 623. *Pilea oligantha* Nakai, 강제큰물통이, U
 624. *Pilea peploides* Hooker et Arnott 물통이, U
 625. *Pilea taquetii* Nakai, 제주큰물통이, U
 626. *Urtica angustifolia* Fischer 가는잎 쇠기풀, U
 627. *Urtica laetevirens* Max. 애기쇠기풀, U
 628. *Urtica laetevirens* var. *robusta* F. Maekawa, 섬쇠기풀, U
 629. *Urtica thunbergiana* S. et Z. 쇠기풀, F.M

Loranthaceae 겨우사리과

630. *Loranthus tanakae* Fr. et Sav. 꼬리겨우사리, U
 631. *Loranthus yadoriki* Sieb. 참나무겨우사리, U
 632. *Pseudixus japonicus* Hayata, 동백나무 겨우사리, U
 633. *Viscum album* var. *coloratum* (Kom.) Ohwi, 겨우사리, M
 634. *Viscum album* for. *rubroaurantiacum* (Mak.) Ohwi, 붉은 겨우사리, M

Santalaceae 단향과

635. *Thesium chinense* Turcz. 제비풀, M
 636. *Thesium refractum* C.A. Mayr, 진제비풀, M

Aristolochiaceae 쥐방울덩굴과

637. *Aristolochia contorta* Bunge, 쥐방울덩굴, M
 638. *Aristolochia manshuriensis* Komar. 등칡, M
 639. *Asarum maculatum* Nakai, 개족도리, U
 340. *Asarum sieboldii* Miquel, 족도리, M

Polygonaceae 여뀌과

641. *Aconogonium ajanense* (Regel et Till.) Hara, 긴개싱아, E
 642. *Aconogonium brachytrichum* (Ohwi) T. Lee, 단싱아(新稱), E
 643. *Aconogonium divaricatum* (L.) Nakai, 싱아, E
 644. *Aconogonium microcarpum* (Kitag.) Hara, 참개싱아, E
 645. *Aconogonium mollifolium* (Kitag.) Hara, 얇은개싱아, E
 646. *Aconogonium polymorphum* (Ledeb.) T. Lee, 싱아, E
 647. **Bilderdykia convolvulus* (L.) Dumortier, 나도닭의 덩굴, U
 648. **Bilderdykia dentato-alata* Nakai, 큰닭의 덩굴, U

649. **Bilderdykia dumetora* (L.) Domortier, 털의 덩굴, U
 650. *Bistorta alpe-eurooides* (Turcz.) Komar. 가는 범꼬리, U
 651. *Bistorta globispica* Nakai, 둥근범꼬리, U
 652. *Bistorta incana* Nakai, 회색범꼬리, U
 653. *Bistorta manshuriensis* Komar. 냄꼬리, M. P
 654. *Bistorta ochotensis* Komar. 호색범꼬리, U
 655. *Bistorta pacifica* Komar. 참범꼬리, U
 656. *Bistorta suffulta* (Max.) Greene 눈범꼬리, U
 657. *Bistorta tenuicaulis* (Bisset et Moore) Nak. 이른범꼬리, U
 658. *Bistorta vivipara* var. *angustifolia* Nakai, 쪘범꼬리, U
 659. *Bistorta vivipara* S. F. Gray 애기 쪓범꼬리, U
 660. *Bistorta vivipara* var. *roessleri* Nakai, 텁텁꼬리, U
 661. **Fagopyrum esculentum* Moench, 외밀, E
 662. **Fagopyrum rotundatum* Babington, 손비밀, E
 663. *Oxyria digyna* Hill 나도수영, U
 664. *Persicaria amphibia* (L.) S. F. Gray, 물여뀌, U
 665. *Persicaria blumei* Gross ex Nakai, 개여뀌, M
 666. *Persicaria blumei* for. *breviseta* Nakai, 짧은 개여뀌, U
 667. *Persicaria brevirostrata* Ohki 긴화살여뀌, U
 668. *Persicaria bungeana* (Turcz.) Nakai 바늘여뀌, U
 669. *Persicaria posumbu* var. *laxiflora* (Meisn.) Hara 장대여뀌, U
 670. *Persicaria vulgaris* Webb. et Mo., 수염여뀌, U
 671. *Persicaria cochinchinensis* Kitag. 편여뀌, M. P
 672. *Persicaria cochininchinensis* var. *orientalis* (L.) 노인장때, O. M. P
 673. *Persicaria conspicua* Nak. 꽂여뀌, M
 674. *Persicaria conspicua* var. *densiflora* Nakai, U
 675. *Persicaria debilis* (Meisn.) Gross, 세뿔여뀌, U
 676. *Persicaria erecto-minor* var. *koreensis* (Nak.) T. Lee 대동여뀌(新), U
 677. *Persicaria fauriei* Nakai, 가시여뀌, U
 678. *Persicaria filiforme* Nakai, 이삭이여뀌, M
 679. *Persicaria filiforme* var. *neofiliforme* (Nakai) T. Lee, 새이삭여뀌, U
 680. *Persicaria foliosa* Kitagawa, 만주거이삭여뀌, U
 681. *Persicaria hastato-auriculatum* Nakai, 좁은잎 미꾸리낚시, U
 682. *Persicaria hastato-sagittata* Nakai, 긴미꾸리, U
 683. *Persicaria hydropiper* L. 여뀌, M. P
 684. *Persicaria hydropiper* var. *fastigiatum* Nakai, 가는여뀌, P
 685. *Persicaria hydropiper* for. *purpurescens* Nakai, 자주여뀌, U
 686. *Persicaria japonica* Mesi. 흰꽃여뀌, U
 687. *Persicaria japonica* var. *salicifolia* Nakai 가는 흰꽃여뀌, U
 688. *Persicaria korschinskiana* (Nak.) Nakai, 텁미꾸리낚시, U
 689. *Persicaria lapathifolia* S. F. Gray 흰여뀌, U

690. *Persicaria lapathifolia* var. *incana* Nakai, 흰솜여뀌, U
 691. *Persicaria lapathifolia* var. *lanceolata* Nak. 빨개여뀌, U
 692. *Persicaria lapathifolia* var. *salicifolia* Miyaba 솜흰여뀌, U
 693. *Persicaria maackiana* Nakai, 나도미꾸리, U
 694. *Persicaria viscosa* var. *robusta* Makino 큰끈끈이여뀌, P
 695. *Persicaria nepalensis* Miyabe et Kudo, 산여뀌, P
 696. *Persicaria nipponensis* Gross ex Nakai, 넓은잎 미꾸리, U
 697. *Persicaria nodosa* Opiz, 굳개여뀌, P
 698. *Persicaria orizeta* (Bl.) Nakai, U
 699. *Persicaria perfoliata* Gross 머누리배꼽, E
 700. *Persicaria pubescens* Hara, 바보여뀌, U
 701. *Persicaria pubescens* var. *acuminata* Hara, 털보여뀌, U
 702. *Persicaria senticosa* Nakai, 머누리밀짚개, E, P
 703. *Persicaria sieboldii* Ohki, 미꾸리낚시, P
 704. *Persicaria sieboldii* var. *aestiva* Ohki, 민미꾸리낚시, P
 705. *Persicaria sieboldii* var. *minima* (Nakai) T. Lee, 한라산미꾸리낚시, U
 706. *Persicaria sieboldii* var. *paludosa* (Kom.) T. Lee, 수원미꾸리낚시, U
 707. *Persicaria sieboldii* var. *sericea* Nakai, 텁미꾸리낚시, P
 708. *Persicaria taquetii* (Lev.) Koidz. 거이식여뀌, U
 709. *Persicaria thunbergii* H. Gross. 고마리, P
 710. *Persicaria tinctoria* Gross, 쪽, S
 711. *Persicaria trigonocarpa* Nakai, 붉은대동여뀌, U
 712. *Persicaria viscosa* (Mak.) Gross 끈끈이여뀌, P
 713. *Persicaria viscosa* Gross, 기생여뀌, U
 714. *Pleuropteris ciliinervis* Nakai, 나도하수오, U
 715. **Pleuropteris multiflorus* Turcz. 하수오, M
 716. *Polygonum aviculare* L. 마디풀, E.M
 717. *Polygonum aviculare* var. *buxifolium* Ledeb. E.M
 718. *Polygonum aviculare* var. *erectum* Ledeb. E.M
 719. *Polygonum aviculare* var. *laxum* Ledeb. E.M
 720. *Polygonum aviculare* var. *procumbens* Ledeb. 누운마디풀, E.M
 721. *Polygonum aviculare* var. *vegetum* Ledeb. 큰마디풀, E.M
 722. *Polygonum bellardi* var. *effusum* Meisn. U 큰육매듭풀
 723. *Polygonum equisetiforme* Sibthorp. et Smith, 개마디풀, U
 724. *Polygonum humifusum* Merk. 부산마디풀, U
 725. *Polygonum littorale* var. *buxifolium* Ledeb. 깃마디풀, U
 726. *Polygonum polyneuron* Fr. et Sav. 이삭마디풀, U
 727. *Reynoutria elliptica* (Koidz.) Migo, 호장근, M.E.
 728. *Reynoutria sacralinensis* (Fr. Schmidt) Nakai, 왕호장근, E.M.
 729. *Rheum coreanum* Nak. 강군풀, M.
 730. **Rheum undulatum* L. 대황, M

731. *Rumex acetosa* L. 수영, M
 732. **Rumex acetocella* L. 애기수영, E
 733. *Rumex aquatica* L. 도대황, M
 734. *Rumex conglomeratus* Murray, 묵발소리챙이, M. P
 735. *Rumex crispus* L. 소리챙이, E.M. P
 736. *Rumex dentatus* L. 부산소리챙이, U
 737. *Rumex dictyocarpus* Boissieu et Buhse. 남방소리챙이, U
 738. *Rumex gmelini* Turcz. 호대황, U
 739. *Rumex japonicus* Houttuyn, 참소리챙이, E. P
 740. *Rumex longifolius* DC. 깨대황, E. P
 741. *Pumex maritimus* L. 금소리챙이, P
 742. *Rumex obtusifolius* subsp. *agrestis* Danser, 둥근소리챙이, U
 743. *Rumex patientia* L. 강제소리챙이, U
 744. *Rumex pratensis* Mertens et Koch. 원당소리챙이, U
 745. *Rumex ussuriensis* Losina-Losinskaja, 가는잎소리챙이, E

Chenopodiaceae 멍아주과

746. *Atriplex gmelini* C. A. Meyer, 가는겟능챙이, P
 747. *Atriplex subcordata* Kitagawa, 갯능챙이, P
 748. *Axyris amaranthoides* DC 나도답사리, U
 749. **Beta vulgaris* L. 근대, E
 750. **Beta vulgaris* var. *rapacea* Koch, 사당무, E. S
 751. *Chenopodium ficifolium* Smith 줄명아주, E. P
 752. *Chenopodium album* var. *centrorubrum* Mak. 명아주, E. P
 753. *Chenopodium album* var. *spicatum* Koch, 희명아주, E. P
 754. *Chenopodium aristatum* L. 바늘명아주, P
 755. *Chenopodium bryoniaefolium* Bunge 징명아주, E. P
 756. *Chenopodium distans* L. 심명아주, U
 757. *Chenopodium glaucum* L. 위명아주, E. P
 758. *Chenopodium glaucum* var. *divaricatum* Miq. E
 759. *Chenopodium hybridum* L. 얇은 명아주, E
 760. *Chenopodium koraiense* Nakai, 참명아주, E. P
 761. *Chenopodium virgatum* Thunb. 벼들명아주, E. P
 762. *Corispermum stauntonii* Miq. 호모초 E
 763. *Corispermum stauntonii* var. *lasiocarpa* Kitag. 장때나물, E
 764. **Kochia scoparia* Schrader, 맙사리, E.M. P
 765. *Kochia scoparia* var. *littorea* Mak. 갯답사리, P
 766. *Salicornia herbacea* L. 통통마디, U
 767. *Salsola collina* Pallas 솔장나리, E
 768. *Salsola komarovii* Iljin 수송나물, E
 769. **Spinacia oleracea* L. 시금치, E

770. *Suaeda asparagooides* (Miq.) Makino 나문재, E
 771. *Suaeda heteroptera* Kitagawa, 좁은해홍나무, U
 772. *Suaeda japonica* Makino, 천민초, E
 773. *Suaeda maritima* Dumort. 해홍나무, E

Amaranthaceae 비름과

774. *Achyranthes japonica* (Miq.) Nak. 쇠무릅, E.M. P
 775. * *Alternanthera sessilis* R. Br. 덩굴 맨드래미, O
 776. * *Amaranthus lividus* L. 개비름, E. M. P
 777. * *Amaranthus caudatus* L. 줄맨드래미, O
 778. * *Amaranthus deflexus* L. 눈비름, E. P
 779. * *Amaranthus mangostanus* L. 개비름, E. P
 780. * *Amaranthus retroflexus* L. 텔비름, E. P
 781. * *Amaranthus spinosus* L. 가시비름, O
 782. * *Amaranthus tricolor* L. 색비름, O
 783. * *Amaranthus viridis* L. 청비름, E
 784. * *Celosia argentea* L. 개맨드래미, O
 785. * *Celosia cristata* L. 맨드라미, O.M
 786. * *Gomphrena globosa* L. 천일홍, O

Nyctaginaceae 분꽃과

787. * *Mirabilis jalapa* L. 분꽃, O

Phytolaccaceae 자리공과

788. * *Phytolacca esculenta* V. Houtte, 자리공, M
 789. *Phytolacca insularis* Nakai, 섬자리공, M
 789-1. * *Phytolacca americana* L. 미국자리공, U

Aizoaceae 석류풀과

790. * *Mesembryanthemum spectabile* Haworth, 사철 채송화, O
 791. *Mollugo pentaphylla* L. 석류풀, U
 792. * *Mollugo verticillata* L. 큰석류풀, U
 793. *Tetragonia tetragonoides* O. Kuntze, 벤행초, E, M

Portulacaceae 쇠비름과

794. * *Portulaca grandiflora* Hooker, 채송화, O
 795. *Portulaca oleracea* L. 쇠비름, E.M. P

Caryophyllaceae 석죽과

796. * *Agrostemma githago* L. 신홍초, O
 797. *Arenaria juncea* Bieberstein, 벼룩이울타리, U

798. *Arenaria serpyllifolia* L. 벼룩이 자리, E
799. *Cerastium amurense* Ohwi, 각시통점나도나물, E
800. *Cerastium fischerianum* Seringe, 큰 점나도나물, E
801. *Cerastium furcatum* var. *chiisanense* Ohwi, 지리산점나도나물, E
802. *Cerastium furcatum* var. *koreanum* Ohwi, 부선 점나도나물, U
803. *Cerastium glomeratum* Thunb. U
804. *Cerastium holosteoides* Fries, 북 점나도나물, U
805. *Cerastium holosteoides* var. *hallaisanense* Mizushima, 점나도나물, E
806. *Cerastium pauciflorum* Steven, 텁점나도나물, U
807. *Cucubalus baccifer* var. *japonicus* Miq. 덩굴별꽃, U
808. *Cucubalus baccifer* for. *atropurpurea* Nakai, 자주 덩굴별꽃, U
809. *Dianthus barbatus* var. *japonicus* Nakai, 수입 쇠랭이꽃, U
810. * *Dianthus caryophyllus* L. 카네이辱, O
811. *Dianthus deltoides* L. 각씨 쇠랭이, O
812. *Dianthus japonicus* Thunb. 갯쇠랭이, O
813. *Dianthus litorosus* Mak. 섬쇠랭이, O
814. *Dianthus morii* Nakai, 난랭이 쇠랭이꽃, O
815. *Dianthus repens* Willd. 장백 쇠랭이꽃, O
816. *Dianthus sinensis* L. 쇠랭이꽃, M
817. *Dianthus sinensis* for. *albiflora* T. Lee, 흰 쇠랭이꽃, O
818. *Dianthus superbus* L. var. *longicalycina* Max. 술 쇠랭이꽃, M. O
819. *Dianthus superbus* var. *micropetalus* Lange, 짐做大做强이꽃, O
820. *Dianthus superbus* var. *speciosus* Reichenb. 구름 쇠랭이꽃, O
821. *Gypsophila oldhamiana* Miquel 대나물, E. M. O
822. *Gypsophila pacifica* Komar. 가는 대나물, O
823. *Honkenya peploides* var. *major* Hooker, 갯별꽃, U
824. *Lychnis cognata* Max. 동자꽃, O. P
825. *Lychnis fulgens* Fischer var. *glabra* Nak. 회틸 동자꽃, O
826. *Lychnis fulgens* Fischer 텁동자꽃, C, *Lychnis kiusiana* Makino
827. *Lychnis wilfordii* Max. 제비동자꽃, O
828. *Melandryum apricum* Rohrb. 애기장구채, P
829. *Melandryum capidatum* (Kom.) Nakai, 분홍 장구채, U
830. *Melandryum firmum* (S. et Z.) Rohrbach. 장구채, M. E. P
831. *Melandryum firmum* for. *pubescens* Ohwi, 털 장구채, M. P
832. *Melandryum noctiflorum* (L.) Fries. 만명이 장구채, P
833. *Melandryum oldhamianum* for. *album* (Nak.) T. Lee, 흰갓 장구채, P
834. *Melandryum oldhamianum* for. *roseum* (Nak.) T. Lee, 갯장구채, P
835. *Melandryum seoulense* Nakai, 가는 장구채, P
836. *Melandryum seoulense* var. *ramosum* Nakai, 가지 가는 장구채, U
837. *Melandryum umbellatum* Nakai, 냉천 장구채, P
838. *Minuartia arctica* Ascherson et Graebner 나도 개미자리, U

839. *Minuartia capillaris* var. *glabra* Nakai, 관모 개미자리, U
 840. *Minuartia imbricata* var. *koreana* Nakai, 차일봉 개미자리, U
 841. *Minuartia laricina* Nakai, 너도 개미자리, U
 842. *Minuartia verna* var. *leptophylla* Nakai, 삼수 개미자리, U
 843. *Moeringia lateriflora* Fenzl. 개벼룩, U
 844. *Pseudostellaria bulbosa* (Nak.) Nakai, 가야개별꽃, U
 845. *Pseudostellaria coreana* (Nak.) Ohwi, 참 개별꽃, U
 846. *Pseudostellaria davidi* (Fr.) Pax, 당굴 개별꽃, E.M
 847. *Pseudostellaria heterophylla* (Miq.) Pax, 개별꽃, E.M
 848. *Pseudostellaria heterophylla* var. *puberula* Ohwi, 털개별꽃, U
 849. *Pseudostellaria montana* Ohwi, 산개별꽃, U, 848-1 *P. japonica* Pax, 진개별꽃, O
 850. *Pseudostellaria okamotoi* Ohwi 지리산 개별꽃, U
 851. *Pseudostellaria palibiniana* (Takeda) Ohwi, 큰 개별꽃, E
 852. *Pseudostellaria polymera* Nakai, 가야큰개별꽃, U
 853. *Pseudostellaria setulosa* Ohwi, 실개별꽃, U
 854. *Pseudostellaria sylvatica* Pax, 숲개별꽃, U
 855. *Sagina japonica* Ohwi, 개미자리, M
 856. *Sagina maxima* A. Gray, 큰 개미자리, U
 857. **Silene armeria* L. 끈끈이 대나물, U
 858. *Silene fasciculata* Nakai, 한라 장구채, U
 859. *Silene jeniseensis* Willd. 가는다리 장구채, U
 860. *Silene koreana* Komar. 끈끈이 장구채, U
 861. *Silene macrostyla* (Rohrbach) Max. ex Kom. 총총 장구채, U
 862. *Silene oligantha* Nak. 흰 장구채, U
 863. *Silene repens* Persoon, 오령캐 장구채, U
 864. *Silene takesimensis* Uyeki et Sakata, 울릉 장구채, U
 865. *Spergula arvensis* L. 들개미자리, U
 866. *Spergularia marina* Griseb. 깃 개미자리, U
 867. *Stellaria alsine* var. *undulata* Ohwi, 벼룩나물, E
 868. *Stellaria aquatica* Scop. 쇠별꽃, E.M
 869. *Stellaria bungeana* Fenzl, 큰별꽃, U
 870. *Stellaria diffusa* Willd ex Schleht, 애기 가지별꽃, U
 871. *Stellaria ebracteata* Komar. U
 872. *Stellaria filicaulis* Makino, 실별꽃, U
 873. *Stellaria longifolia* Muehlenberg 긴잎 별꽃, U
 874. *Stellaria media* Villers 별꽃, E
 875. *Sellararia radicans* L. 왕별꽃, E
 876. **Saponaria vaccaria* L. 만둣이 나물, M. P

Nymphaeaceae 수련과

877. *Brasenia schreberi* J. E. Gmelin, 순채 E.O.M

878. *Euryale ferox* Salisbury, 가시연꽃, O.M
 879. *Nelumbo nucifera* var. *macrorhizomata* Nakai, 연, E.O.M
 880. *Nuphar japonicum* DC. 개연꽃, O
 881. *Nuphar subintegerrimum* Mak. 참 개연꽃, O
 882. *Nuphar pumilum* (Timm.) DC. 쇄개연꽃, O
 883. *Nymphaea minima* Nakai, 각시수련, O
 884. *Nymphaea tetragona* var. *angustæ* Casp. 수련, O.M

Ceratophyllaceae 봉어마름과

885. *Ceratophyllum demersum* L. 봉어마름, U
 885-1. **Cabomba caroliniana* A. Gray, 이황나물, O

**Cercidiphyllaceae* 계수나무과

886. **Cercidiphyllum japonicum* S. et Z. 계수나무, O

Ranunculacea 미나리아재비과

887. *Aconitum albo-violaceum* Komar. var. *typicum* Nakai, 흰줄비꽃 M
 888. *Aconitum albo-violaceum* Komar. var. *purpurascens* Nakai, 흰줄비꽃, M
 889. *Aconitum ambiguum* Reichenb. 양성마꽃, U
 890. *Aconitum amurense* Nakai, 땅굴자리마꽃, U
 891. *Aconitum arciatum* Max. 키다리마꽃, U
 892. *Aconitum austro-koraiense* Koidz. 나색비꽃, U
 893. *Aconitum chiisanense* Nakai, 지리바꽃, M
 894. *Aconitum ciliare* DC. 뜯것가락 나물, M
 895. *Aconitum fischeri* var. *leiogynum* Nakai, 왕비꽃, U
 896. *Aconitum fischeri* var. *leucanthum* Nakai, 흰비꽃, U
 897. *Aconitum jaluense* Komar. 투구꽃, M
 898. *Aconitum koreanum* R. Raymond, 백부자, M
 899. *Aconitum longicasidatum* Nakai, 흰진眇, M
 900. *Aconitum macrorhynchum* Turcz. U
 901. *Aconitum manshuricum* var. *glabrescens* Nakai, U
 902. *Aconitum monanthum* Nakai, 가지 두구꽃, U
 903. *Aconitum napiforme* Lyl. et Vnt. U 헌관동탁기
 904. *Aconitum neotortuosum* Nakai, 참줄비꽃, U
 905. *Aconitum nipponicum* Nakai, U
 906. *Aconitum paniculigerum* var. *lasiogynum* Nakai, U
 907. *Aconitum paniculigerum* var. *lasiogynum* for. *ochroleucum* Nakai, U
 908. *Aconitum paniculigerum* tar. *leiogynum* Nakai, U
 909. *Aconitum proliferum* Nakai, 째눈비꽃, M
 910. *Aconitum pseudolaeve* Nak. var. *erectum* Nakai, 진眇, M
 911. *Aconitum pseudolaeve* var. *sleuosum* Nakai, 가지진眇, M

912. *Aconitum pseudolaeve* var. *volubile* Nakai, 덩굴진범, M
 913. *Aconitum pseudoproliferum* Nakai, 개 쪽눈바꽃, U
 914. *Aconitum pteropus* Nakai, 날개진범, U
 915. *Aconitum pulcherrimum* Nakai, 이삭바꽃, M
 916. *Aconitum pulcherrimum* var. *tenuisectum* Nakai, 좁은잎 이삭바꽃, U
 917. *Aconitum quelpaertensis* Nakai, 한나투구꽃, U
 918. *Aconitum trilobum* Yang, 굽으오풀또기, U
 919. *Aconitum ranunculoides* Turcz. U
 920. *Aconitum saitoanum* Nakai, 푸초오, U
 921. *Aconitum sczukinii* Turcz. 네온일 초오, U
 922. *Aconitum seoulense* Nakai, 진동기기, M
 923. *Aconitum sibiricum* Foiret, 노랑투구꽃, U
 924. *Aconitum stenanthum* Nakai, 복한산비꽃, U
 925. *Aconitum triphyllum* Nakai, 세잎 돌짜기, U
 926. *Aconitum triphyllum* var. *manshuricum* Nakai, 만주세잎 돌짜기, U
 927. *Aconitum uchiyamai* Nakai, 그늘 돌짜기, M. P
 928. *Aconitum umbrosum* Komar. 선두구꽃, U
 929. *Aconitum villosum* Reich. 가는 돌짜기, U
 930. *Acontium volubile* Koelle, 가는 줄돌짜기, U
 931. *Actaea asiatica* Hara 노루삼, U
 932. *Actaea erythrocarpa* Fischer 붉은 노루삼, U
 933. *Adonis amurensis* var. *parviflora* Nak. 복수초, O. M
 934. *Adonis amurensis* var. *ramosa* Makino, 가지복수초, O. M
 935. *Adonis amurensis* var. *uniflora* Mak, O
 936. *Anemone amurensis* Komar. 둘바람꽃, U
 937. *Anemone dichotoma* L. 가래바람꽃, U
 938. *Anemone glabrata* (Max.) Juzepczuk, 바이칼바람꽃, U
 939. * *Anemone hupehensis* var. *japonica* Bowels et Stern, 대상화, U
 940. *Anemone koraiensis* Nakai, 호래비 바람꽃, U
 941. *Anemone narcissiflora* L. 바람꽃, O
 942. *Anemone narcissiflora* var. *umbellulifera* Nak, O
 943. *Anemone nikoensis* Max. 외대 바람꽃, U
 944. *Anemone pseudoaltaica* Hara 국화 바람꽃, U
 945. *Anemone raddeana* Regel, 꿩의 바람꽃, O
 946. *Anemone raddeana* var. *glabrata* Nakai, U
 947. *Anemone reflexa* Stephan et Willd. 회리 바람꽃, U
 948. *Anemone rossi* S. Moore, 쌍둥이 바람꽃, U
 949. *Anemone stolonifera* var. *quelpaertensis* Nak. et Kitag. 세 바람꽃, U
 950. *Anemone umbrosa* C. A. Meyer, 숲바람꽃, U
 951. *Aquilegia flabellata* var. *pumila* Kudo 하늘매 발톱, O
 952. *Aquilegia buergeriana* var. *oxysepala* (Trautv. et Meyer.) Kitamura 매발톱꽃, O

953. *Aquilegia buergeriana* var. *oxysepala* for. *flavida* (Nakai) O
 954. *Aquilegia buergeriana* var. *oxysepala* for. *pallidiflora* (Nakai) 노랑 매발톱, O
 955. * *Aquilegia vulgaris* L. 시양매발톱, O
 956. *Callianthemum insigne* Nakai, 매화바람꽃, U
 957. *Caltha minor* Nakai, 동의 나물, P
 958. *Caltha natans* Pallas, 애기 눈동의나물, U
 959. *Caltha palustris* var. *sibirica* Regel, 산 동의나물, U
 960. *Caltha palustris* L. 참동의나물, U
 961. *Cimicifuga acerina* (S. et Z.) Tanaka, 개승마, U
 962. *Cimicifuga acerina* var. *intermedia* Hara, 큰 개승마, U
 963. *Cimicifuga davurica* Max. 눈빛승마, M-E
 964. *Cimicifuga foetida* L. 황새승마, M
 965. *Cimicifuga heracleifolia* Komar. 승마, M
 966. *Cimicifuga simplex* Wormsk, 촛대승마, M
 967. *Cimicifuga taquetii* Leveille, 섭촛대승마, U
 968. *Clematis ochotensis* (Pall.) Poiret, 자주종덩굴, U
 969. *Clematis apiifolia* A. P. DC. 사위질빵, U
 970. *Clematis brachyura* Max. 외대의아리, M
 971. *Clematis brevicaudata* A. P. DC. 좀사위질빵, U
 972. *Clematis chiisanensis* Nakai, 누른좀덩굴, O
 973. *Clematis chiisanensis* var. *carunculosa* Rehder, 양행종덩굴, O
 974.
 975. *Clematis terniflora* DC. 참으아리, M
 976. *Clematis terniflora* var. *denticulata* (Nak.) T. Lee, 국화으아리, U
 977. * *Clematis florida* Thunb. 위령선, O
 978. *Clematis fusca* Turcz. 김종덩굴, U
 979. *Clematis fusca* var. *amurensis* O. Kuntze, 흰종덩굴, U
 980. *Clematis fusca* var. *coreana* Nakai, 요강나물, U
 981. *Clematis fusca* var. *violacea* Max. 종덩굴, U
 982. *Clematis fusca* for. *umbrosa* Komar. 응달종덩굴, U
 983. *Clematis heraclaeifolia* DC. 조회풀 M
 984. *Clematis heraclaeifolia* var. *davidiana* Hemsley, 자주조회풀, M
 985. *Clematis heraclaeifolia* for. *rosea* Nakai, 단사초, M
 986. *Clematis hexapetala* Pallas, 좁은잎 사위질빵, U
 987. *Clematis koreana* Kom. 세잎종덩굴, U
 988. *Clematis koreana* var. *biternata* Nakai, 왕세잎종덩굴, U
 989. *Clematis mandshurica* Rupr. 으아리, M
 990. *Clematis mandshurica* var. *angusta* Nakai, 좁은잎 으아리, U
 991. *Clematis mandshurica* var. *koreana* Nakai, ex Mori, 큰위령선, U
 992. *Clematis mandshurica* for. *lancifolia* Nakai, 긴잎으아리, U
 993. *Clematis nobilis* Nakai, 산 종덩굴, U

994. *Clematis nobilis* Nakai, for. *plena* Uyeki et Sakata, 만첩산종덩굴, U
 995. *Clematis patens* Morren et Decaisne, 큰꽃으아리, O
 996. *Clematis serratifolia* Rehder, 개비무리, O
 997. *Clematis subtriernata* Nakai, 합복종덩굴, U
 998. *Clematis subtriernata* var. *tenuifolia* Nakai, 좁은잎종덩굴, U
 999. *Clematis trichotoma* Nakai, 할미밀망, U
 1000. *Delphinium grandiflorum* var. *chinense* Fischer, 제비 고깔, O
 1001. *Delphinium maackianum* var. *album* Nakai, 큰 제비고깔, O
 1002. *Delphinium maackianum* var. *lasiocarpum* Regel, 텔제비고깔, O
 1003. *Delphinium maackianum* var. *lasiophyllum* Nakai, 부전제비고깔, O
 1004. *Delphinium maackianum* var. *palmatum* Nakai, O
 1005. *Delphinium maackianum* var. *ussuriense* Regel, O
 1006. *Delphinium ornatum* Bouche, 참제비고깔, O
 1007. *Eranthis stellata* Max. 너도바람꽃, U
 1008. *Hepatica asiatica* Nakai, 노루귀, O
 1009. *Hepatica asiatica* for. *variegata* Nakai, O
 1010. *Hepatica insularis* Nakai, 새끼 노루귀, O
 1011. *Hepatica maxima* Nakai, 섬노루귀, O
 1012. *Isopyrum raddeanum* Max. 나도 바람꽃, U
 1013. *Leptopyrum fumarioides* Reichenb. 바디풀, U
 1014. *Megaleranthis saniculifolia* Ohwi, 모데미풀, U
 1015. *Paeonia albiflora* var. *hirta* Regel, 호작약, O.M
 1016. *Paeonia albiflora* var. *pubescens* Nakai, 청진작약, O.M
 1017. *Paeonia albiflora* var. *trichocarpa* Bunge, 참작약, O.M
 1018. *Paeonia albiflora* Pall. 적작약, O.M
 1019. *Paeonia japonica* var. *pilosa* Nakai, 텔백작약, O.M
 1020. *Paeonia japonica* Miyake et Takeda 백작약, O.M
 1021. *Paeonia obovata* var. *glabra* Mak. 민산작약, O.M
 1022. *Paeonia obovata* Max. 산작약, O.M
 1023. * *Paeonia suffruticosa* Andrews, 모란, O
 1024. *Pulsatilla cernua* (Thunb.) Sprengel. 가는 할미꽃, M
 1025. *Pulsatilla davurica* Sprengel, M
 1026. *Pulsatilla koreana* Nakai, 할미꽃, M
 1027. *Pulsatilla nivalis* Nakai, 산할미꽃, M
 1028. *Ranunculus acris* L. 애기 미나리아재비, U
 1029. *Ranunculus acris* var. *dimorphophyllus* Nakai, U
 1030. *Ranunculus acris* var. *elatus* Nakai, 신 미나리아재비, U
 1031. *Ranunculus acris* var. *pratensis* Nakai, U
 1032. *Ranunculus acris* var. *schizophyllus* Nakai, U
 1033. *Ranunculus acris* var. *stevenii* Regel, 산 미나리아재비, U
 1034. *Ranunculus borealis* Trautv. 구름 미나리아재비, U

1035. *Ranunculus chinensis* Bunge, 것가락나물, U
 1036. *Ranunculus cantoriensi* DC. 넓개구리 미나리 U
 1037. *Ranunculus crucilobus* Lvl. 바위미나리 아세비 U
 1038. *Ranunculus crucilobus* var. *chrysotrichus* Nakai, 바위 것가락나물, U
 1039. *Ranunculus franchetii* Boiss. 왜미나리아재비 U
 1040. *Ranunculus hyperboreus* Rottboell, U
 1041. *Ranunculus japonicus* Thunb. 미나리아재비, M. P
 1042. *Ranunculus japonicus* for. *pleniflorum* Nakai. 꽃 미나리아재비 (新), U
 1043. *Ranunculus kazusensis* Mak. 매화마을, U
 1044. *Ranunculus gmelini* DC.
 1045. *Ranunculus quelpaertensis* (Lev.) Nakai, 왜것가락나물 U
 1046. *Ranunculus radicans* C.A. Meyer, U
 1047. *Ranunculus repens* var. *major* Nakai. 기는 미나리아재비 U
 1048. *Ranunculus sceleratus* L. 개구리자리, U
 1049. *Ranunculus tachiroei* Fr. et Sav. 개구리미나리 M
 1050. *Ranunculus tachiroei* var. *glabrescens* Sakata, 민 개구리미나리 U
 1051. *Ranunculus ternatus* Thunb. 개구리갓, U
 1052. *Semiaquilegia adoxoides* (DC.) Mak. 개구리발톱, U
 1053. *Thalictrum actaeifolium* S. et Z. 은청의 다리 E
 1054. *Thalictrum aquilegifolium* L. 꿩의 다리, E.M. P
 1055. *Thalictrum baicalense* Turcz. 비이칸 꿩의다리, U
 1056. *Thalictrum coreanum* Levl. 연잎 꿩의다리 U
 1057. *Thalictrum filamentosum* Max. 산청의다리 M
 1058. *Thalictrum ichangense* Lecoyer 꽈지 연잎꽃의다리, U
 1059. *Thalictrum multipetalum* Pampanini, U
 1060. *Thalictrum osmorrhizoides* Nakai, 그늘 꿩의다리, U
 1061. *Thalictrum petaloideum* L. 꽃꽃의다리, U
 1062. *Thalictrum punctatum* Lev. 큰잎 산꽃의다리 U
 1063. *Thalictrum raphanorhizon* Nakai, 작은 산꽃의다리(新), U
 1064. *Thalictrum rochebrunianum* v. *grandisepalum* Nakai, 금꽃의다리, U
 1065. *Thalictrum simplex* L. 진잎 꿩의다리, E
 1066. *Thalictrum sparciflorum* Turcz. U, 밭톱 꿩의다리
 1067. *Thalictrum spirostigmum* Nakai, 뒷 꿩의다리 U
 1068. *Thalictrum strictum* Ledeb. U
 1069. *Thalictrum sachalinense* Lecoyer 민바이 갈 꿩의나비, U
 1070.
 1071. *Thalictrum minus* var. *hypoleucum* Miquel, 흐름의다리, E
 1072. *Thalictrum minus* var. *majus* Miquel, 큰꽃의다리, E
 1073. *Thalictrum minus* var. *majus* for. *leucanthum* (Nakai), E
 1074. *Thalictrum minus* var. *majus* for. *variegatum* (Nakai), E
 1075. *Thalictrum minus* var. *stipellatum* (C.A. M.y.) Tamura, 진주지 꿩의나리, U

1076. *Thalictrum uchiyamai* Nakai, 자주꿩의다리, U
 1077. *Trollius hondoensis* Nakai, 금매화, M
 1078. *Trollius japonicus* Miquel, 애기금매화, U
 1079. *Trollius macropetalus* Fr. Schmidt, 큰금매화, U

Lardizabalaceae 으름덩굴과

1080. *Akebia quinata* Decaisne 으름덩굴 M. P. O
 1081. *Akebia quinata* var. *polyphylla* Nakai, 여덟잎으름, E. M. O. P
 1082. *Stauntonia hexaphylla* (Thunb.) Decaisne 멀끌, E. O

Berberidaceae 매자나무과

1083. *Achlys japonica* Max. 새잎풀, U
 1084. *Berberis amurensis* Ruprecht, 매발톱나무, M. O. S
 1085. *Berberis amurensis* var. *latifolia* Nakai, 왕매발톱나무, M. O. S
 1086. *Berberis amurensis* var. *quelpaertensis* Nakai, 섬매발톱나무 M. S
 1087. *Berberis koreana* Palibin, 매자나무, E. O. M
 1088. *Berberis koreana* var. *angustifolia* Nakai, 좁은잎 매자나무, E. O. M. S
 1089. *Berberis koreana* var. *ellipsoidea* Nakai, 연밥매자나무, E. O. M. S
 1090. *Berberis poiretii* Schneider, 당매자 O. M. P
 1091. *Caulophyllum robustum* Max. 청의다리 아새비, E. M
 1092. *Epimedium koreanum* Nakai, 삼지구엽초, M
 1093. *Jeffersonia dubia* Benth. 쟁쟁이풀, M
 1094. *Leontice microrhyncha* S. Moore, 한계령풀, U **Majonia fortunei* Fedde 중국남천, O
 1095. **Nandina domestica* Thunb. 남천 O **Mahonia japonica* DC. 뿔남천, O

Menispermaceae 방기과

1096. *Cocculus trilobus* DC. 냉방이덩굴, E. M. P
 1097. *Menispermum dahuricum* DC. 새모래덩굴, U
 1098. *Menispermum dahuricum* var. *pilosum* Schneider, 털새모래덩굴, U
 1099. *Sinomenium acutum* Rehder et Wils. 방기, M. S
 1100. *Stephania japonica* Miers, 합박이, U

Magnoliaceae 목련과

1101. **Kadsura japonica* Dunal, 남오미자, P, 1101-1 **Liriodendron tulipifera* L. 츄립나무, O
 1102. **Magnolia denudata* Desrousseaux, 배목련, O
 1103. **Magnolia denudata* var. *purpurascens* (Max.) Rehder et Wilson, 자주목련, O
 1104. **Magnolia grandiflora* L. 태산목, O
 1105. **Magnolia kobus* DC. 목련, O. M
 1106. **Magnolia liliiflora* Desrousseaux, 자목련, O
 1107. **Magnolia obovata* Thunb. 일본목련, O
 1108. *Magnolia sieboldii* K. Koch, 합박꽃나무, O. P

1109. *Magnolia sieboldii* for. *variegata* (Nak.) T. Lee, 열록 합박꽃, O

1110. **Michelia compressa* (Max.) Sarg. 초령목, O

1111. *Schizandra chinensis* Baillon, 오미자, E.M

1112. *Schizandra nigra* Max. 흑 오미자, M

Illiciaceae 봇순나무과

1113. *Illicium religiosum* S. et Z. 봇순나무 O.M

Lauraceae 녹나무과

1114. *Cinnamomum camphora* Sieb. 녹나무 O.M. T

1115. *Cinnamomum japonicum* Sieb. 생달나무, O. T.

1116. *Lindera erythrocarpa* Max. 비목나무, O. 1115-1 **Cinnamomum loureirii* Nees 옥계나무, O

1117. *Lindera glauca* Blume, 백동백, O 1115 2 **Laurus nobilis* L. 원계수, O

1118. *Lindera glauca* var. *salicifolium* (Nak.) T.Lee, 냐성목, O

1119. *Lindera obtusiloba* Blume, 생강나무, E.M. O

1120. *Lindera obtusilobaer* for. *ovata* (Nakai, pro.var.) T. Lee 등근 생강나무, E.M.,

1121. *Lindera obtusiloba* for. *villosum* (Nak.) T. Lee, 고로쇠생강나무, E.M.

1122. *Lindera sericea* Blume, 털조장나무, O.

1123. *Litsea japonica* Juss. 가마귀쪽나무, O.E.

1124. *Lozoste lancifolia* (S. et Z.) Blume, 옥박나무, O

1125. *Machilus japonica* S. et Z. 셀덜나무, O

1126. *Machilus thunbergii* S. et Z. 후박나무, M.O.T

1127. *Machilus thunbergii* var. *obovata* Nakai, 왕후박 M.O.T

1128. *Neolitsea aciculata* Koidz. 새더이, O

1129. *Neolitsea sericea* Koidz. 참식나무, O

1130. *Parabenzoin trilobum* (S. et Z.) Nakai, 세손이 O

Papaveraceae 양귀비과

1131. *Chelidonium majus* var. *asiaticum* (Hara) Ohwi 애기똥풀, M

1132. **Eschscholzia californica* Cham. 금영화 O

1133. *Hylomecon hylomeconoides* (Nakai,) T. Lee, 매미꽃 O

1134. *Hylomecon vernale* Max. 괴나풀, O.M

1135. *Papaver anomalam* Fedde 흰양귀비, O

1136. *Papaver coreanum* Nakai, 두배 양귀비, O

1137. *Papaver rhoeas* L. 개양귀비, O

1138. **Papaver somniferum* L. 양귀비, O.M

Fumariaceae 현호색과

1139. *Adlumina asiatica* Ohwi, 덩굴 며느리주머니, U

1140. *Corydalis ambigua* Chamisso et Schlecht. 왜현호색, M

1141. *Corydalis bungeana* Turcz. U

1142. *Corydalis chosenensis* Ohwi, U
 1143. *Corydalis decumbens* Pers. 좀현호색, M
 1144. *Corydalis filistipes* Nakai, 섬현호색, M
 1145. *Corydalis gigantea* var. *macrantha* Regel, 큰괴불주머니, U
 1146. *Corydalis heterocarpa* S. et Z. 염주 괴불주머니, U
 1147. *Corydalis incisa* Pers. 자주 괴불주머니, M
 1148. *Corydalis maximowiczii* Nakai, 산괴불주머니, U
 1149. *Corydalis ochotensis* Turcz 눈 괴불주머니, P
 1150. *Corydalis ochotensis* var. *raddeana* (Regel) Nakai, 가는 괴불주머니, P
 1151. *Corydalis heterocarpa* var. *japonica* Ohwi 갯주머니, U
 1152. *Corydalis ternata* Nak. 들 현호색, M
 1153. *Corydalis turtschaninovii* Besser 현호색 M
 1154. *Corydalis turtschaninovii* var. *fumariaefolia* (Kom.) T.Lee, 애기 현호색, M
 1155. *Corydalis turtschaninovii* var. *linearis* (Regel) Nakai, 맷잎 현호색, M
 1156. *Corydalis turtschaninovii* var. *pectinata* (Max.) Nakai, 빗살 현호색, M
 1157. *Corydalis turtschaninovii* var. *rotundiloba* (Max.) Nakai, 동군잎 현호색, M
 1158. *Corydalis turtschaninovii* for. *spiciformis* (Nakai,) T. Lee, 이삭현호색, M
 1159. *Dicentra spectabilis* Miquel, 금낭화, E.O

Capparidaceae 풍접초과

1160. **Cleome spinosa* L. 풍접초, O

Cruciferae 십자화과

1161. *Arabidopsis thaliana* (L.) Heynold, 애기장대, U
 1162. *Arabis columnaris* Nakai, 참장대나물, U
 1163. *Arabis coronata* Nakai, U
 1164. *Arabis coronata* for. *leucantha* Nak. 흰장대나물, U
 1165. *Arabis gemmifera* (Matsum.) Mak. 큰산장대 U
 1166. *Arabis glabra* Bornhardi, 장대나물, E
 1167. *Arabis glauca* De Boiss. 바위장대, U
 1168.
 1169. *Arabis ligulifolia* Nakai, 주걱장대, U
 1170. *Arabis lyrata* var. *kamtschatica* Fischer, 뺏장대, U
 1171. *Arabis nipponica* De Boissieu, 텔장대, E
 1172. *Arabis pendula* L. 느러진 장대, E
 1173. *Arabis serrata* var. *hallaisanensis* (Nak.) Ohwi, 섬 바위장대, U
 1174. *Arabis stelleri* var. *japonica* Fr. Schmidt 섬갯 장대, U
 1175. *Arabis stelleri* var. *stenocarpa* Fr. et Sav. 갯장대, U
 1176. *Arabis takesimana* Nakai, 섬장대, U
 1176-1 *Armoracia lapathifolia* Gilib. 겨자무, E
 1177. *Barbarea orthoceras* Ledeb. 나도냉이, M
 1178. *Berteroella maximowiczii* O. E. Schulz. 장때냉이, E

1179. **Brassica campestris* L. 왜배추, E
1180. **Brassica campestris* subsp. *napus* var. *pekinensis* Mak. 배추, E
1181. **Brassica campestris* subsp. *napus* var. *nippo-oleifera* Makino, 유채, E
1182. **Brassica campestris* susp. *rapa* var. *akana* Mak. 왜무, E
1183. **Brassica campestris* subsp. *rapa* Hook. f. et Anders. 치무, E
1184. **Brassica juncea* Czern et Coss. 계자, E
1185. **Brassica juncea* var. *integrifolia* Sink. 깃, E
1186. **Brassica oleracea* L. var. *capitata* L. 양배추, E
1187. **Brasica oleracea* var. *botryis* L. 자주양배추, E
1188. **Brassica oleracea* var. *gemmaifera* Zenker 백울 양배추, E
1189. **Camelina glabrata* (Ascherson) Zing. 양귀비꽃냉이, U
1190. *Capsella bursa-pastoris* (L.) Medicus, 냉이, E.M
1191. *Cardamine amaraeformis* Nakai, 꽃황제냉이, E
1192. *Cardamine bellidifolia* L. 애기냉이, U
1193. *Cardamine flexuosa* Withering, 황새냉이, E
1194. *Cardamine flexuosa* var. *fallax* Schulz, 좀산냉이, E
1195. *Cardamine flexuosa* var. *fallax* for. *glabra* (Nak.) 민좀산냉이, U
1196. *Cardamine flexuosa* var. *manshurica* Nakai, 용머리냉이, U
1197. *Cardamine glechomifolia* Levl. 편백냉이(新), U
1198. *Cardamine impatiens* var. *eriocarpa* DC. 편백화냉이, U
1199. *Cardamine impatiens* var. *fumaria* L. U
1200. *Cardamine impatiens* var. *obtusifolia* Knauf. 힐새비냉이, U
1201. *Cardamine impatiens* var. *typica* O.E. Schulz. 쌈비냉이, E
1202. *Cardamine komarovii* Nakai, 는쟁이 냉이, E
1203. *Cardamine komarovii* var. *macrophylla* Chung 큰는쟁이 냉이, E
1204. *Cardamine koreana* Nakai. 참 고초냉이 U
1205. *Cardamine leucantha* O. E. Schulz. 미니리 냉이, E
1206. *Cardamine leucantha* var. *toensis* (Nakai, pro. sp.) T. Lee, 통영미나리냉이, E
1207. *Cardamine lyrata* Bunge, 는냉이, E
1208. *Cardamine millsiana* Nakai, 큰새비냉이(신), U
1209. *Cardamine prorepens* Fischer ex DC. 산냉이, U
1210. *Cardamine resedifolia* var. *morii* Nakai, 두메냉이, U
1211. *Cardamine schulziana* Baehni 좁은잎 미나리냉이, U
1212. *Cardamine scutata* Thunb. 큰 황새 냉이 E
1213. *Cardamine yesoensis* Max. 왜갓냉이 U
1214. **Cheiranthes cheiri* L. 깃무, U
1215. **Descurainia sophia* (L.) Webb. 깃무, E
1216. *Dontostemon dentatus* Ledeb. 가을 강때, E
1217. *Draba daurica* var. *meyeri* Busch, 산꽃다시, U
1218. *Draba daurica* var. *ramosa* Pohl et Busch, 가지산꽃다시, U
1219. *Draba nemorosa* var. *hebecarpa* Lindb. 꽃나시, E.M

1220. *Draba nemorosa* var. *leiocarpa* Lindb. 깨꽃다자, U
 1221. *Erysimum aurantiacum* Max. 부자쟁이 나무, U
 1222. *Erysimum amurense* Kitagawa 좀 부자쟁이, U
 1223. *Erysimum macilentum* Bunge, 속부자쟁이, U
 1224. *Hesperis trichosepala* Turcz. 큰장대, U
 1225. *Ibersis amara* L. 서양말냉이 U
 1226. *Isatis tinctoria* var. *yezoensis* Ohwi 대청, U
 1227. * *Lepidium apetalum* Willd. 달달냉이, E.M
 1228. * *Lepidium latifolium* L. subsp. *affine* Kitag. U
 1229. * *Lepidium persicarium* L. 대부도냉이, U
 1230. * *Lepidium ruderale* L. 미루냉이 U
 1231. * *Lepidium sativum* L. 콜라디나냉이 U
 1232. *Lobularia maritima* Desv. (*Alyssum*) U
 1233. * *Mathiola incana* R. Brown, 향두, O
 1234. *Orychophragmum violaceum* O. E. Schulz. 소래풀, U
 1235. * *Raphanus sativus* var. *hortensis* Baker. for. *acanthiformis* Makino, 무우, E.M
 1236. *Raphanus sativus* var. *hortensis* Baker for. *raphanistroides* Mak. 깏무, E
 1237. *Rorippa globosa* Thellung 구술갓냉이, U
 1238. *Rorippa indica* (L.) Hiern. 개깃냉이, E
 1239. *Rorippa cantoniensis* Ohwi, 좀개갓냉이, U
 1240. *Rorippa islandica* (Oeder) Borbas, 속속이풀, E
 1241. *Sisymbrium heteromallum* C. A. Meyer, U
 1242. *Sisymbrium luteum* (Max.) Schulz. 노란장대, U
 1243. *Thlaspi arvense* L. 땅냉이, E
 1244. *Torularia humilis* (C. A. Meyer) O. C. Schulz, U
 1245. *Wasabia koreana* Nakai, 고초냉이, E

Nepenthaceae 벌레잡이풀과

1246. **Nepenthes rafflesiana* Jack 벌레잡이풀, O

Droseraceae 끈끈이주걱과

1247. *Aldrovanda vesiculosa* L. 벌레먹이풀, U
 1248. *Drosera anglica* Hudson, 진잎 끈끈이주걱, U
 1249. *Drosera feltata* var. *nipponica* Ohwi 細毛茅膏菜, U
 1250. *Drosera rotundifolia* L. 윤윤이주걱, U
 1251. *Drosera rotundifolio-anglica* Schiede, 겹윤윤이주걱, U

Crassulaceae 돌나물과

1252. *Orostachys filifer* Nakai, 애기 바위솔, U
 1253. *Orostachys japonicus* Berger, 바위솔, M = *Sedum crub scens* var. *japonicum* Ohwi
 1254. *Orostachys malacophyllus* Fischer, 둥근 바위솔, M = *Sedum iwarenge* var. *aggregatum* Ohwi
 1255. *Orostachys minutus* Berger, 좀 바위솔, U

1256. *Orostachys saxatilis* Nakai, 모란 바위솔, U
1257. *Orostachys sikokianus* Nakai, 난쟁이 바위솔, U = *Sedum leveilleanum* Hamet
1258. *Penthorum chinense* Pursh, 낙지다리, M
1259. *Rhodiola angusta* Nakai, 좁은잎돌꽃, U
1260. *Rhodiola elongata* Fischer et Meyer, 돌꽃, U = *Sedum ishidae* Miyabe et Kudo
1261. *Rhodiola rosea* Nakai, 가지돌꽃, U
1262. *Sedum aizoon* L. 가는 기린초, E
1263. *Sedum aizoon* var. *austromanshuricum* Kitag, 큰잎 기린초(新) U
1264. *Sedum aizoon* var. *floribunda* Nakai, U
1265. *Sedum aizoon* var. *heterodontum* Nakai 큰 기린초, U
1266. *Sedum aizoon* var. *latifolium* Max. 넓은잎 가는 기린초, U
1267. *Sedum aizoon* var. *ramosum* Uyeki et Sakata, 가지가는기린초, U
1268. *Sedum aizoon* var. *saxatile* Nakai, 좁은잎가는 기린초, U
- 1269.
1270. *Sedum erythrostichum* Miquel 꽁의 비름, E.M. P
1271. *Sedum bulbiferum* Makino, 말똥비름, U
1272. *Sedum japonicum* Sieb. 넓은 잎 기린초, U
1273. *Sedum kamtschaticum* Fischer, 기린초, E
1274. *Sedum lepidopodum* Nakai, 깨풀나물 U
1275. *Sedum middendorfianum* Max. 애기 기린초, U
1276. *Sedum oriziforme* Makino 땅채송화, U
1277. *Sedum polystichoides* Hemsl. 바위 채송화, U
1278. *Sedum rotundifolium* D. Lee, 둥근잎꽁의비름 U
- 1279.
1280. *Sedum sarmentosum* Bunge, 돌나물, M.E.
1281. *Sedum selskianum* Regel et Maack, U
1282. *Sedum spectabile* Boreau 큰 꽁의비름, U
1283. *Sedum telephium* var. *albiflorum* Max. U
1284. *Sedum telephium* var. *purpureum* L. 자주꽁의비름, U
1285. *Sedum takesimense* Nakai, 섬 기린초, U
1286. *Sedum taquetii* Praeger, U
1287. *Sedum verticillatum* L. 세잎꽁의비름, U
1288. *Sedum verticillatum* var. *nipponicum* Praeger, U
1289. *Sedum viridescens* Nakai, 섬꽁의비름, U
1290. *Sedum viviparum* Max. 새끼꽁이비름, O
1291. *Sedum zokuriense* Nakai, 속리 기린초, U
1292. *Tiliaea aquatica* L. 대구 돌나물(신), U

Saxifragaceae 범의귀파

1293. *Aceriphyllum acanthifolium* (Nakai,) T. Lee 돌부채손, E.O
1294. *Aceriphyllum rossii* var. *multilobum* Nakai, 큰돌단풍 E.O

1295. *Aceriphyllum rossii* var. *typica* Nakai, 돌단풍, O
1296. *Astilbe chinensis* Max. var. *davidii* Franchet, 노루오줌, M. P
1297. *Astilbe chinensis* var. *davidii* Franchet for. *albiflora* Nakai, 흰노루오줌, U
1298. *Astilbe chinensis* var. *paniculata* Nakai, 등군노루오줌, U
1299. *Astilbe divaricata* Nak., 진퍼리노루오줌, U
1300. *Astilbe koreana* Nak. 속은노루오줌, U
1301. *Astilbe taquetii* (Levl.) M. L. De Vilmori et Mottet, 섬노루오줌, U
1302. *Bergenia pacifica* Komar. 들부채, U
1303. *Chrysoplenium alternifolium* var. *sibiricum* Seringe, 오대산괭이눈, U
1304. *Chrysoplenium barbatum* Nakai, 흰털괭이눈, U
1305. *Chrysoplenium crenulatum* Fr. U
1306. *Chrysoplenium flagelliferum* Fr. Schmdt, 애기 괭이눈, U
1307. *Chrysoplenium flaviflorum* Ohwi, 누른 괭이눈, U
1308. *Chrysoplenium grayanum* Max. 괭이눈, U
1309. *Chrysoplenium hallaisanense* Nakai, 제주괭이눈, U
1310. *Chrysoplenium japonicum* Makino, 산괭이눈, U
1311. *Chrysoplenium macrostemon* Max. 바위 괭이눈, U
1312. *Chrysoplenium pilosum* Max. 털괭이눈 U
1313. *Chrysoplenium ramosum* Max. 가지 괭이눈 U
1314. *Chrysoplenium sphaerospermum* Max. 금괭이눈(新), U
1315. *Chrysoplenium trachyspermum* Max. 선괭이눈, U
1316. *Deutzia coreana* Leveille 매화말발도리, O
1317. *Deutzia coreana* var. *tozavae* Hatus. 해남 말발도리, O
1318. *Deutzia coreana* var. *triradiata* (Nakai) Hatus. 지이 말발도리, O
1319. *Deutzia glabrata* Kom. 물참대, O
1320. *Deutzia paniculata* Nakai, 꼬리 말발도리, O. P
1321. *Deutzia parviflora* Bunge, 말발도리, O
1322. *Deutzia parviflora* var. *barbinervis* Nakai, 태백 밀발도리, O
1323. *Deutzia parviflora* var. *obscula* (Nakai, pro. sp.) T. Lee. 속리 말발도리 O
1324. *Deutzia parviflora* var. *pilosa* Nak., 털발발도리, O
1325. *Deutzia prunifolia* Rehder, 바위 말발도리, O
1326. *Deutzia prunifolia* var. *latifolia* Nakai, 넓은잎 바위말발도리, O
1327. * *Hydrangea macrophylla* (Thunb.) Seringe for. *otaksa* (S. et Z.) Wilson, 수국, O
1328. * *Hydrangea paniculata* Sieb. 나무수국, O
1329. * *Hydrangea paniculata* for. *grandiflora* (Sieb.) Schelle, 일본 수국, O. P
1330. *Hydrangea petiolaris* S. et Z. 난출수국, O
1331. *Hydrangea petiolaris* var. *cordifolia* Fr. et Sav. 등수국, O
1332. *Hydrangea serrata* Seringe for. *acuminata* (S. et Z.) Wilson, 산수국, O
1333. *Hydrangea serrata* for. *buengeri* Nakai, 꽃산수국, O
1334. *Hydrangea serrata* for. *elongata* Nak. 긴잎 산수국, O
1335. *Hydrangea serrata* for. *fertilis* Nak. 탑파 산수국, O

1336. *Hydrangea serrata* for. *koreana* (Nak. T. Lee 떡잎 산수국, O
 1337. *Hydrangea serrata* for. *pubescens* (Fr. et Sav.) Wils. 텸산수국, O
 1338. *Kirengeshoma koreana* Nakai, 나도승마, O
 1339. *Mitella nuda* L. 나도밤의귀, U
 1340. *Parnassia palustris* L. 봄매화, O
 1341. *Parnassia alpina* Makino 애기 물매화, O
 1342. *Philadelphus koreensis* Nakai, 양덕 고광나무, O
 1343. *Philadelphus pekinensis* Rupr. 애기 고광나무, O
 1344. *Philadelphus scaber* Nakai, 섬 고광나무, O
 1345. *Philadelphus scaber* var. *glabrescens* Nakai, 남고광 나무, O
 1346. *Philadelphus schrenckii* Rupr. 고광나무, O. P
 1347. *Philadelphus schrenckii* var. *jackii* Koehne, 덜고광나무, O. P
 1348. *Philadelphus tenuifolius* Rupr. et Max. 얇은잎 고광나무, O
 1349. *Ribes burejense* Fr. Schmidt. 바늘 까치밥나무, E. O
 1350. *Ribes diacantha* Pallas, 가시 까치밥나무, O
 1351. *Ribes fasciculatum* S. et Z. var. *chinense* Max. 가마귀밥 여름나무, E. Q. P
 1352. **Ribes grossularis* L. 꾀우스베리 E. O 써양까치밥나무
 1353. *Ribes horridum* Rupr. 가막 바늘까치밥나무, E. O
 1354. *Ribes komarovii* A. Pojarkova, 꼬리 까치밥나무, E. O
 1355. *Ribes Komarovii* var. *breviracemum* (Nakai) T. Lee, 좀꼬리까치밥나무, E. O
 1356. *Ribes latifolium* Janczewski, 넓은잎 까치나무, O
 1357. *Ribes mandshuricum* Max. var. *subglabrum* Komar. 개맹도나무, E. O
 1358. *Ribes villosum* Kom. 까치밥나무, E. O
 1359. *Ribes maximowiczianum* Kom. 명자순, O
 1360. *Ribes nigrum* L. 양 가마까치밥나무, O
 1361. **Ribes sativum* Syme, 카이란트, O
 1362. *Ribes triste* Pallas, 눈까치밥나무, E. O
 1363. *Ribes ussuriensis* Janczewski, 가막 까치밥나무, E. O
 1364. *Rodgersia podophylla* var. *viridis* Nakai, 도예마루체, U
 1365. *Rodgersia tabularis* Komar. 개병풀, E, 1365 1 *Saxifraga cernua* L. 씨눈바위초, U
 1366. *Saxifraga fortunei* var. *glabrescens* Nakai, 바위파풀, E
 1367. *Saxifraga fortunei* var. *incisolobatum* Nakai, 섬바위파풀, U
 1368. *Saxifraga fortunei* var. *koraiensis* Nakai, 치이산 바위파풀, U
 1369. *Saxifraga fortunei* var. *pilosissima* Nakai, 낚 바위파풀, U
 1370. *Saxifraga furumii* Nakai, 뿐의귀, U
 1371. *Saxifraga laciniata* Nakai et Takeda, 구슬밤의귀, U
 1372. *Saxifraga manshuriensis* Komar 한 바위풀, U
 1373. *Saxifraga oblongifolia* Nakai, 참바위취, E
 1374. *Saxifraga octopetala* Nakai, 구실바위취, U
 1375. *Saxifraga punctata* L. 둑바위취, U
 1376. *Saxifraga rotundifolia* L. 둑군잎바위취, U

1377. *Saxifraga stolonifera* Meerb, 바위취, O
 1378. *Saxifraga takedana* Nakai, 빽두산바위취, U
 1379. *Schizophragma hydrangeoides* S. et Z. 바위수국, O
 1380. *Tiarella polyphylla* D. Don, 헬떡이풀, U
Eucommiaceae 두총과 1380-1 **Eucommia ulmoides* Oliver 두총, M

Pittosporaceae 돈나무과

1381. *Pittosporum tobira* Aiton, 돈나무, O

Hamamelidaceae 조록나무과

1382. *Corylopsis coreana* Uyeki. var. *pubescens* Nakai, 텔히어리(털송광남판화), O
 1383. *Corylopsis coreana* var. *typica* Nakai, 히어리(송광남판화), O
 1384. *Distylium racemosum* S. et Z. 조록나무, O
 1385. *Distylium racemosum* var. *latifolia* Nakai, 넓은잎 조록나무, O
 1386. **Hamamelis japonica* S. et Z. 풍년화, O

Platanaceae 벼줄 나무과

1387. **Platanus acerifolia* Willdenow, 단풍 벼줄나무, O. T
 1388. **Platanus occidentalis* L. 양벼줄나무, O. T
 1389. **Platanus orientalis* L. 벼줄나무, T.O

Rosaceae 장미과

Spiraeoideae 조팝나무아과

1390. *Aruncus aethusifolius* Nakai, 한라 개승마, U
 1391. *Aruncus dioicus* var. *kamtschaticus* Hara 눈개승마, U
 1392. *Exochorda serratifolia* S. Moore, 가침박달, O
 1393. *Exochorda serratifolia* var. *oligantha* Nakai, 털가침박달 O
 1394. *Neillia uyekii* Nakai, 나루국수나무, U
 1395. *Neillia uyekii* var. *papillosa* Nakai, 민나루국수나무, U
 1396. *Pentactina rupicola* Nakai, 금강인가목, O
 1397. *Physocarpus amurensis* (Max.) Max. 산국수나무 O
 1398. *Physocarpus insularis* Nakai, 섭국수나무, O
 1399. *Physocarpus intermedius* Schneider, 중 산국수나무, O
 1400. *Physocarpus opulifolius* (L.) Max. 양국수나무, O
 1401. *Sorbaria sorbifolia* (L.) A. Braun var. *stellipila* Max. 개쉬망나무, E. P
 1402. *Sorbaria sorbifolia* for. *glandulosa* (Nak.) T. Lee, 침 쉬망나무, E. P
 1403. *Sorbaria sorbifolia* for. *incerta* Kitagawa, 청쉬망나무, E. P
 1404. *Spiraea betulifolia* Pallas, 둥근잎 조팝나무, O
 1405. *Spiraea blumei* G. Don, 산조팝나무, O 1405-1 *Spiraea cantoniensis* Loui. 공조팝나무, O
 1406. *Spiraea chamaedryfolia* L.

1407. *Spiraea chamaedryfolia* var. *pilosa* Hara 텔 인가목조팝나무, O
 1408. *Spiraea chamaedryflia* var. *ulmifolia* (Scopoli) Max. 인가목조팝나무, O
 1409. *Spiraea chartacea* Nakai, 떡조팝나무, O
 1410. *Spiraea chinensis* Max. 당조팝나무, O
 1411. *Spiraea fritschiana* Schneider, 참조팝나무, O 1411-1 *Spiraea japonica* L. fil., 일본 조팝나무, O
 1412. *Spiraea media* Schmidt, 긴잎조팝나무, O
 1413. *Spiraea media* var. *monbetsuensis* Cardot, 텔 긴잎조팝나무, O
 1414. *Spiraea media* var. *sericea* Regel, 좀 텔긴잎조팝나무, O
 1415. *Spiraea miyabei* Koidz. 덤불 조팝나무, O
 1416. **Spiraea prunifolia* S. et Z. 만첩 조팝나무, O
 1417. *Spiraea prunifolia* var. *simpliciflora* Nakai, 조팝나무, E.O.M
 1418. *Spiraea pubescens* Turczaninow, 아구장나무, O
 1419. *Spiraea pubescens* var. *lasiocarpa* Nak. 설악 아구장나무, O
 1420. *Spiraea pubescens* var. *leiocarpa* Nakai, 초평 조팝나무, O
 1421. *Spiraea pseudo-crenata* Nakai, 긴잎산조팝나무, O
 1422. *Spiraea salicifolia* L. 뾰미 조팝나무, E.O.M
 1423. *Spiraea thunbergii* Sieb. 가는잎 조팝나무, O 1423-1 *Spiraea trichocarpa* Nakai 갈기조팝나무, O
 1424. *Stephanandra incisa* Zabel, 국수나무, S
 1425. *Stephanandra incisa* var. *quadrifissa* (Nak.) T. Lee, 나비 국수나무, U

Pomoideae 배나무아과

1426. *Amelanchier asiatica* (S. et Z.) Endl. 채진목, O
 1427. *Chaenomeles japonica* (Thunb.) Lindley, 풀명자, O
 1428. *Chaenomeles japonica* for. *albiflora* (Uyeki) T. Lee, 흰풀명자, O
 1429. **Chaenomeles lagenaria* (Loisel) Koidz. 명자꽃, O
 1430. **Chaenomeles sinensis* Schneider, 모과나무 O.M. P
 1431. *Cotoneaster wilsonii* Nakai, 섬개야광, U
 1432. *Cotoneaster integriflora* Medicus, 동근잎 개야광, U
 1433. *Crataegus komarovii* Sargent, 이노리나무, E
 1434. *Crataegus maximowiczii* Schneider, 야광나무, E.M
 1435. *Crataegus pinnatifida* Bunge, 산사, E.M
 1436. *Crataegus pinnatifida* for. *betulifolia* Nak. 자작잎산사, E.M
 1437. *Crataegus pinnatifida* var. *major* N. E. Brown 넓은잎 산사, E.M
 1438. *Crataegus pinnatifida* var. *partida* Nakai, 가새잎 산사, E.M
 1439. *Crataegus pinnatifida* var. *psilosa* Schneider, 좀은잎 산사, E.M
 1440. *Crataegus pinnatifida* var. *pubescens* Nakai, 텔산사, E.M
 1441. **Crataegus scabrida* Sarg. 미국산사 O
 1442. **Eriobotrya japonica* Lindley, 비파나무, E.O
 1443. *Malus asiatica* Nakai, 능금, E
 1444. *Malus baccata* Borkhausen, 야광나무, E.O
 1445. *Malus baccata* var. *mandshurica* (Max.) Schneidar, 텔 야광나무, E.O

1446. *Malus baccata* var. *mandshurica* for. *jackii* Rehder, 민야광나무, E. O
1447. *Malus baccata* var. *mandshurica* for. *minor* (Nakai) T. Lee, 개야광나무, E. O
1448. *Malus micromalus* Mak. 제주 아그배(개아그배), E. O
1449. **Malus pumila* Miller 사과 E
1450. *Malus sieboldii* (Regel) Rehder 아그배나무, E. O 1450-1 * *Mespilus germanica* L. 양모과, O
1451. **Photinia glabra* (Thunb.) Max. 홍가시나무, O
1452. *Pourthiae villosa* Decaisne, 왕 윤리노나무, U
1453. *Pourthiae villosa* var. *brunnea* Nakai, 떡윤리나무, U
1454. *Pourthiae villosa* var. *laevis* (DC.) T. Lee, 윤리나무, U
1455. *Pourthiae villosa* var. *longipes* Nakai, 푸지 윤리나무(진윤리나무), U
1456. *Pourthiae villosa* var. *zollingeri* Schneider, 텔 윤리나무, U
1457. *Pyrus calleryana* Decne var. *fauriei* (Scneider) Rehder, 콩배나무, E
1458. **Pyrus communis* L. 서양배, E. 1456-1 * *Pyracantha angustifolia* Schn., 피라칸다, O
1459. *Pyrus hakunensis* Nakai, 백운배나무, E
1460. *Pyrus pseudo-calleryana* Uyeki, 청위봉 배나무, E
1461. *Pyrus pseudo-uipongensis* Uyeki, 개위봉 배나무, E
1462. *Pyrus pyrifolia* (Burmann) Nakai, 돌배나무, E
1463. **Pyrus pyrifolia* var. *cults* Nakai, 일본배나무, E
1464. *Pyrus uipongensis* Uyeki, 위봉배나무, E
1465. *Pyrus ussuriensis* Max. 산돌배나무, E
1466. *Pyrus ussuriensis* var. *acidula* (Nak.) T. Lee, 취양네, E
1467. *Pyrus ussuriensis* var. *diamantica* Uyeki, 금강산 돌배나무, E
1468. *Pyrus ussuriensis* var. *macrostipes* (Nak.) T. Lee 참배 E
1469. *Pyrus ussuriensis* var. *nanikensis* (Nak.) T. Lee 남해 배나무 E
1470. *Pyrus ussuriensis* var. *ovoidea* Rehder 청실리, E
1471. *Pyrus ussuriensis* var. *pubescens* Nak. 텔산돌배나무, E
1472. *Pyrus ussuriensis* var. *seoulensis* (Nak.) T. Lee, 문배나무, E
1473. *Pyrus uyematsuana* Makino, 돌배, E
1474. *Raphiolepis umbellata* (Thunb.) Makino, 다정큼나무, O
1475. *Raphiolepis umbellata* var. *integerrima* (Hook. et Arnott) Rehder, 둥근잎다정큼나무, O
1476. *Raphiolepis umbellata* var. *liukiuensis* Koidz. 긴잎다정큼나무, O
1477. *Sorbus alnifolia* (S. et Z.) K. Koch, 팻배나무, E. P
1478. *Sorbus alnifolia* var. *hirtella* (Nakai) T. Lee, 털팻배, E. P
1479. *Sorbus alnifolia* var. *lasiocarpa* (Uyeki) T. Lee, 간팻배 E. P
1480. *Sorbus alnifolia* var. *lobulata* (Koidz.) T. Lee, 별배나무, E. P
1481. *Sorbus alnifolia* var. *macrophylla* (Nakai) T. Lee, 왕잎팻배나무, E. P
1482. *Sorbus alnifolia* var. *oblongifolia* (Nakai) T. Lee, 긴잎팻배나무 E. P
1483. *Sorbus amurensis* Koehne 당마가목 M. O
1484. *Sorbus amurensis* var. *lanata* Nakai, 흰털 당마가목, M. O
1485. *Sorbus amurensis* var. *latifolia* Nakai, 혀은잎 당마가목, M. O
1486. *Sorbus amurensis* var. *rufa* Nakai, 차빛 당마가목, M. O

1487. *Sorbus commixta* Hedlund, 마가목, M. O
 1488. *Sorbus commixta* var. *pilosa* Nakai, 산털 마가목, M. O
 1489. *Sorbus commixta* var. *rufo-ferruginea* Schneid. 뉴마가목, M. O
 1490. *Sorbus commixta* for. *rufo-hirtella* Nakai, 왕털 마가목, M. O
 1491. *Sorbus sambucifolia* Roemer var. *pseudogracilis* Scheider, 산마가목, M. O

Rosoideae 장미아과

1492. *Agrimonia coreana* Nakai, 산집신나물, E. M
 1493. *Agrimonia coreana* for. *pilosella* Sakata, 텁산집신나물, E. M
 1494. *Agrimonia pilosa* f. *davurica* Nalai, E. M
 1495. *Agrimonia pilosa* var. *japonica* Nakai, 집신나물, E. M. P
 1496. *Chamaerhodos erecta* Bunge, 품당마초, U
 1497. *Comarum palustre* L. 겹은낭아초, U = *Potentilla palustris* Scopoli
 1498. *Dryas octopetala* L. var. *asiatica* Nakai, 담자리 꽃, U
 1499. *Duchesnea chrysanthia* (Zoll. et Mor.) Miquel, 뱃말기, E. M. P
 1500. *Filipendula formosa* Nakai, 자리더티풀, O
 1501. *Filipendula glaberrima* Nak. 터티풀 O. P
 1502. *Filipendula koreana* Nakai, 붉은 더티풀, O. P
 1503. *Filipendula koreana* var. *alba* Nakai, 흰더티풀, O. P
 1504. *Filipendula palmata* (Pallas) Max. 단풍 더티풀, O. P
 1505. **Fragaria ananassa* Duchesne 단거, E
 1506. *Fragaria yezoensis* Hara 맷딸기, U
 1507. *Fragaria nipponica* Maki no 훤atty딸기, E
 1508. *Geum aleppicum* Jacquin, 큰배무, E. P
 1509. *Geum aleppicum* var. *glabrescens*, 민큰배무(신), E
 1510. *Geum japonicum* Thunb. 뱃무, E. M. P
 1511. *Kerria japonica* A. P. De. Candolle, 황매화, O
 1512. *Kerria japonica* for. *pleniflora* (Witte.) Rehder, 죽단화, O
 1513. *Potentilla bifurca* var. *glabrata* Lehman, 물사리풀, U
 1514. *Potentilla centigrana* Max. 줄딸기, U
 1515. *Potentilla chinensis* Seringe, 떡지꽃, E. M. P
 1516. *Potentilla chinensis* var. *concolor* Fr. et Sav. 딸딱지꽃, P
 1517. *Potentilla chinensis* var. *littoralis* Nakai, 깃딱지, U
 1518. *Potentilla chinensis* var. *micantha* Fr. et Sav. 품딱지, U
 1519. *Potentilla chinensis* var. *pseudo-chinensis* Nakai, 당딱지꽃 U
 1520. *Potentilla cryptotaeniae* Max. 물양지꽃, P
 1521. *Potentilla dickinsii* Fr. et Sav. 돌양지꽃 U
 1522. *Potentilla dickinsii* var. *breviseta* Nakai, 침양지꽃, U
 1523. *Potentilla dickinsii* var. *grabrata* Nakai, 섬양지꽃, U
 1524. *Potentilla discolor* Bunge, 숨양지꽃, E. M
 1525. *Potentilla edgei* var. *groenlandica* Polunin, 눈양지꽃, U

1526. *Potentilla fragariooides* var. *major* Max. 양지꽃, E.M
1527. *Potentilla freyniana* Bornmuller, 새잎 양지꽃, E.P
1528. *Potentilla freyniana* var. *villosa* Nakai, 털 새잎양지꽃, U
1529. *Potentilla fruticosa* L. 물싸리, U
1530. *Potentilla fruticosa* var. *mandshurica* Max. 은물싸리, U
1531. *Potentilla kleiniana* var. *anemonifolia* Nakai, 큰잎 가락지나물, U
1532. *Potentilla kleiniana* var. *minor* Nakai, 작은잎 가락지나물, U
1533. *Potentilla kleiniana* var. *robusta* Fr. et Sav. 가락지 나물 E.P
1534. *Potentilla matsumurae* Wolf, 좀양지꽃, U
1535. *Potentilla multifida* var. *angustifolia* Lehman, 만주딱지꽃(신), U
1536. *Potentilla nipponica* Wolf, 원산딱지꽃, U
1537. *Potentilla nivea* L. 은양지꽃, U
1538. *Potentilla nivea* for. *alpina* Lehm. 백두산은양지꽃, U
1539. *Potentilla paradoxoa* Nuttall, 개 소시향개비 E.P
1540. *Potentilla repens* var. *incisa* Fr. U
1541. *Potentilla rugulosa* Kigawa, 당양지꽃, U
1542. *Potentilla sibirica* Wolf. U
1543. *Potentilla stolonifera* var. *quelpaertensis* Nakai, 제주양지꽃, U
1544. *Potentilla tanacefolia* Will. et Schlecht, U
1545. *Potentilla viscosa* var. *macrophylla* Komar. 끈끈이 딱지, U
1546. *Potentilla yokosaiana* Makino, 민눈 양지꽃, U
1547. *Rhodotypos scandens* Makino, 병아리꽃, O
1548. *Rosa acicularis* Lindley, 일가목(민등인가목), O
1549. *Rosa acicularis* var. *globularis* Nak. 둥근 민등인가목, O
1550. *Rosa acicularis* var. *polyphylla* Nakai, 관모인가목, O
1551. *Rosa acicularis* for. *alba* Nak. 흰민등 인가목 O
1552. *Rosa acicularis* for. *pilosa* Nakai, 털 민등인가목, O
1553. **Rosa banksiae* Aiton, 덩굴장미, O
1554. **Rosa chinensis* Jacquin, 월계화, O
1555. *Rosa davurica* Pallas, 생얼퀴나무, O
1556. *Rosa davurica* var. *ellipsoidea* Nakai, 진생열퀴, O
1557. *Rosa davurica* for. *alba* (Nak.) T. Lee, 흰생열퀴, O
1558. *Rosa diamantica* Nakai, 금강찔레, U
1559. *Rosa jaluitana* Kom. 국경찔레, P
1560. *Rosa kokusanensis* Nakai, 흑산가시, U
1561. *Rosa koreana* Komarov, 흰인가목, O
1562. *Rosa luciae* Fr. et Rochebrune, 제주찔레, P
1563. *Rosa luciae* var. *adenochaeta* (Koidz.) Ohwi, 털찔레, U
1564. *Rosa luciae* var. *quelpaertensis* Nakai, 좀찔레, U
1565. *Rosa marretii* Lev. 붉은 인가목, O
1566. *Rosa marretii* var. *alpetris* (Nak.) Uyeki, 좀 붉은인가목 O

1567. *Rosa maximowicziana* Regel, 용가시 나무, E.M
1568. *Rosa maximowicziana* var. *jackii* Rehder 왕용가시, E.M
1569. *Rosa maximowicziana* var. *pilosa* (Nak.) Nakai, 털용가시, E.M
1570. *Rosa multiflora* Thunb. 젤레꽃, E.M.P
1571. *Rosa rugosa* Thunb. 해당화, M
1572. *Rosa rugosa* var. *chamissoniana* C. A. Meyer 민해당화, O
1573. *Rosa rugosa* var. *kamtschatica* Regel, 개해당화, O
1574. *Rosa rugosa* for. *plena* (Regel) Byhouwer, 만첩해당화, O
1575. *Rosa sileniflora* Nakai, 민생열매, O
1576. *Rosa spinosissima* L. var. *pimpinellifolia* Hook. 둥근 인가무, O
1577. *Rosa xanthina* Lindley, 노란 해당화, O
1578. *Rosa wichuraiana* Crepin, 돌가시, U
- 1579. *Rubus arcticus* L. 학경딸기, E
- 1580. *Rubus arcticus* for. *dentipetala* Uyeki et Sakata 가새 학경딸기, E
1581. *Rubus buergeri* Miquel, 거울 딸기, E.M
- 1582. *Rubus chamaemorus* L. 장지딸기, E
1583. *Rubus corchorifolius* L. 수리딸기, E
- 1584. *Rubus corchorifolius* var. *oliveri* Miq. 청 수리딸기, E
1585. *Rubus coreanus* Miq. 복분자, E.M
- 1586. *Rubus coreanus* for. *concolor* (Nak.) T. Lee, 청복분자, E
1587. *Rubus crataegifolius* Bunge, 산딸기, E.M.P
1588. *Rubus crataegifolius* var. *subcuneatus* Nakai, 진잎 산딸기, E.P
1589. *Rubus croceacantha* Leville, 검은 딸기, E
- 1590. *Rubus hirsutus* Thunb. var. *argyi* Nakai, 제주 딸기 E
1591. *Rubus hirsutus* var. *typica* Nakai, 장딸기, E
- 1592. *Rubus hirsutus* var. *xanthocarpus* Nakai, 노란 장딸기, E
- 1593. *Rubus hongnensis* Nakai, 가시 딸기, E
1594. *Rubus idaeus* L. var. *concolor* Nakai, 나무딸기, E
1595. *Rubus idaeus* var. *coreanus* Nakai, 두메딸기, E
1596. *Rubus idaeus* var. *microphyllus* Turcz. 망석딸기, E
1597. *Rubus longisepalus* Nakai, 배도딸기, E 1596-1 *Rubus japonicus* Max. 오엽딸기, E
- 1598. *Rubus longisepalus* var. *tozawai* (Nakai, pro sp.) T. Lee, 기재딸기, E
- ✓ 1599. *Rubus oldhami* Miq. 줄딸기, E 1599-1 *Rubus palmatus* var. *cryptophyllus* Makino 단풍딸기, E
1600. *Rubus parvifolius* L. 망석딸기, E.M
1601. *Rubus phoenicolasmus* Max. 꽁무니딸기, E
- 1602. *Rubus phoenicolasmus* var. *aibiflorus* (Nak.) T. Lee 흰곰딸기 E
1603. *Rubus ribisoides* Matsum. 삼딸기, E
- 1604. *Rubus schizostylus* Lev., 가시 복분자, E
1605. *Rubus sorbifolius* Max. 거지딸기, E
- 1606. *Rubus sorbifolius* var. *myriadenus* (Focke) T. Lee 복딸, E
1607. *Rubus takesimensis* Nakai, 설산딸기, E.P

1608. *Rubus trifidus* Thunb. 거문딸기, E
 1609. *Sanguisorba stipulata* Rafin. 큰 오이풀, M
 1610. *Sanguisorba argutidens* Nakai, 구름 오이풀, U
 1611. *Sanguisorba globularis* Nakai, 구슬 오이풀, U
 1612. *Sanguisorba hakusanensis* Makino, 산오이풀, M
 1613. *Sanguisorba intermedia* Nakai,
 1614. *Sanguisorba longifolia* Bertoloni, 긴오이풀, M
 1615. *Sanguisorba officinalis* var. *carnea* Regel, 오이풀, M.P
 1616. *Sanguisorba officinalis* var. *unsanensis* (Nak.) 운산오이풀, U
 1617. *Sanguisorba tenuifolia* var. *alba* Trautv. et Vnt. 가는오이풀, U
 1618. *Sanguisorba tenuifolia* var. *rubra* Fischer, 자주 오이풀, U
 1619. *Sibbaldia procumbens* L. 너도 양지꽃, U
 1620. *Waldsteinia ternata* (Stephan.) Fritsch 나도 양지꽃, U

Prunoideae 앵두나무아과

1621. *Prinsepia sinensis* (Oliver) Oliver 벚추나무, E
 1622. *Prunus armeniaca* var. *ansu* Max. 살구, E.M.O
 1623. * *Prunus avium* L. 양벚, O
 1624. *Prunus buegeiana* Miq. 섬 개벗나무, O
 1625. * *Prunus cerasus* 신 양벚, O
 1626. *Prunus choreiana* Nakai, 복사 앵도, E
 1627. *Prunus davidian* Fr. 산복사, E
 1628. * *Prunus domestica* L. 서양자두, E
 1629. *Prunus glandulosa* Thunb. 산매, O
 1630. *Prunus glandulosa* for. *albiplena* Koehne. 옥매, O
 1631. *Prunus glandulosa* for. *sinensis* (Persoon) Koehne. 풍매, O
 1632. *Prunus ishidoyana* Nakai, 산이스라자, E.M.P
 1633. *Prunus japonica* var. *nakaii* (Lev.) Rehder, 이스라자, E.M.P
 1634. *Prunus japonica* var. *nakaii* for. *rufinervis* (Nak.) T. Lee, 텔이스라자, E.M
 1635. *Prunus koraiensis* Nakai, 장산벗, O
 1636. *Prunus leveilleana* Koehne 개벗나무, O.E
 1637. *Prunus leveilleana* var. *pendula* Nakai, 수양벗, O
 1638. *Prunus leveilleana* var. *pilosa* Nakai, 털개벗, O
 1639. *Prunus leveilleana* for. *semiplena* (Nakai,) T. Lee 만첩개벗, O
 1640. *Prunus maackii* Rupr. 개벗자나무, U
 1641. *Prunus mandshurica* var. *barbinervis* Nakai, 텔 개살구, M.O.E
 1642. *Prunus mandshurica* var. *glabra* Nakai, 개살구, M.O.E
 1643. *Prunus maximowiczii* Rupr. 산개벗자 나무 U
 1644. *Prunus meyeri* Rehder 북개벗자나무
 1645. * *Prunus mume* S. et Z. 매실나무 O

1646. *Prunus padus* L. 귀룡나무 E.M
 1647. *Prunus padus* var. *commutata* Dippel, 수귀룡나무, E.M
 1648. *Prunus padus* var. *glaucia* Nak. 흰귀룡나무 E.M
 1649. *Prunus padus* var. *laxa* Rehder, 암귀룡나무, E.M
 1650. *Prunus padus* L. var. *pubescens* Regel et Tiling 흰털귀룡 E.M
 1651. *Prunus padus* L. *pubescens* for. *purdomii* Koehne, 털귀룡, E.M
 1652. *Prunus padus* L. var. *rufoferruginea* Nakai, 차빛귀룡, E.M
 1653. *Prunus padus* L. var. *seoulensis* Nakai, 서울귀룡, E.M
 1654. **Prunus persica* (L.) Batsch, 복사, E.P
 1655. *Prunus persica* var. *nectarina* (Ait.) Max. 쟁도, E.P
 1656. *Prunus persica* for. *aganopersica* Voss, 용인복사, E.P
 1657. *Prunus persica* for. *alba* Schneider, 백도, E.P
 1658. *Prunus persica* for. *alba-plena* Schneider, 만침백도, O.P
 1659. *Prunus persica* for. *albescens* Uyeki, 바래복사, O.P
 1660. *Prunus persica* for. *compressa* (Loudon) Rehder, 감복사, E.P
 1661. *Prunus persica* for. *rubro-plena* Schneider, 만침홍도, O.P
 1662. **Prunus pseudo-cerasus* Lindl. 송국 벚나무 O
 1663. *Prunus robusta* Nakai, 거문벗, O
 1664. **Prunus salicina* Lindley, 자두나무, E
 1665. *Prunus salicina* var. *columnialis* Uyeki, 열여덟, O
 1666. *Prunus sargentii* Rehder 산벗나무, O.P
 1667. *Prunus serrulata* var. *densiflora* (Koehne) Uyeki, 가는잎 벚나무, O.E
 1668. *Prunus serrulata* var. *pubescens* (Mak.) Nakai, 잔털 벚나무, O.E
 1669. *Prunus serrulata* var. *sontagiae* Nak. 꽃벗나무, O.E
 1670. *Prunus serrulata* var. *spontanea* (Max.) Wilson, 벚나무, O.E
 1671. *Prunus serrulata* var. *tomentella* Nakai, 털 벚나무, O.E
 1672. *Prunus serrulata* var. *vereocunda* Nakai, 분홍 벚나무, O.E
 1673. *Prunus sibirica* L. 시베리아 살구, O
 1674. *Prunus subhirtella* var. *ascendens* (Mak.) Ohwi, 올벗나무, O.P
 1675. *Prunus subhirtella* for. *pendula* (Max.) Ohwi, 빨강올벗나무 O
 1676. *Prunus takesimensis* Nakai, 섬벗, O.E
 1677. *Prunus tomentosa* Thunb. 앵도, E.O.M.P
 1678. *Prunus triloba* Lindley var. *truncata* Komarov, 풀또기, E
 1679. *Prunus yedoensis* Matsum, 왕벗나무, O
 1680. *Prunus yedoensis* for. *nudiflora* (Koehne) Rehder, 제주 벚나무, O

Leguminosae 콩과

1681. *Aeschynomene indica* L. 자귀풀, U
 1682. *Albizia coreana* Nakai, 왕자귀, M.O.P
 1683. *Albizia julibrissin* Durazzini, 자귀나무, M.P.O
 1684. *Amtryotropis pauciflora* Kitagawa, 털새동부, U

1685. * *Amorpha brachycarpa* E. J. Palmer, 애기쪽제비싸리, P
 1686. * *Amorpha canescens* Pursh, 텔쪽제비싸리, P
 1687. * *Amorpha fruticosa* L. 쪽제비싸리, P
 1688. *Amphicarpea edgeworthii* var. *trisperma* Ohwi 새콩, E. P
 1689. * *Arachys hypogaea* L. 땅콩, E
 1690. *Astragalus adsurgens* Pallas, 탐나황기, S
 1691. *Astragalus adsurgens* var. *alpinus* Nakai, 한라황기, U
 1692. *Astragalus dauricus* (Pallas) DC. 자주황기, M
 1693. *Astragalus membranaceus* Bunge, 황기, M
 1694. *Astragalus membranaceus* var. *alpinus* Nakai, 제주황기, U
 1695. *Astragalus membranaceus* var. *manshuricus* Nakai, 명천황기, U
 1696. *Astragalus setsureianus* Nakai, 실령황기, U
 1697. *Astragalus sinicus* L. 자운영, S
 1698. *Astragalus uliginosus* L. 개황기, U
 1699. *Caesalpinia japonica* S. et Z. 실거리, S
 1700. *Campylotropis macrocarpa* Rehder, 꽃싸리, O. P
 1701. *Campylotropis macrocarpa* for. *rosea* Uyeki, 붉은꽃 싸리, O. P
 1702. * *Canavalia gladiata* DC. 작두콩, E
 1703. *Canavalia lineata* Thunb. 해여콩, U
 1704. *Caragana koreana* Nakai, 참풀남초, M
 1705. *Caragana microphylla* Lamarck, 좁풀남초, M
 1706. *Caragana microphylla* var. *megalantha* Schneider, 반용 골담초, M
 1707. *Caragana sinica* (Buchoz) Rehder, 굽답초, M
 1708. *Cassia mimosoides* var. *nomame* Makino, 차풀, E. M. P
 1709. *Cassia mimosoides* var. *mimosoides* for. *prostrata* (Nakai,) T. Lee, 눈차풀, E. M
 1710. * *Cassia occidentalis* L. 석결명, M
 1711. * *Cassia tora* L. 깃강남자, M
 1712. * *Cercis chinensis* Bunge, 박태기나무, O. P
 1713. *Crotalaria sessiliflora* L. 활나물 U
 1714. * *Cytissus scoparius* Link. 양풀남초, O
 1715. *Desmodium heterocarpon* (L.) DC., 잔디 갈구리, U
 1716. *Desmodium caudatum* DC. 된장풀, S
 1717. *Desmodium fallax* Schindler, 애기도록놈의 갈구리, U
 1718. *Desmodium oldhami* Oliver, 큰도둑놈의 갈구리, P 1718-1 *for. *alba* T. Lee 환갈구리, P
 1719. *Desmodium oxyphyllum* DC, 도둑놈의 갈구리, U
 1720. *Desmodium podocarpum* DC, 개도둑놈의 갈구리, U
 1721. * *Dolichos lablab* L. 작두(까지콩), E
 1722. * *Dolichos lablab* var. *bengalensis* Nak. 환작두 E
 1723. *Dunbaria villosa* (Thunb.) Mak. 여우콩, U
 1724. *Euchresta japonica* Bentham, 만년콩, U
 1725. *Echinosophora koreensis* Nakai, 개스삼, O

1726. *Gleditsia japonica* var. *koraiensis* (Nak.) Nakai, 주엽나무, E.M
 1727. *Gleditsia japonica* var. *koraiensis* for. *inarmata* Nakai, 민주엽나무, E.M
 1728. *Gleditsia japonica* var. *stenocarpa* Nakai, 아자비과풀, E.M
 1729. **Gleditsia sinensis* Lamarck, 조작자나무, M
 1730. **Glycine max* Merrill, 콩, E.P
 1731. *Glycine soja* S. et Z. 돌콩, E.P
 1732. **Glycyrrhiza echinata* L. 감초, M
 1733. *Hedysarum alpinum* L. 빛황기 U
 1734. *Hedysarum hedysaroides* Schinz et Thellung, 넓은빛황기, U
 1735. *Hedysarum setigerum* Turcz. 나도황기, U
 1736. *Indigofera kirilowii* Max. 땅비사리, O
 1737. *Indigofera kirilowii* var. *coreana* Craib. 큰 땅비사리, O
 1738. *Indigofera kirilowii* for. *albiflora* Uyek. 흰땅비사리, O
 1739. *Indigofera koreana* Ohwi 턴 땅비사리, O
 1740. *Indigofera pseudo-tinctoria* Matsum. 낭아초, M.O
 1741. *Kummerowia stipulacea* (Max.) Makino, 둥근매듭풀, P
 1742. *Kummerowia striata* (Thunb.) Schindler, 매듭풀, P
 1743. *Lathyrus davidii* Hance 활량나물, E.M
 1744. *Lathyrus humilis* Fischer ex DC, 애기완두, U
 1745. *Lathyrus japonicus* Willd. 깏완두, M
 1746. *Lathyrus japonicus* var. *aleuticus* Fernald 텔깃완두, M
 1747. *Lathyrus komarovii* Ohwi, 선연리초, U
 1748. *Lathyrus nomuranus* Ohwi, 선갯완두, U
 1749. **Lathyrus odoratus* L. 스위트파, E
 1750. *Lathyrus palustris* var. *pilosus* Ledeb. 텔연리초, U
 1751. *Lathyrus quinquenervius* Litvinov. 연리초, M
 1752. *Lathyrus vaniotii* Lev. 산새콩, U
 1753. ×*Lespedeza angustifoliae* T. Lee, 늦싸리, O. P = *friebeana* Hindle
 1754. *Lespedeza bicolor* Turcz. 싸리, O.P
 1755. *Lespedeza bicolor* var. *melanantha* (Nakai) T. Lee, 쇠싸리, O.P
 1756. *Lespedeza bicolor* var. *serica* Nakai, 텔싸리, O.P.
 1757. *Lespedeza bicolor* for. *alba* (Bean) Ohwi 흰싸리, O.P.
 1758. *Lespedeza chiisanensis* T. Lee, 지리산 싸리, O.P.
 1759. *Lespedeza cuneata* G. Don 비수리 P
 1760. *Lespedeza cuneata* var. *serpens* Ohwi, 눈비수리, O.P
 1761. *Lespedeza cyrtobotrya* Miq. 참싸리, O.F.
 1762. *Lespedeza cyrtobotrya* var. *longifolia* Nakai, 진잎 참싸리, O.P
 1763. *Lespedeza cyrtobotrya* for. *semialba* T. Lee, 흰 참싸리, O.P
 1764. *Lespedeza daurica* Schindler, 호비수리, P
 1765. ×*Lespedeza divaricata* T. Lee, 청비수리, P
 1766. ×*Lespedeza intermixta* Makino, 연출비수리, P

1767. *Lespedeza juncea* Persoon var. *inschanica* Max. 땅비수리, P
 1768. *Lespedeza juncea* Persoon var. *subsericea* Kom. 파리채, P
 1769. *Lespedeza juncea* Persoon var. *umbrosa* (Kom.) T. Lee, 텔 파리채, P
 1770. × *Lespedeza macrovirgata* Kitagawa, 왕omboksari, O.P
 1771. × *Lespedeza maritima* Nakai, 해변싸리, O.P
 1772. *Lespedeza maximowiczii* Schneider, 조록싸리, O.P
 1773. *Lespedeza maximowiczii* var. *tomentella* Nakai, 텔조록싸리, O.P = *friebeana* Schindler
 1774. *Lespedeza maximowiczii* var. *tricolor* Nakai, 삼색싸리, O.P
 1775. *Lespedeza maximowiczii* for. *albiflora* Uyeki, 흰조록싸리, O.P
 1776. × *Lespedeza nakaii* T. Lee, 꽃참싸리, O.P
 1777. × *Lespedeza patentibicolor* T. Lee, 전도싸리, O.P
 1778. × *Lespedeza patentelongata* T. Lee, 텔늦싸리, O.P = *friebeana* Schindler
 1779. × *Lespedeza patentihirta* (L. juncea var. *inschanica* X L. *pilosa*) T. Lee, 땅팽이싸리, P
 1780. *Lespedeza pilosa* (Thunb.) S. et Z. 괭이싸리, P
 1781. *Lespedeza pilosa* var. *pedunculata* T. Lee, 긴 괭이싸리, P
 1782. × *Lespedeza robusta* Nak. 고양싸리, O.P.
 1783. × *Lespedeza schindleri* T. Lee, 잡싸리, O.P.
 1784. *Lespedeza thunbergii* var. *intermedia* (Nakai,) T. Lee, 풀싸리, P.O
 1785. *Lespedeza thunbergii* var. *intermedia* for. *alba* (Nak.) T. Lee, 흰풀싸리, P.O
 1786. *Lespedeza thunbergii* var. *intermedia* for. *retusa* (Nak.) T. Lee, 부채싸리, P.O
 1787. *Lespedeza tomentosa* Siebold, 개싸리, P
 1788. *Lespedeza virgata* (Thunb.) DC. 좀싸리, O.P
 1789. *Lotus corniculatus* var. *japonicus* Regel 벌노랑이, P.M
 1790. **Lupinus hirsutus* L. 푸른루우핀, O
 1791. **Lupinus luteus* L. 노랑루우핀, O
 1792. **Lupinus perennis* L. 다년생루우핀, O
 1793. *Maackia amurensis* Rupr. et Max. 다름나무 T
 1794. *Maackia amurensis* var. *buergeri* C. K. Schneider, 개풀풀레나무, T
 1795. *Maackia amurensis* for. *pilosella* Nakai, 잔털다름나무, T
 1796. *Maackia fauriei* (Leveille) Takeda 솔비나무, T
 1797. **Medicago hispida* Gaertn. 개자리, P
 1798. **Medicago lupulina* L. 잔개자리, P
 1799. **Medicago ruthenica* (L.) Ledeb. 노랑개자리, P
 1800. **Medicago sativa* L. 자주개자리, P
 1801. **Melilotus alba* Desrousse스 흰전동싸리, P
 1802. **Melilotus suaveolens* Ledeb. 전동싸리, P
 1803. *Milletia japonica* A. Gray, 애기등, O
 1804. **Mimosa pudica* L. 미모사(잠풀), O
 1805. *Oxytropis anertii* Nakai, 두메자운, U
 1806. *Oxytropis koreana* Nakai, 텔두메자운, U
 1807. *Oxytropis strobilacea* Bunge, U

1808. * *Phaseolus calcaratus* Roxb. 덩굴팥 E
 1809. * *Phaseolus angularis* Wight, 팥, E
 1810. * *Phaseolus multiflorus* Willd. 붉은 강낭콩, E
 1811. *Phaseolus nipponensis* Ohwi, 새팥, E
 1812. * *Phaseolus radiatus* L. 농두, E
 1813. * *Phaseolus vulgaris* L. 강남콩, E 1813-1 * *var. humilis* Alef
 1814. * *Pisum arvense* L. 붉은 완두, E
 1815. * *Pisum sativum* L. 햅두, E
 1816. *Pueraria thunbergii* Bentham, 쇠, E.M. S. P
 1817. *Rhynchosia acuminatifolia* Makino, 큰여우콩, P
 1818. *Rhynchosia volubilis* Lour., 이우콩, M P
 1819. * *Robinia hispida* L. 뜻 아까시나무, O .P
 1820. * *Robinia pseudoacacia* L. 아까시나무, T .P
 1821. * *Robinia pseudoacacia* var. *umbraculifera* DC. 민동 아까시나무, O .P
 1822. *Sophoræ flavescens* Aiton, 고삼, M
 1823. *Sophora japonica* Lin. 회화나무, M
 1824. *Thermopsis lupinoides* (L.) Link. 갯환랑나물(신), O
 1825. * *Trifolium lupinaster* L. 달구지풀, S
 1826. *Trifolium lupinaster* var. *alpinum* Nak. 제주 달구지풀, P
 1827. * *Trifolium pratense* L. 붉은 토끼풀, P
 1828. * *Trifolium repens* L. 토끼풀, P
 1829. *Vicia amoena* Fischer, 걸카나물, E .P
 1830. *Vicia amurensis* var. *pratensis* Hara, 벌완두, E .P
 1831. *Vicia amurensis* var. *sylvatica* Hara, 숲 갈끼, E
 1832. *Vicia angustifolia* Roth var. *minor* (Bertoh) Ohwi, 가는갈끼, P
 1833. *Vicia angustifolia* var. *segetilis* Koch, 삼갈끼, E .P
 1834. *Vicia angustipinnata* Nakai, 가는 갈끼나물, U
 1835. *Vicia bifolia* Nakai U
 1836. *Vicia bungei* Ohwi 들판완두, P
 1837. *Vicia chosenensis* Ohwi, U
 1838. *Vicia cracca* var. *leucantha* Nakai, 노루풀 등갈끼, U
 1839. *Vicia cracca* var. *vulgaris* Audin, 등갈끼나물, E .P
 1840. * *Vicia faba* for. *anacarpa* Makino, 잡두, E
 1841. *Vicia hirsuta* S. F. Gray, 새완두, E .P
 1842. *Vicia hirticalycina* Nakai, 나래완두, P
 1843. *Vicia japonica* A. Gray 넓은잎 갈끼덩굴, E .P
 1844. *Vicia nipponica* Matsumura, 네잎갈끼덩굴, E .P
 1845. *Vicia pseudo-orobus* Fischer et Meyer, 군등갈끼, P
 1846. *Vicia pseudo-orobus* for. *albiflora* (Nak.) T. Lee, 흰큰등갈끼, U
 1847. *Vicia tenuifolia* Both, 가는 등갈끼, E
 1848. *Vicia tetrasperma* Schreb. 열치기 완두, P



꽁놈잘기 *Vicia venosa* var. *cuspidata* Maximowicz

1849. *Vicia unijuga* for. *alba* Kitagawa 흰 나비나물, E.P
 1850. *Vicia unijuga* var. *angustifolia* Nakai, 긴잎 나비나물, E.P
 1851. *Vicia unijuga* var. *apoda* Max. 꽂나비나물, E.P
 1852. *Vicia unijuga* var. *breviramea* Nakai, 가지나비나물, E.P
 1853. *Vicia unijuga* var. *breviramea* for. *albiflora* Nakai, 흰 가지나비나물, E.P
 1854. *Vicia unijuga* var. *integriflora* Lev., E.P
 1855. *Vicia unijuga* var. *kausanensis* Lev. 애기나비나물, E.P
 1856. *Vicia unijuga* var. *ohwiiana* Nakai, 함경나비나물, E.P
 1857. *Vicia unijuga* A. Braun 나비나물, E.P
 1858. *Vicia unijuga* var. *venusta* Nakai, 광양 나비나물, E.P
 1859. *Vicia unijuga* var. *venusta* for. *latifolia* Nakai, 뱃운 나비나물, E.P
 1860. *Vicia venosa* Max. 연파질끼, P
 1861. *Vicia venosa* var. *albiflora* Max. 큰네잎 질끼, P
 1862. *Vicia venosa* var. *cuspidata* Max. 광동질끼, E
 1863. *Vicia venosissima* Nak. 노랑질끼, P
 1864. * *Vicia villosa* Roth, 뱈찌, P
 1865. * *Vigna sinensis* Endl. ex Hasskarl, 동부, E
 1866. *Vigna vexillata* var. *tsusimensis* Matsum. 돌동부, E.P
 1867. *Wistaria floribunda* A.P. DC. 등, O.P
 1868. *Wistaria floribunda* for. *alba* Rehder et Wilson 흰등, O.P

Geraniaceae 쥐손이풀과

1869. *Erodium stephanianum* Willdenow, 국화 쥐손이, U
 1870. *Geranium davuricum* DC. 산쥐손이, M
 1871. *Geranium eriostemon* var. *glabrescens* Nakai, 부전쥐손이, M
 1872. *Geranium eriostemon* var. *hypoleucum* Nakai, 흰털쥐손이, M
 1873. *Geranium eriostemon* var. *megalanthum* Nakai, 꽂쥐손이 M
 1874. *Geranium eriostemon* var. *orientale* Maximowicz, M
 1875. *Geranium eriostemon* Fischer var. *typicum* Maximowicz, 털쥐손이, M
 1876. *Geranium hattai* Nakai, U
 1877. *Geranium krameri* Franchet et Savatier, 선이질풀, M
 1878. *Geranium knuthii* Nakai, 큰새잎쥐손이, M.
 1879. *Geranium koraiense* Nakai, 착이질풀, M
 1880. *Geranium korenum* Komarov, 둑근이질풀, M.P
 1881. *Geranium korenum* var. *hirsutum* Nakai, 털둥근이질풀, M
 1882. *Geranium lasiostemon* Nakai, 갈미쥐손이, U
 1883. *Geranium maximowiczii* Regel, 분홍쥐손이, U
 1884. *Geranium nepalense* var. *thunbergii* (S. et Z.) Kudo 이질풀, M.P
 1885. *Geranium nepalense* var. *thunbergii* for. *pallidum* Nak. 흰이질풀 M.P
 1886. *Geranium sibiricum* L. (*G. longipes* Nakai) 쥐손이풀 M.P
 1887. *Geranium shikokianum* Matsumura var. *quelpaertense* Nakai, 썹쥐손이, U

1888. *Geranium soboliferum* Komarov, 삼취손이, **U**
 1889. *Geranium tripartitum* Knuth, U 좀취손이
 1890. *Geranium vlassovianum* Fischer, 우단취손이, U
 1891. *Geranium wilfordii* Maximowicz, 세잎취손이, M
 1892. **Pelargonium inquinans* Aiton, 제라늄, O
 1893. **Pelargonium zonalle* Aiton, 무늬제라늄, O

Oxalidaceae 팽이밥과

1894. *Oxalis acetosella* L. 애기 팽이밥 E.M
 1895. *Oxalis acetosella* var. *purpurascens* Martius, 자주 애기팽이밥, E.M
 1896. *Oxalis acetosella* var. *rosea* Petermann, 붉은 자주애기 팽이밥 E.M
 1897. *Oxalis corniculata* L. 꿩이밥, E.M
 1898. *Oxalis corniculata* var. *repens* Zucc. 눈꽝이밥, E
 1899. *Oxalis corniculata* var. *repens* f. *atropurpra* Planchon, 붉은 꽝이밥, E
 1900. *Oxalis corniculata* var. *repens* f. *purpurea* Parlatore, 자주꽝이밥, E
 1901. *Oxalis obtangulata* Maximowicz, 큰꽝이밥, E
 1902. *Oxalis stricta* L. 선 꽝이밥, E

Linaceae 아마과

1903. *Linum stellaroides* Planchon, 개아마, F
 1904. **Linum usitatissimum* L. 아마, F

Tropaeolaceae 한련과

1905. **Tropaeolum majus* L. 한련, O

Zygophyllaceae 날가새과

1906. *Tribulus terrestris* L. 날가새, M

Balsaminaceae 불선희과

1907. *Impatiens aphanantha* Hooker 제주물봉선, U
 1908. **Impatiens balsamina* L. 봉선화, O.P
 1909. *Impatiens furcillata* Hemsley, 산물봉선, U
 1910. *Impatiens hypophylla* Makino var. *koreana* Nakai, 텔봉선화, U
 1911. *Impatiens noli-tangere* L. 노랑물봉선화, P
 1912. *Impatiens noli-tangere* f. *pallida* Hermann, 미백물봉선, P
 1913. *Impatiens textori* Miquel, 물봉선, M
 1914. *Impatiens textori* for. *atrosanguinea* (Nakai,) T. Lee, 가야물봉선, U
 1915. *Impatiens textori* for. *pallescens* Hara, 환물봉선, U

Rutaceae 운향과

1916. **Citrus aurantium* L. 광귤, E.M
 1917. **Citrus junos* Sieb. 우자나무, E
 1918. **Citrus sinensis* (L.) Osbeck. 당귤나무, E
 1919. **Citrus unshu* (Makino, sphalmata) Marke rich, 귤, E
 1920. *Dictamnus dasycarpus* Turcz. 백선, M
 1921. *Dictamnus dasycarpus* var. *velutinus* Nakai, 털백선, M
 1922. *Evodia daniellii* Hemsley 쇠나무, M
 1923. **Evodia officinalis* Dode. 오수유
 1924. **Fortunella japonica* Swingle, 둥근금감, E.O
 1925. **Fortunella japonica* var. *margarita* (Swingle) Makino, 금감, E.O
 1926. *Orixa japonica* Thunb. 상산, M
 1927. *Phellodendron amurense* Rupr. 황벽나무(황경피나무), M.P
 1928. *Phellodendron insulare* Nakai, 섬황벽, M.P
 1929. *Phellodendron molle* Nakai, 텔황벽, P
 1930. *Phellodendron sachalinense* Sargent, 넓은잎 황벽나무, M.P
 1931. *Poncirus trifoliata* Rafinesque, 맹자나무, M.O
 1932. *Zanthoxylum ailanthoides* S. et Z. 머귀나무, M
 1933. *Zanthoxylum ailanthoides* var. *inermis* (Nak.) T. Lee, 민미끼나무, U
 1934. *Zanthoxylum coreanum* Nakai, 왕초퍼나무, E.M
 1935. *Zanthoxylum fauriei* (Nakai,) Ohwi, 풀미끼 나무, U
 1936. *Zanthoxylum piperium* A.P. DC 초퍼나무 E.M
 1937. *Zanthoxylum piperitum* var. *pubescens* Nakai, 텔초퍼나무, E.M
 1938. *Zanthoxylum planispinum* S. et Z. 개산초, E
 1939. *Zanthoxylum schinifolium* S. et Z. 산초나무, E
 1940. *Zanthoxylum schinifolium* var. *inermis* (Nak.) T. Lee, 민산초, E
 1941. *Zanthoxylum schinifolium* var. *microphyllum* (Nak.) T. Lee, 줄산초, E
 1942. *Zanthoxylum schinifolium* var. *subinermis* (Uyeki) T. Lee, 진주산초, E

Simaroubaceae 소태나무과

1943. **Ailanthus altissima* Swingle, 가종나무, M.S
 1944. **Ailanthus altissima* var. *erythrocarpa* Rehder 붉은 가종나무, M.S
 1945. *Picrasma quassiodoides* Bennett, 소내나무, M.F

Meliaceae 멀구슬나무과

1946. **Cedrela sinensis* Jussieu, 참중나무, E.M
 1947. **Melia azedarach* Lin. var. *japonica* Makino, 멀구슬나무, M

Polygalaceae 원지과

1948. *Polygala japonica* Houttuyn, 애기풀, E.M

1949. *Polygala sibirica* L. 두메 애기풀, U
 1950. *Polygala tatarinowi* Regel 원자, M
 1951. *Rolygala triphylla* Hamilton, 병아리풀, U
 1952. *Salomonia oblongifolia* DC. 명아리다리, U

Euphorbiaceae 대극과

1953. *Acalypha australis* L. 깨풀, E
 1954. *Acalypha australis* for. *velutina* (Honda) Ohwi, 털깨풀, E
 1955. * *Aleurites cordata* (Thunb.) R. Brown 일본 유동, S
 1956. * *Aleurites fordii* Hemsl. 유동, S
 1957. *Daphniphyllum glaucescens* Blume, 좀굴거리, M
 1958. *Daphniphyllum macropodum* Miq. 굴거리, M
 1959. *Euphorbia ebracteolata* Hayata, 붉은대극(신), U
 1960. *Euphorbia esula* L. 흰대극, M
 1961. *Euphorbia fauriei* Levl. et Vnt. 두메대극, U
 1962. *Euphorbia fischeriana* Steudel var. *pilosa* Kitag. 낭독, M
 1963. *Euphorbia hakutoshanensis* Hurusawa, 백두산 대극, U
 1964. *Euphorbia heliscopia* L. 등대풀, M
 1965. *Euphorbia humifusa* Willd. 땅빈대, P. M
 1966. * *Euphorbia maculata* L. 큰땅빈대, U
 1967. *Euphorbia jolkini* Boiss. 암대극, U
 1968. *Euphorbia lucorum* Rupr. var. *glabrata* Max. 민참대극 U
 1969. *Euphorbia lucorum* var. *polyradiata* Korshinsky, 층층대극, U
 1970. *Euphorbia lucorum* var. *simplicior* Rupr. 성진참대극, U
 1971. *Euphorbia lucorum* for. *typica* Korshinsky, 참대극, U
 1972. *Euphorbia lunulata* Bunge 노랑대극, U
 1973. *Euphorbia octoradiata* Lvl. et Vnt. U
 1974. *Euphorbia pekinensis* Rupr. 대극 M, P
 1975. *Euphorbia sieboldiana* Morren et Decne, 개감수, M
 1976. *Euphorbia sieboldiana* var. *montana* Tatewaki 산개감수, U
 1977. *Euphorbia subulatifolia* Hurusawa, 목포대극, U
 1978. * *Euphorbia supina* Rafinesq. 애기땅빈대, U
 1979. *Mallotus japonicus* Mueller-Aargau, 예덕나무, M
 1980. *Mercurialis leiocarpa* S. et Z. 산쪽풀, U
 1981. *Phyllanthus urinaria* L. 여우구늘, U
 1982. *Phyllanthus ussuriensis* Rupr. et Max. 여우 주머니, U
 1983. * *Ricinus communis* L. 피마자, M
 1984. *Sapium japonicum* Pax et Hoffman, 사람주나무, S
 1985. * *Sapium sebiferum* (L.) Roxb. 조구나무, O
 1986. *Securinega suffruticosa* Rehder, 광대싸리, M

Callitrichaceae 별이끼과

1987. *Callitricha japonica* Engelm. 별이끼, U

1988. *Callitricha verna* L. 물별이끼, U

Buxaceae 회양목과

1989. **Buxus microphylla* S. et Z. 좀회양목, O

1990. *Buxus microphylla* var. *insularis* Nakai, 섬회양목, M.O

1991. *Buxus microphylla* var. *koreana* Nakai, 회양목, M.O

1992. *Buxus microphylla* var. *koreana* for. *elongata* (Nakai), T. Lee, 긴잎회양목, M.O

1992-1 **Pachysandra terminalis* Sieb. et Zucc. 수호초, O

Empetraceae 시로미과

1993. *Empetrum nigrum* L. var. *japonicum* K. Koch, 시로미, E

Anacardiaceae 옻나무과

1993-1 **Cotinus coggygria* Scop, 안개나무, O

1994. **Rhus ambigua* Lavallee, 덩굴옻나무, U

1995. *Rhus chinensis* Miller, 붉나무, E.M.R

1996. *Rhus succedanea* L. 겹양옻나무, R

1997. *Rhus sylvestris* S. et Z. 산겹양옻나무, U

1998. *Rhus trichocarpa* Miq. 개옻나무 M.

1999. **Rhus verniciflua* Stokes, 윗나무 R.M

Aquifoliaceae 감탕나무과

2000. *Ilex crenata* Thunb. 꽁꽁나무, O

2001. *Ilex crenata* for. *microphylla* Rehder, 좀꽁꽁나무, O

2002. *Ilex cornuta* Lindley et Paxton, 호랑가시나무(묘아자나무), O

2003. *Ilex cornuta* var. *integra* Uyeki, 등군일 호랑가시, O

2004. *Ilex integra* Thunb. 감탕나무, O.P

2005. *Ilex macropoda* Miquel, 대팻집나무, E

2006. *Ilex macropoda* for. *pseudo-macropoda* (Loeser.) Hara 민대팻집나무, E

2007. *Ilex rotunda*. Thunb. 먼나무, O.P

2007-1 **Ilex serrata* Thunb. 낙상홍, O

Celastraceae 노박덩굴과

2008. *Celastrus flagellaris* Rupr. 청다래년출(문지나무), U

2009. *Celastrus orbiculatus* Thunb. 노박덩굴, E.O.R

2010. *Celastrus orbiculatus* var. *punctatus* (Thunb.) Rehder, 해변노박덩굴, E.O.R

2011. *Celastrus orbiculatus* var. *sylvestris* Nakai, 잎은잎 노박덩굴, E.O.R

2012. *Celastrus stephanotifolius* (Mak.) Makino, 텸노박덩굴, E.O.R

2013. *Euonymus alatus* (Thunb.) Siebold, 화살나무, E.M.P

2014. *Euonymus alatus* for. *apterus* (Regel) Rehder, 당회일나무, E.P

2015. *Euonymus alatus* for. *pilosus* (Loeser. et Rehder) Ohwi, 텸회일나무, E.P

2016. *Euonymus alatus* for. *striatus* (Thunb.) Makino, 회일나무, E.P

2017. *Euonymus alatus* var. *uncinatus* Nakai, 삼방회잎나무, P
 2018. *Euonymus bungeanus* Max. 좀참빗살나무, U
 2019. *Euonymus chibai* Mak. 섬회나무, U
 2020. *Euonymus fortunei* (Turcz.) Handel-Mazzetti var. *radicans* (S.ex Miq.) Rehder, 줄사철, O
 2021. *Euonymus japonicus* Thunb. 사철나무, O
 2022. *Euonymus japonicus* for. *albo-marginatus* (T. Moore) Rehder, 은태사철나무 O
 2023. *Euonymus japonicus* for. *argenteo-variegatus* (Regel) Rehder, 흰점 사철나무 O
 2024. *Euonymus japonicus* for. *aureo-marginata* (Rehder) Rehder, 금테 사철나무 O
 2025. *Euonymus japonicus* for. *aureo-variegata* (Rehder) Rehder, 금사철나무 O
 2026. *Euonymus japonicus* var. *macrophylla* Regel, 무룬나무 O
 2027. *Euonymus japonicus* for. *viridi-variegata* (Rehder) Rehder, 황녹사철나무 O
 2028. *Euonymus maackii* Rupr. 좁은잎 참빗살나무 U
 2029. *Euonymus macropterus* Rupr. 나래회나무 P
 2030. *Euonymus oxyphyllus* Miquel, 참회나무, P
 2031. *Euonymus pauciflorus* Max. 회목나무, P
 2032. *Euonymus quelpaertensis* Nak. 둥근잎 참빗살나무, U
 2033. *Euonymus sachalinensis* (Fr. Schmidt) Max. 회나무,
 2034. *Euonymus sieboldiana* Blume 참빗살나무, M.P
 2035. *Euonymus trapococcus* Nakai, 벼들회나무, U
 2036. *Tripterygium regelii* Sprague et Takeda, 미역줄나무 U

Staphyleaceae 고추 나무과

2037. *Euscaphis japonica* (Thunb.) Kanitz. 말오줌째 U
 2038. *Staphylea bumalda* DC. 고추나무 E

Aceraceae 단풍나무과

2039. *Acer barbinerve* Max. 칭시닥나무, M
 2040. *Acer barbinerve* var. *glabrescens* Nakai, 개시닥나무, M
 2041. **Acer buergerianum* Miquel, 중국단풍, O
 2042. *Acer ginnala* Max. 신나무, P
 2043. *Acer ginnala* for. *coccineum* Nakai, 붉신나무, S
 2044. *Acer ginnala* for. *divaricatum* (Nak) T. Lee, 팽이나무, S
 2045. *Acer koreanum* Nakai, 노인단풍, O
 2046. *Acer mandshuricum* Max. 복장나무, O
 2047. *Acer micro-sieboldianum* Nakai, 애기단풍, O.P
 2048. *Acer mono* Max. 고로쇠나무, O.M.P
 2049. *Acer mono* var. *ambiguum* (Pax.) Rehder, 털고로쇠, O.M.P
 2050. *Acer mono* for. *connivens* (Nichols.) Rehder, 지께고로쇠, O.M.P
 2051. *Acer mono* for. *dissectum* (Wesmell) Rehder, 긴고로쇠, O.M.P
 2052. *Acer mono* var. *horizontale* Nakai, 산고로쇠, O.M.P
 2053. *Acer mono* for. *rubripes* (Nak.) T. Lee, 붉은 고로쇠, O.M.P

2054. *Acer mono var. savatieri* (Pax.) Nakai 왕고로쇠, O.P
 2055. * *Acer negundo* L. 네군도 단풍, O
 2056. * *Acer negundo var. violaceum* (Kirchm.) Jager, 자주 네군도 단풍 O
 2057. *Acer okamotoanum* Nakai, 우산고로쇠, O
 2058. *Acer palmatum* Thunberg var. *nakaii* Uyeki, 내장단풍, O.P
 2059. *Acer palmatum* Thunberg 단풍나무, O.P
 2060. *Acer palmatum* Thunberg var. *pilosum* Nakai, 털단풍, O.P
 2061. *Acer palmatum* Thunberg var. *matsumurae* Makino 틀단풍나무, O.P
 2062. *Acer pseudo-sieboldianum* (Pax.) Komarov, 당단풍, O
 2063. *Acer pseudo-sieboldianum* var. *ambiguum* Nakai, 넓은 고초실나무, O
 2064. *Acer pseudo-sieboldianum* var. *ishidoyanum* (Nak.) Uyeki, 산단풍, O
 2065. *Acer pseudo-sieboldianum* var. *korenum* Nakai, 좁은 단풍, O.M
 2066. *Acer pseudo-sieboldianum* var. *lanuginosum* Nakai, 털참단풍, O
 2067. *Acer pseudo-sieboldianum* var. *macrocarpum* Nakai, 왕단풍, O
 2068. *Acer pseudo-sieboldianum* var. *nudicarpum* Nakai, 시윤단풍, O
 2069. *Acer pseudo-sieboldianum* var. *pilosum* Nakai, 털단풍, O
 2070. *Acer takesimense* Nak. 성단풍나무 O
 2071. *Acer tegmentosum* Max. 산겨울나무, O
 2072. *Acer triflorum* Komar. 복자기, O
 2073. *Acer triflorum* for. *subcoriacea* Komar. 짓랄복자기, O
 2074. *Acer truncatum* Bunge, 만주 고로쇠, O
 2075. *Acer truncatum* var. *barbinerve* (Nak.) T. Lee, 단발주고로쇠, O
 2076. *Acer tschonoskii* Max. var. *rubripes* Kom. 사타나무, O
 2077. * *Acer saccharum* Marshall, 선탕나무, E
 2078. * *Acer saccharinum* L. 은단풍, O
 2079. *Acer ukurunduense* Trautvetter et Meyer 부개꽃나무, O
 2080. *Acer ukurunduense* for. *pilosum* Nakai, 정부개 꽃나무, O

Hippocastanaceae 칠엽수과

2081. * *Aesculus turbinata* Blume, 칠엽수, O

Sapindaceae 무환자나무과

2082. *Koelreuteria paniculata* Laxman, 모감주나무, O.P
 2083. * *Sapindus mukorosii* Gaertner 무환자나무, C.M
 2083-1 * *Cardiospermum halicacabum* L. 풍선덩굴, O

Sabiaceae 나도밤나무과

2084. *Meliosma myriantha* S. et Z. 나도밤나무, U
 2085. *Meliosma oldhami* Maxim. 합다리나무, E

Rhamnaceae 갈매나무과

2086. *Berchemia berchemiaefolia* (Mak.) Koidz. 맹개나무, U

2087. *Berchemia racemosa* S. et Z. 청사조, U
 2088. *Berchemia racemosa* var. *magna* Makino, 먹년출, S
 2089. *Hovenia dulcis* Thunb. 헛개나무, E
 2090. *Paliurus ramosissimus* (Lour.) Poiret, 깃대추, U
 2091. *Rhamnella franguloides* Weberbauer, 가마귀베게, U
 2092. *Rhamnus crenata* S. et Z. 산황나무, U
 2093. *Rhamnus davurica* Pallas, 갈매나무, S
 2094. *Rhamnus davurica* var. *nipponica* Makino, 침갈매나무, S
 2095. *Rhamnus koraiensis* Schneider, 텸갈매나무, U
 2096. *Rhamnus parvifolia* Bunge, 돌갈매나무, U
 2097. *Rhamnus shiozyoensis* Nakai, 언밥갈매나무, U
 2098. *Rhamnus taquetii* Lveille, 좀갈매나무, U
 2099. *Rhamnus yoshinoi* Makino, 짹자래나무, U
 2100. *Rhamnus yoshinoi* var. *manshurica* (Nak.) T. Lee, 만주狎자래나무, U
 2101. *Sageretia theezans* Brongniart, 상동나무, E
 2102. *Sageretia theezans* for. *tomentosa* (Schneider) Hara, 텸상동나무, E
 2103. *Zizyphus jujuba* Miller 뒷대추, E.M
 2104. *Zizyphus jujuba* var. *inermis* Rehder 대추나무 E.M
 2105. *Zizyphus jujuba* var. *hoonensis* T. Lee, 보온대추, E.M

Vitaceae 포도과

2106. *Ampelopsis brevipedunculata* (Maxim) Trautvetter var. *heterophylla* (Thunb.) Hara, 개머루, U
 2107. *Ampelopsis brevipedunculata* var. *heterophylla* for. *ciliata* (Nak.) T. Lee, 텸개머루, U
 2108. *Ampelopsis brevipedunculata* var. *heterophylla* for. *citrulloides* (Lebas) Rehder, 가새잎 개머루, U
 2109. *Ampelopsis brevipedunculata* var. *heterophylla* for. *elegans* (K. Koch) Rehder, 자주개머루, U
 2110. *Ampelopsis japonica* (Thunb.) Mak. 가지톱, M
 2111. *Cayratia japonica* (Thunb.) Gagnepain, 가지덩굴, M
 2112. *Parthenocissus tricuspidata* (S. et Z.) Planchon 단쟁이덩굴, O.P
 2113. *Vitis amurensis* Rupr, 왕머루, E.M.P
 2114. *Vitis amurensis* var. *ciliata* Nakai, 잔털왕머루 E
 2115. *Vitis amurensis* var. *lanigera* Nakai, 텸왕머루, E
 2116. *Vitis austrokoreana* Hatus. 민가마귀머루, E
 2117. *Vitis coignetiae* Pulliat, 머루, E.P
 2118. *Vitis coignetiae* for. *glabrescens* Hara 섬머루, E.P
 2119. *Vitis flexuosa* Thunb. 세머루, E.P
 2120. *Vitis flexuosa* var. *choii* (Hatus.) T. Lee, 텸세머루, E.P
 2121. *Vitis labrusca* L. 미국머루, E
 2122. *Vitis thunbergii* var. *glabrata* Nakai, 청가마귀머루, E.P
 2123. *Vitis thunbergii* var. *sinuata* (Regel) Rehder, 가마귀머루, E.P
 2124. **Vitis vinifera* L. 포도, M

Elaeocarpaceae 담팔수과

2125. *Elaeocarpus elliptica* Nakai, 담팔수, O

Tiliaceae 피나무과

2126. *Grewia biloba* G. Don var. *parviflora* (Bge) Handel-Mazetti, 장구밥나무, E.P
 2127. *Grewia biloba* var. *parviflora* for. *angusta* (Nak.) T. Lee. 졸장구밥나무, E.P
 2128. *Tilia amurensis* Rupr. 피나무(달피), T. P
 2129. *Tilia amurensis* var. *barbiger* Nakai, 텁피나무, T. P
 2130. *Tilia amurensis* var. *grosse-serrata* Nakai, 평안 피나무, T. P
 2131. *Tilia amurensis* for. *polyantha* Nakai, T. P
 2132. *Tilia insularis* Nakai, 섬피나무 T. P
 2133. *Tilia kiusiana* Mak. et Shirasawa, 구주 피나무, O. P
 2134. *Tilia koreana* Nak. 연밤 피나무, T.
 2135. *Tilia mandshurica* Rupr. et Max. 찰피나무, T. P
 2136. *Tilia megaphylla* Nakai, 염주나무, T.
 2137. *Tilia megaphylla* for. *subintegra* Nakai, 등근잎 염주나무, T. F
 2138. **Tilia miquelian* Max. 보리자나무, O..
 2139. *Tilia ovalis* Nakai, 웅기 피나무, T.
 2140. *Tilia rufa* Nakai, 텁피나무, T.
 2141. *Tilia semicostata* Nakai, 개염주나무, T.
 2142. *Tilia taquetii* Schneider, 뽕잎 피나무, T. P
 2143. *Triumfetta japonica* Mak. 고슴도치풀, U

Malvaceae 아욱과

2144. **Abelmoschus manihot* Medicus, 닥풀, R = *Hibiscus manihot* L.
 2145. **Abutilon avicinnae* Gaertn. 이지귀, F
 2146. **Althaea rosea* Cavanilles 접시꽃, O
 2147. **Gossypium arboreum* var. *indicum* Robert 〔印〕, F
 2148. **Gossypium hirsutum* L., 육지면, F
 2149. *Hibiscus hamabo* S. et Z. 황근,
 2150. **Hibiscus mutabilis* L. 부용, O
 2151. **Hibiscus syriacus* L 무궁화, O.M
 2152. **Hibiscus trionum* L. 수박풀, U
 2153. *Malva verticillata* L. 아욱 E
 2154. **Malva sylvestris* var. *mauritiana* Miller, 당아욱, O

Sterculiaceae 벽오동나무과

2155. *Corchoropsis intermedia* Nakai, 청산까치깨, U
 2156. *Corchoropsis psilocarpa* Harms et Loesn. 까치깨, U
 2157. *Corchoropsis tomentosa* (Thunb.) Mak. 수까치깨, U

2158. *Corchoropsis tomentosa* var. *glabrescens* Nakai, 암까치깨, U
 2159. **Corchorus capsularis* L. 황마, R
 2160. **Melochia corchorifolia* L. 불암초, U
 2161. **Firmiana simplex* Wight 벽오동, O.E

Actinidiaceae 딸래나무과

2162. *Actinidia arguta* Planchon, 딸래, E.M
 2163. *Actinidia arguta* var. *platyphylla* Nakai, 털딸래, E
 2164. *Actinidia arguta* var. *rufinervis* Nakai, 녹딸래, E
 2165. *Actinidia kolomikta* (Max. et Rupr.) Max. 쥐딸래, E
 2166. *Actinidia polygama* (S. et Z.) Max. 개딸래, E.M
 2167. *Actinidia rufa* (S. et Z.) Planchon, 섬딸래나무, E

Theaceae 차나무과

2168. *Camellia japonica* L. 동백, O.M
 2169. *Camellia japonica* for. *albipetala* H.D. Chang, 흰동백, O
 2170. *Camellia japonica* for. *longifolia* Uyeki, 긴잎동백, O
 2171. *Camellia japonica* for. *variegata* Uyeki, 색동백, O
 2172. **Camellia japonica* var. *hortensis* Mak. 뜰동백나무, O
 2173. **Camellia sasanqua* Thunb. 애기동백, O
 2174. *Cleyela japonica* Thunb. 빛죽이나무, O
 2175. *Eurya emarginata* (Thunb.) Max. 우목 사스레피, U
 2176. *Eurya japonica* Thunberg, 사스레피나무, P
 2177. *Eurya japonica* var. *aurescens* Rehder et Wilson, 떡 사스레피나무, P
 2178. *Eurya japonica* for. *integra* (Nak.) T. Lee, 섬 사스레피나무, P
 2179. *Stewartia koreana* Nak. 노각나무, T.O
 2180. *Ternstroemia japonica* Thunberg, 후피향나무, O
 2181. **Thea sinensis* L. 차나무, E

Guttiferae 고추나물과

2182. *Hypericum ascyron* L. 물레나물, E.O
 2183. *Hypericum ascyron* var. *brevistylum* Max. 애기 물레나물, U
 2184. *Hypericum ascyron* var. *longistylum* Maximowicz, 큰 물레나물, E.O
 2185. *Hypericum attenuatum* Choisy, 채고추나물, U
 2186. *Hypericum attenuatum* var. *confertissimum* (Nakai) T. Lee 큰 고추나물, U
 2187. *Hypericum erectum* Thunberg, 고추나물, M.P
 2188. *Hypericum erectum* var. *caespitosum* Makino, 다복고추나물, U
 2189. *Hypericum galiooides* Lamb. 갈퀴망종화, O
 2190. *Hypericum japonicum* Thunberg, 애기 고추나물, U
 2191. *Hypericum japonicum* var. *latifolium* Nakai, 넓은잎 애기 고추나물, U
 2192. *Hypericum laxum* (Blume) Koidzumi 좀 고추나물, U

2193. *Hypericum oliganthum* Franchet & Savatier, 진주고추나물, U
 2194. *Hypericum vilmorini* Rehder, U
 2195. *Triadenum japonicum* (Blume) Makino, 물 고추나물, U
 2196. *Triadenum japonicum* for. *angustifolium* (Y. Kimura) Nakai, 가는잎 고추나물, U

Elatinaceae 물별과

2197. *Elatine triandra* Schkuhr, 물별, U

Violaceae 제비꽃과

2198. *Viola acuminata* Ledebour, 졸방제비꽃, E
 2199. *Viola acuminata* var. *coeruleescens* Nakai, E
 2200. *Viola acuminata* for. *shikokuensis* F. Maekawa, E
 2201. *Viola acuminata* var. *intermedia* Nakai, E
 2202. *Viola albida* Palibin, 태백 제비꽃, U
 2203. *Viola albida* var. *suavis* Nakai, 사향제비꽃, U
 2204. *Viola biflora* L. 장백 제비꽃, U
 2205. *Viola blandaeformis* Nakai ex Chung, 얇은 제비꽃, U
 2206. *Viola boissieuana* Makino, 각시 제비꽃, U
 2207. *Viola brevistipulata* Becker var. *minor* Nakai, 털 노랑제비꽃, U
 2208. *Viola collina* Besser 등근 털제비꽃, U
 2209. *Viola crassa* Makino, 구름 털제비꽃, U
 2210. *Viola dactyloides* Roemer et Shultes, 손제비꽃, U
 2211. *Viola dageletiana* Nakai, 울릉제비꽃, U
 2212. *Viola diamantica* Nakai, 금강 제비꽃, U
 2213. *Viola dissecta* Ledebour, 간도 제비꽃, U
 2214. *Viola dissecta* var. *chaerophylloides* (Regel) Maekawa, 남산 제비꽃, U
 2215. *Viola dissecta* var. *chaerophylloides* for. *maritima* (Nak.) T. Lee, 청도제비꽃, U
 2216. *Viola dissecta* var. *takahashii* (Makino) T. Lee, 단종 제비꽃, U
 2217. *Viola epipsila* Ledebour, 누운 제비꽃, U
 2218. *Viola grypoceras* A. Gray, 낚시 제비꽃, U
 2219. *Viola grypoceras* f. *albiflora* Makino, 흰낚시제비꽃, U
 2220. *Viola grypoceras* var. *exilis* f. *albiflora* Nakai, 애기 낚시제비꽃, U
 2221. *Viola hirtipes* S. Moore, 훤털 제비꽃, U
 2222. *Viola hirtipes* var. *grisea* Nakai, 솜제비꽃, U
 2223. *Viola hondoensis* W. Becker et Boiss. 아우 제비꽃, U
 2224. *Viola ibukiana* Makino, 화엄제비꽃, U
 2225. *Viola ishidoyana* Nakai, 이시도야 제비꽃, U
 2226. *Viola japonica* Langsd. 왜 제비꽃, U
 2227. *Viola kamibayashii* Nakai, 광능 제비꽃, U
 2228. *Viola kapsanensis* Nakai, 갑산 제비꽃, U
 2229. *Viola kapsanensis* var. *albiflora* Nakai, 흰갑산제비꽃, U

2230. *Viola kciskei* Miquel, 잔디 세비꽃, U
 2231. *Viola koraiensis* Nakai, 참풀방제비꽃, U
 2232. *Viola kusanoana* Makino, 큰풀방제비꽃, U
 2233. *Viola lactiflora* Nakai, 흰꽃 세비꽃, U
 2234. *Viola lasiostipes* Nakai,
 2235. *Viola mandshurica* W. Becker var. *ciliata* Nakai, 세비꽃, M.E.P
 2236. *Viola mirabilis* var. *subglabra* Ledeb. 넓은잎제비꽃, U
 2237. *Viola oldhamiana* Nakai, 옥녀제비꽃, U
 2238. *Viola orientalis* Becker, 노랑 제비꽃, U
 2239. *Viola ovatooblonga* Makino, 긴잎 제비꽃, U
 2240. *Viola ovatooblonga* for. *pubescens* (Nak.) Maekawa, 털진잎제비꽃, U
 2241. *Viola patrinii* DC. 홍제비꽃, U
 2242. *Viola patrinii* DC. var. *glabra* Nak. 민환제비꽃, U
 2243. *Viola patrinii* DC. var. *prunellaeifolia* Nakai, 털대 환제비꽃, U
 2244. *Viola phalacrocarpa* Maximowicz, 딜제비꽃, U
 2245. *Viola phalacrocarpa* for. *glaberrima* Maekawa. 민동 제비꽃, U
 2246. *Viola raddeana* Regel, 신제비꽃, U
 2247. *Viola repens* Turcz. 보홍제비꽃, U
 2248. *Viola rossii* Hemsley, 고깔 제비꽃, M
 2249. *Viola sachalinensis* Boiss. 쾨풀방제비꽃, U
 2250. *Viola scabrida* Nakai, 성건던 제비꽃, U
 2251. *Viola selkirkii* Pursh, 빙제비꽃, U
 2252. *Viola selkirkii* var. *albiflora* Nakai, 환의제비꽃, U
 2253. *Viola selkirkii* var. *variegata* Nakai, 얀복 되제비꽃, U
 2254. *Viola seoulensis* Nakai, 서울 제비꽃, U
 2255. *Viola takesimana* Nakai, 섬제비꽃, U
 2256. *Viola tokubuchiana* var. *takedana* Maekawa, 민동 되제비꽃, U
 2257. **Viola tricolor* var. *hortensis* DC 삼색제비꽃, O
 2258. *Viola variegata* Fischer, 일록 제비꽃, O.E
 2259. *Viola variegata* var. *ircutiana* Regel, 정알록제비꽃, O
 2260. *Viola verecunda* A. Gray, 콩제비꽃, E.P
 2261. *Viola violacea* Makino, 자주잎제비꽃, U
 2262. *Viola yedoensis* Makino 호제비꽃 U
 2263. *Viola websteri* Hemsley 왕제비꽃 U

Tamaricaceae 위성류과

2264. **Tamarix chinensis* Lour. 위성류, O
 2265. **Tamarix juniperina* Bunge, 향성류, O

Flacourtiaceae 이나무과

2266. *Idesia polycarpa* Max. 이나무, U
 2267. *Xylosma congestum* (Loureiro) Merrill, 산유자나무, U

**Passifloraceae* 시계꽃과

2268. **Passiflora coerulea*, L. 시계꽃, O

**Opuntiaceae* 선인장과

2269. **Opuntia ficus-indica* var. *sabotan* Makino. 선인장, O

**Begoniaceae* 베고니아과

2270. **Begonia president carnot* Hort. 베고니아, O

2271. **Begonia rex* Putz, 맥스 베고니아, O

2272. **Begonia semperflorens* Link. et Otto. 사철 베고니아, O

Thymelaeaceae 서향과

2273. *Daphne genkwa* S. et Z. 핏꽃나무, O.M

2274. *Daphne kamtschatica* Max. 두메 닥나무, R

2275. *Daphne kiusiana* Miquel, 백서향, R

2276. **Daphne odora* Thunb. 서향, O

2277. *Diarthron linifolium* Turcz. 아마풀, U

2278. **Edzeworthia papyrifera* Sieb. et Zucc. 삼지타나무, R

2279. *Stellera chamaejasme* L. 서홍단나무, U

2280. *Stellera rosea* Nakai, 희뿌리풀, U

2281. *Wikstroemia trichotoma* Makino 산단나무, R.M

Elaeagnaceae 보리수나무과

2282. *Elaeagnus glabra* Thunberg, 보리장나무(덩굴볼레나무), E.P

2283. *Elaeagnus glabra* var. *oxyphylla* Nakai, 좁은잎 보리장나무, E.P

2284. *Elaeagnus macrophylla* Thunb. 보리밥나무, E.P

2285. *Elaeagnus maritima* Koidzumi, 노보리똥나무, E.P

2286. *Elaeagnus nikaii* Nakai 왕볼레나무, P

2287. **Elaeagnus multiflora* Thunberg, 뜰보리수, O.E.P

2288. *Elaeagnus submacrophylla* Servettaz, 큰보리장나무, E.P

2289. *Elaeagnus umbellata* Thunberg, 보리수나무, E.P

2290. *Elaeagnus umbellata* var. *coreana* (Lev.) Leveille, 왕보리수나무, E.P

2291. *Elaeagnus umbellata* var. *longicarpa* (Uyeki) T. Lee, 긴보리수나무, E.P

2292. *Elaeagnus umbellata* var. *parvifolia* (Royle) Schneider, 민보리수 E.P

2293. *Elaeagnus umbellata* var. *prematura* (Koidz.) T. Lee, 올보리수 E.P

Lythraceae 부처꽃과

2294. *Ammannia multiflora* Roxb. 좀 부처꽃, U

2295. **Lagerstroemia indica* L. 배롱나무, O

2296. **Lagerstroemia indica* for. *alba* (Nichols) Rehder, 흰배롱나무, O

2297. *Lythrum anceps* (Koehne) Makino 부처꽃, O.M

2298. *Lythrum salicaria* L. 텔부처꽃, O

2299. *Rotala indica* (Willd.) Koehne, 마디꽃, U

2300. *Rotala koreana* Nakai, 새마디꽃, U
 2301. *Rotala leptopetala* var. *littorea* Koehe 물마디꽃, U
 2302. *Rotala mexicana* Cham. et Schlechl. 가는마디꽃, U

Punicaceae 석류과

2303. **Punica granatum* L. 석류나무, E.O

Alangiaceae 박쥐나무과

2304. *Alangium platanifolium* (S. et Z.) Harms 단풍박쥐나무, E.P
 2305. *Alangium platanifolium* var. *macrophylla* Wangerin 박쥐나무, E.P
 2306. *Alangium platanifolium* var. *macrophylla* for. *velutina* (Nak.) T. Lee, 누른 대나무, P

Onagraceae 바늘꽃과

2307. *Circaea alpina* L. 쥐털이슬, U
 2308. *Circaea cordata* Royle, 쇠털이슬, P
 2309. *Circaea mollis* Siebold & Zuccarini, 털이슬, P
 2310. *Circaea quadrangularis* (Maximowicz) Franchet & Savatier, 말털이슬, P
 2311. *Circaea quadrangularis* var. *viridicalyx* (Hara) Nakai, 광능 말털이슬, P
 2312. *Epilobium amurense* Haussknecht, 호바늘꽃, U
 2313. *Epilobium angulatum* Komarov, 두메바늘꽃, U
 2314. *Epilobium angustifolium* L. 분홍 바늘꽃, O
 2315. *Epilobium cephalostigma* Haussknecht 돌바늘꽃, U
 2316. *Epilobium cephalostigma* var. *nudicarpum* (Komarov) Hara, 넓은잎 바늘꽃, U
 2317. *Epilobium cylindristigma* Komar. U
 2318. *Epilobium fastigiatoramosum* Nakai, U
 2319. *Epilobium glandulosum* Lehmann var. *asiaticum* Hara, 줄바늘꽃, U
 2320. *Epilobium hirsutum* L. 큰 바늘꽃 U
 2321. *Epilobium nervosum* Bolissier et Buse, U
 2322. *Epilobium palustre* var. *lavandulaefolium* Lecoq., 비듬 바늘꽃, U
 2323. *Epilobium pyrricholophum* Franchet et Savatier 바늘꽃, U
 2324. *Epilobium pyrricholophum* var. *curvatomosum* Hara, 한라바늘꽃, U
 2325. *Epilobium tenue* Komarov, 장진바늘꽃, U
 2326. **Fuchsia hybrida* Voss 후크시아, O
 2327. *Ludwigia ovalis* Miquel, 눈 여뀌바늘, U
 2328. *Ludwigia prostrata* Roxburgh, 여뀌바늘, U
 2329. **Oenothera lamarckiana* Seringe 큰 달맞이 꽃 O.P
 2330. **Oenothera odorata* Jacquin 달맞이 꽃, O.P

Hydrocaryaceae 마를과

2331. *Trapa amurensis* Flerov, E

2332. *Trapa japonica* Flerov, 마름, E.M
 2333. *Trapa mandschurica* Flerov, 텔마름, E
 2334. *Trapa maximowiczii* Korschinsky, 장호원기마름, E
 2335. *Trapa pseudo-incisa* S. et Z. 애기마름, E

Halorrhagaceae 개미탑과

2336. *Halorragis micrantha* R. Brown, 개미탑, U
 2337. *Myriophyllum spicatum* L. 이삭물수세미, U
 2338. *Myriophyllum ussuricense* (Regel) Maximowicz, 선물수세미, U
 2339. *Myriophyllum verticillatum* L. 물수세미, U

Araliaceae 두릅나무과

2340. *Acanthopanax asperatus* Fr. et Sav. 왕가시오갈피, M
 2341. *Acanthopanax chiisanensis* Nakai, 지리산 오갈피, E.M
 2342. *Acanthopanax koreanum* Nakai, 삼오갈피, E
 2343. *Acanthopanax rufinerve* Nakai, 털오갈피, M
 2344. *Acanthopanax senticosus* (Rupr. et Max.) Harms. 가시 오갈피나무, M
 2345. *Acanthopanax senticosus* for. *inermis* (Komar.) Harms. 민 가시오갈피, M
 2346. *Acanthopanax seoulensis* Nakai, 서울 오갈피, E.M
 2347. *Acanthopanax sessiliflorus* (Rupr. et Max.) Seemen, 오갈피, E.M
 2348. **Aralia continentalis* Kitagawa, 독활, E.M-1 **Acanthopanax sieboldianum* Makino 오가나무, M
 2349. *Aralia elata* Seemann, 두릅나무, E.M
 2350. *Aralia elata* var. *canescens* (S. et Z.) Nak. 애기두릅, E.M
 2351. *Aralia elata* var. *rotundata* Nakai, 둥근잎 두릅나무, E.M
 2352. *Dendropanax morbifera* Lev. 왕칠나무, S
 2353. *Echinopanax horridum* (non Decne) Kom. 뱃두릅나무, M
 2354. *Fatsia japonica* Decne et Planchon, 팔손이, O.M
 2355. *Hedera rhombea* S. et Z. 송악, M.O.P
 2356. *Kalopanax pictus* (Thunb.) Nakai, 음나무, E.P
 2357. *Kalopanax pictus* var. *magnificus* (Zabel) Nakai, 털음나무 E.P
 2358. *Kalopanax pictus* var. *maximowiczii* Nakai, 가는잎 음나무 E.P
 2359. *Panax schingseng* Nees, 인삼, M
 23~9-1 **Tetrapanax papyriferus* K. Koch 통탈목

Umbelliferae 산黧과

2360. *Aegopodium alpestre* Ledebour, 쇠풀대, U
 2361. *Aegopodium podagraria* L. U
 2362. *Angelica anomala* Lallemand, 깨구릿대, U

2363. *Angelica cartilaginomarginata* (Makino ex Yabe) Nakai, 쳐녀바다, U
 2364. *Angelica cartilagino-marginata* var. *callososeserrata* (Nakai) T. Lee, 손바디나물, U
 2365. *Angelica cartilagino-marginata* var. *distans* (Nakai), Kitagawa, 흰바디나물, M
 2366. *Angelica cartilaginomarginata* var. *latifolia* Nakai, 넓은 쳐녀바다, U
 2367. *Angelica czernevia* (Fischer & Meyer) Kitagawa, 잡잎바다, E
 2368. *Angelica dahurica* (Fischer) Benthem et Hooker, 구릿대, E.P
 2369. *Angelica decursiva* Fr. et Sav for. *albiflora* Nakai (Porphyroscias), 바다나들, E.M
 2370. *Angelica fallax* H. De Boissieu, 개강환, U
 2371. *Angelica genuflex* Nuttall ex Torrey & Gray, 애천궁, U
 2372. *Angelica gigas* Nakai, 참당귀, M.E
 2373. *Angelica jaluana* Nakai, 삼수구릿대, U
 2374. *Angelica japonica* A. Gray, 깃강활, U
 2375. *Angelica polymorpha* Maximowicz, 궁궁이, E.M
 2376. *Angelica purpureaefolia* Chung, 지리강활, U
 2377. *Angelica tenuissima* Nakai, 고분, M
 2378. *Anthriscus sylvestris* Hoffmann 전호 M.P
 2379. *Anthriscus sylvestris* Hoffmann var. *hirtifructus* (Ohwi) Hara, 털전호 M.P
 2380. *Bupleurum euphorbioides* Nakai, 등대시호, U
 2381. *Bupleurum falcatum* L. 시호, M
 2382. *Bupleurum latissimum* Nakai, 십시호, U
 2383. *Bupleurum leveillei* H. De Boissieu, 좀시호, U
 2384. *Bupleurum longeradiatum* Turczaninow, 개시호, M.E
 2385. *Bupleurum scorzoneraefolium* Willdenow 참시호, M
 2386. *Carlesia sinensis* Dunn, 둘방풀, U
 2387. *Caucalis scabra* (DC) Makino, 개사상자, U
 2388. *Centella asiatica* (L.) Urbain, 병풀, U
 2389. *Cicuta virosa* L. 독미나리, U
 2390. *Cnidium davuricum* (Jacquin) Fischer & Meyer, 사동미나리, U
 2391. *Cnidium japonicum* Miquel, 깃사상자, M
 2392. *Cnidium monnierii* (L.) Cusson. 벌사상자, U
 2393. *Cnidium officinale* Makino, 천궁, M
 2394. *Cnidium tachiroei* (Franchet & Savatier) Makino, 개회향, U
 2395. *Conioselinum kamtschaticum* Rupr. 산천궁, U
 2396. **Coriandrum sativum* L. 고수, M.S
 2397. *Cryptotaenia japonica* Hasskarl, 구드풀나물, E
 2398. **Daucus carota* L. 당근, E
 2399. *Daucus littoralis* Sibthorp var. *koreana* Nakai, 깃당근, U
 2400. *Dystaenia takesimana* (Nakai) Kitagawa, 섬바다, P
 2401. **Foeniculum vulgare* Gaertn. 회향, M
 2402. *Glehnia littoralis* Schmidt, 깃방풀, M

2403. *Heracleum moellendorffii* Hance, 이수리, E.P
2404. *Heracleum moellendorffii* var. *subbipinnatum* (Franchet) Kitagawa, 좁은어수리, E
2405. *Homopteryx nakaiana* Kitagawa, 부전바디, U
2406. *Hydrocotyle japonica* Makino, 제주피막이, U
2407. *Hydrocotyle maritima* Honda, 선피막이, M
2408. *Hydrocotyle nepalensis* Hooker, 큰잎 피막이, U
2409. *Hydrocotyle ramiflora* Maximowicz, 큰피막이, U
2410. **Ledebouriella seseloides* (Hoffmann) Wolff, 땅풀, M
2411. *Libanotis coreana* (Wolff) Kitagawa, 텁기름나물, E.M
2412. **Ligusticum acutilobum* S. et Z. 왜 당귀, M
2413. *Ligusticum hultenii* Fernald, 기름당귀, U
2414. *Oenanthe japonica* (Miquel) Drude, 캐미나리, U
2415. *Oenanthe stolonifera* (Roxburgh) DC. 미나리, E.M
2416. *Osmorhiza aristata* (Thunberg) Makino, 진사상자, U
2417. *Osmorhiza aristata* var. *montana* Makino, 짧은 사장자, U
2418. *Ostericum grosseserratum* (Maximowicz) Kitagawa, 신감채, P
2419. *Ostericum koreanum* (Maximowicz) Kitagawa, 강활, M.E
2420. *Ostericum maximowiczii* (Bentham & Hooker) Kitagawa, 가는바디, U
2421. *Ostericum sieboldii* (Miquel) Nakai, 웃 미나리, E
2422. *Ostericum melanotilingia* (H. De Boissieu) Kitagawa, 큰 참나물, E
2423. *Peucedanum austriacum* (Jacquin) Koch, 웅기기름나물, U
2424. *Peucedanum coreanum* Nakai, 두메기름나물, U
2425. *Peucedanum elegans* Komarov, 가는 기름나물, U
2426. *Peucedanum hakuunense* Nakai, 백운 기름나물, U
2427. *Peucedanum japonicum* Thunberg, 갯기름나물, E
2428. *Peucedanum paishanense* Nakai, 두메방풀, U
2429. *Peucedanum terebinthaceum* Fischer, 기름나물, E
2430. *Peucedanum terebinthaceum* var. *deltoidium* Mak. 산기름나물, E
2431. *Peucedanum terebinthaceum* var. *flagellare* Nakai, U
2432. *Pimpinella brachycarpa* (Komarov) Nakai, 침나물, E.P
2433. *Pimpinella calycina* Maximowicz, U
2434. *Pimpinella gustavoheziana* Koidzumi, 노루참나물, P
2435. *Pimpinella ionantha* (Nakai) Nakai, 제주참나물, U
2436. *Pimpinella koreana* Nakai 가는참나물, E.P
2437. *Pimpinella koreana* for. *uchiyamana* Nakai U
2438. *Pimpinella komarovii* T. Lee, 가령참나물
2439. *Pleurospermum kamtschaticum* Hoffmann, 누룩치, (왜우산풀)
2440. *Pternopetalum tanakae* (Franchet & Savatier) Handel-Mazzetti, 반디미나리, U
2441. *Pterygopleurum neurophyllum* (Max.) Kitagawa, 서울캐발나물, U
2442. *Sanicula chinensis* Bunge, 참반디, E.M.^D

2443. *Sanicula rubriflora* Fr. Schmidt, 붉은 참반디, P
 2444. *Sanicula tuberculata* Maximowicz, 애기 참반디, P
 2445. *Sium ninsi* L. 감자 개발나물, U
 2446. *Sium suave* Walt., 개발나무, M
 2447. *Torilis japonica* (Houttuyn) DC. 사상자 M
 2447-1 *Sphalerocarpus gracilis* (Spr.) Koso-Poljansky

Cornaceae 층층나무과

2448. *Aucuba japonica* Thunb. 쇠나무, O. S. M
 2449. *Aucuba japonica* for. *variegata* (Dombrain) Rehder, 금쇠나무, O
 2450. *Cornus alba* L. 흰말채나물, U
 2451. *Cornus alba* L. var. *sibirica* Loddiges, 아파사 말채나물, U
 2452. *Cornus canadensis* L. 풀산딸나무, U
 2453. *Cornus controversa* Hemsley, 총총나무, U
 2454. *Cornus kousa* Buerger, 산딸나무, E
 2455. *Cornus macrophylla* Wallich, 곱의 말채나무, U
 2456. *Cornus officinalis* S. et Z. 산유수나무, M. O
 2457. *Cornus walteri* Wangerin, 말채나무, U

Ericaceae 진달래과

458. *Andromeda polifolia* Linn. 애기석남, U
 '59. *Andromeda polifolia* for. *acerosa* Hartman, 장지석남, U
 160. *Arctous ruber* (Rehder et Wilson) Nakai, 홍월귤, U
 461. *Chamaedaphne calyculata* Moench, 진페리꽃나무, U
 ?462. *Huperzia japonica* Nakai, 산매자나무, U 2462-1 *Enkianthus campanulatus* Nichols, 등대꽃, O
 2463. *Huperzia japonica* var. *ciliaris* (Matsum.) Nakai, 텔매자, U
 2464. *Ledum palustre* L. var. *groenlandicum* (Oeder) Nakai, 합경백산차, U
 2465. *Ledum palustre* L. var. *decumbens* (Aiton) Hulten, 흡은 백산차, U
 2466. *Ledum palustre* L. var. *diversipilum* Nakai, 백산차, U
 2467. *Ledum palustre* L. var. *latifolium* Michaux, 노봉백산차, U
 2468. *Ledum palustre* L. var. *maximum* Nakai, 왕백산차, U
 2469. *Ledum palustre* L. var. *minus* Nakai, 좀백산차, U
 2470. *Oxycoccus microcarpus* Turcz. 애기월귤, U
 2471. *Oxycoccus quadripetalus* Gilibert, 넌출월귤, U
 2472. *Phyllodoce coerulea* (L.) Babington, 가솔송, U
 2473. *Phyllodoce coerulea* for. *albida* Uyeki, 흰가솔농, U
 2474. *Rhododendron aureum* Georgi, 노랑 만병초, M. O
 2475. *Rhododendron dauricum* L. 산진달래, O
 2476. *Rhododendron fauriei* Franchet var. *roseum* (Koidz.) Nakai, 홍만병초, O
 2477. *Rhododendron fauriei* for. *rufescens* (Nakai) T. Lee 만병초, M. O
 2478. *Rhododendron micranthum* Turcz. 참꽃나무 겨우살이(꼬리진달래), O

2479. *Rhododendron mucronulatum* Turcz. 진달래, O. E
 2480. *Rhododendron mucronulatum* for. *albiflorum* (Nakai,) T. Lee, 흰 진달래, O
 2481. *Rhododendron mucronulatum* var. *ciliatum* Nakai, 편진달래, O
 2482. *Rhododendron mucronulatum* var. *latifolium* Nakai, 왕진달래, O
 2483. *Rhododendron mucronulatum* var. *maritimum* Nakai, 반들 진달래, O
 2484. *Rhododendron parvifolium* Adams. 황산차, O
 2485. *Rhododendron parvifolium* for. *albiflorum* Hara 흰황산차 O
 2486. *Rhododendron parvifolium* var. *alpina* Glehn, 단자리 참꽃, O
 2487. *Rhododendron redowskianum* Max. 층참꽃, O
 2488. *Rhododendron schlippenbachii* Max. 침쪽꽃, O
 2489. *Rhododendron schlippenbachii* for. *albiflorum* (Uyeki,) T. Lee, 흰천쪽, O
 2490. *Rhododendron tschonoskii* Max. 흰참꽃, O
 2491. *Rhododendron tschonoskii* for. *tetramerum* (Mak.) Rehder, 십자참꽃, O
 2492. *Rhododendron weyrichii* Max. 참꽃나무, O
 2493. *Rhododendron weyrichii* var. *psilosylum* Nakai, 털참꽃나무, O
 2494. *Rhododendron yedoense* Max. 단침 산천쪽, O
 2495. *Rhododendron yedoense* var. *poukhaneense* (Lev.) Nakai, 산천쪽, O
 2496. *Rhododendron yedoense* for. *albiflora* Chang, 흰 산천쪽, O
 2497. *Vaccinium bracteatum* Thunb. 모세나무, E
 2498. *Vaccinium koreanum* Nakai, 산앵도나무, E
 2499. *Vaccinium koreanum* var. *variegatum* Nakai, 색산앵도나무, E
 2500. *Vaccinium oldhami* Miquel, 정곱나무, E
 2501. *Vaccinium oldhami* var. *glaucum* Honda, 지포나무, E
 2502. *Vaccinium uliginosum* L. 둘쪽나무, E
 2503. *Vaccinium uliginosum* for. *alpinum* Nakai, 산들쪽나무, E
 2504. *Vaccinium uliginosum* for. *depressum* Nakai, 굽은 둘쪽나무, E
 2505. *Vaccinium uliginosum* for. *ellipticum* Nakai, 긴들쪽나무 E
 2506. *Vaccinium vitis-idaea* L. 월귤 E. M

Clethraceae 매화오리나무과

2507. *Clethra barbinervis* S. et Z. 매화오리, U

Pyrolaceae 노루발과

2508. *Chimaphila japonica* Miquel, 애화노루발, U
 2509. *Moneses uniflora* (L.) S. F. Cray, 흥꽃노루발, M
 2510. *Monotropa hypopithys* 구산단풀 U
 2511. *Monotropastrum globosum* ii. Andres 수정란풀, U
 2512. *Pyrola dahurica* (H. Andres) Komar. 호노루발, U
 2513. *Pyrola denticulata* Koidz. 애기노루발, U
 2514. *Pyrola incarnata* Fischer et DC. 분홍노루발, M
 2515. *Pyrola japonica* Klenze, 노루발풀, M

2516. *Pyrola renifolia* Max. 콩밭노루발, M

2517. *Pyrola secunda* L. 새끼노루발, M

Diapensiaceae 둘매화나무과

2518. *Diapensia lapponica* L. subsp. *obovata* (Fr. Schm.) Hulten, 둘매화나무, U

Myrsinaceae 자금우과

2519. *Ardisia crenata* Sims, 빼향금, O

2520. *Ardisia crenata* var. *taquetii* (Lev.) T. Lee, 왕백향금, O

2521. *Ardisia japonica* Bl. 자금우, O

2522. *Ardisia pusilla* DC. 산호수 O

Primulaceae 앵초과

2523. *Anagallis arvensis*, 두정별꽃, L

2524. *Androsace cortusaefolia* Nakai, 금강봄맞이, U

2525. *Androsace filiformis* Retzius, 애기 봄맞이, U

2526. *Androsace septentrionalis* L. 명천봄맞이, U

2527. *Androsace umbellata* (Loureiro) Merrill, 봄맞이, U

2528. *Androsace lehmannia* a Spr.n, 고산봄맞이, U

2529. *Cortusa pekinensis* A. Richter, 종다리꽃, U

2530. *Cyclamen persicum* Mill. 시쿠파례, O

2531. *Glaux maritima* L. var. *obtusifolia* Fernald, 깃봄맞이, U

2532. *Lysimachia acroadenia* Max. 심까치수염, U

2533. *Lysimachia barystachys* Bunge, 까치수염, E

2534. *Lysimachia clethroides* Duby, 칸 까치수염, E.P

2535. *Lysimachia coreana* Nakai, 참점령풀, U

2536. *Lysimachia vulgaris* var. *davurica* (Led.) R. Knuth 뿔꽃풀, U

2537. *Lysimachia vulgaris* var. *davurica* f. *angustifolia* Freyn, 좁은잎꽃풀, U

2538. *Lysimachia fortunei* Max. 진짜리 까치수염, U

2539. *Lysimachia japonica* Thunberg, 품가지풀, U

2540. *Lysimachia mauritiana* Lamarck, 깃까치수염, U

2541. *Lysimachia leucantha* Miquel, 물까치수염, U

2542. *Lysimachia pentapetala* Bunge, 홍도까치수염, U

2543. *Naumburgia thyrsiflora* (L.) Reichenbach, 벼들까치수염, U

2544. *Primula hallaisanensis* Nakai, O

2545. *Primula intermedia* Sims, O

2546. *Primula intermedia* var. *gracillima* Nakai, O

2547. *Primula jesoana* Miquel 큰앵초, E. O

2548. *Primula jesoana* var. *pubescens* Takeda et Hara 딜앵초, E.O

2549. *Primula modesta* var. *fauriei* Takeda 설앵초, O

2550. *Primula sachalinensis* Nakai, 좀설앵초, O

2551. *Primula saxalilis* Komarov 돌앵초 O
 2552. *Primula sieboldii* Morren 앵초 O
 2553. **Primula malacoides* Fr. 푸리무라, O
 2554. *Stimpsonia chamaedryoides* O. Wright, U 이삭봄맞이
 2555. *Trientalis europaea* L. 참기생꽃, U
 2556. *Trientalis europaea* var. *arctica* Ledebour, 기생꽃, U

Plumbaginaceae 갯길경과

2557. *Limonium tetragonum* (Thunberg) Bullock 갯길경 E
 2558. *Limonium sineense* (Girard) O. Kuntze, U

Ebenaceae 감나무과

2559. **Diospyros kaki* Thunb. var. *domestica* Makino 감나무, E.M
 2560. **Diospyros kaki* Thunb. var. *silvestris* Makino 산감나무, E
 2561. *Diospyros lotus* L. 고욤나무 E.M
 2562. *Diospyros lotus* L. for. *angulato-orbiculata* Uyeki, 모고욤나무, E.M
 2563. *Diospyros lotus* L. for. *ellipsoidea* Makino, 진고욤나무, E.M
 2564. *Diospyros lotus* L. var. *glabra* Makino, 민고욤나무, E.M
 2565. *Diospyros lotus* L. for. *globosa* Mak. 둥근고욤나무, E.M
 2566. *Diospyros lotus* L. for. *mixta* Uyeki, 잡고욤나무, E.M
 2567. *Diospyros lotus* for. *ovoidea* Uyeki, 알고욤나무, E.M

Symplocaceae 노린재나무과

2568. *Symplocos chinensis* (Lour.) Druce for. *leucocarpa* (Nakai) Ohwi, 흰 노린재나무, P
 2569. *Symplocos chinensis* for. *pilosa* (Nak.) Ohwi, 노린재나무, P
 2570. *Symplocos paniculata* (Thunb.) Miquel, 섬노린재나무, U
 2571. *Symplocos paniculata* var. *pubescens* (Nak.) Ohwi, 겹노린재나무, U
 2572. *Symplocos prunifolia* S. et Z. 절은재나무, U

Styracaceae 때죽나무과

2573. **Pterostyrax corymbosa* S. et Z. 나래 쪽동백, O
 2574. *Styrax japonica* S. et Z. 때죽나무, O.P
 2575. *Styrax obassia* S. et Z. 쪽동백나무, O. P
 2576. *Styrax siraiana* Makino, 좀쪽동백나무, O. P
 2577. *Styrax shiriana* var. *discolor* Nakai, 흰좀쪽동백나무, O.P

Oleaceae 물푸레나무

2578. *Abeliophyllum distichum* Nakai, 미선나무, O
 2579. *Abeliophyllum distichum* for. *lilacinum* Nakai, 분홍미선나무, O
 2580. *Chionanthus retusa* Lindley et Paxton, 이팝나무, O
 2581. *Chionanthus retusa* var. *coreana* Nakai, 긴잎 이팝나무, O

2582. *Forsythia koreana* Nak. 개나리 O. M 2582-1 **Fontanesia phyllyreoides* Labill. 향선나무, O
2583. *Forsythia koreana* for. *autumnalis* (Uyeki) T. Lee, 서리 개나리, O. M
2584. *Forsythia nakaii* (Uyeki) T. Lee, 장수만리화, O
2585. *Forsythia ovata* Nakai, 만리화, O
2586. *Forsythia saxatilis* Nakai, 산개나리, O
2587. **Fraxinus americana* L. 미국풀풀레, T
2588. ×*Fraxinus chiisanensis* Nakai, 물들메나무, U
2589. **Fraxinus excelsior* L. 구주풀풀레나무, O
2590. *Fraxinus mandshurica* Rupr. 물풀나무, T.P
2591. **Fraxinus pennsylvanica* Marshall, 붉은 물풀레나무, O
- 2592.
2593. *Fraxinus rhynchophylla* Hance, 물풀레나무, M.P
2594. *Fraxinus rhynchophylla* var. *angusticarpa* Nakai, 잔풀풀레 나무, M
2595. *Fraxinus rhynchophylla* var. *glabrescens* Nakai, 민물풀레나무, M
2596. *Fraxinus sieboldiana* Blume, 쇠풀풀레, M
2597. *Fraxinus sieboldiana* var. *quadrijuga* (Nak.) T. Lee 백운풀풀레, M
2598. *Fraxinus sieboldiana* var. *trijuga* Nakai, 계룡쇠물풀레, M
2599. *Ligustrum acutissimum* Koehne, 산동 쥐똥나무, U
2600. *Ligustrum foliosum* Nakai, 심쥐똥나무, U
2601. *Ligustrum foliosum* for. *ovale* Nakai, 동근잎 심쥐똥나무, U
2602. *Ligustrum ibota* S. et Z. 좀 털쥐똥나무, U
2603. *Ligustrum ibota* var. *microphyllum* Nakai, 좀쥐똥나무, U
2604. *Ligustrum japonicum* Thunb. 광나무, M.O
2605. *Ligustrum japonicum* var. *rotundifolium* Blume, 등근광나무, M.O
2606. *Ligustrum lucidum* Aiton, 제주광나무, M.O
2607. *Ligustrum obtusifolium* S. et Z. 쥐똥나무, M
2608. *Ligustrum obtusifolium* var. *regelianum* (Koehne) Rehder, 털쥐똥나무, U
2609. *Ligustrum ovalifolium* Hasskarl, 왕쥐똥나무, U
2610. *Ligustrum quihoui* Carriere var. *latifolium* Nakai 상동잎쥐똥나무, U
2611. *Ligustrum salicinum* Nakai, 벼풀 쥐똥나무, U
2612. **Osmanthus fragrans* Loureiro, 목서, O
2613. **Osmanthus fragrans* var. *aurantiacus* Makino, 금목서, O
2614. *Osmanthus insularis* Koidz, 박달목서, U
2615. *Syringa dilatata* Nakai, 수수꽃나비, O
2616. *Syringa reticulata* (Bl.) Hara 둘개화나무, U
2617. *Syringa reticulata* var. *mandshurica* (Max.) Hara. 개회나무, U
2618. *Syringa reticulata* for. *bracteata* (Nak.) T. Lee, 수개화나무, U
2619. *Syringa reticulata* for. *koreana* (Nak.) T. Lee, 진털개화나무, U
2620. *Syringa reticulata* for. *longifolia* (Nakai) T. Lee, 진잎개화나무, U
2621. *Syringa velutina* Komarov, 텁개화나무, U
2622. *Syringa velutina* var. *kamibayashii* (Nak.) T. Lee, 정향나무, O

2623. *Syringa velutina* var. *kamibayashii* for. *lactea* (Nak.) T. Lee, 흰정향나무, O
 2624. *Syringa velutina* var. *venosa* (Nak.) T. Lee, 심개화나무 O
 2625. *Syringa velutina* var. *velutina* for. *lactea* (Nak.) T. Lee, 흰심개화나무 O
 2626. *Syringa vulgaris* L. 사양 수수꽃나무, O
 2627. *Syringa wolfii* Schneider, 꽃개화나무, U
 2628. *Syringa wolfii* var. *hirsuta* (Schneider) Hatus. 짹적애나무 U

***Loganiaceae* 마전과**

2629. *Gardneria insularis* Nakai, 영주치자 U
 2630. *Mitrasacme olsinoides* var. *indica* Hara, 벼룩아재비, U
 2631. *Mitrasacme pygmaea* R. Br. 쿤 벼룩아재비, U

***Gentianaceae* 용담과**

2632. *Centiana algida* Pallas 산용담, U
 2633. *Gentiana axillaris* Leveille et Vaniot var. *coreana* (Nakai) Kudo, 콘용담, M
 2634. *Gentiana detonsa* Rottboell var. *barbata* Froelich, 수입용담, U
 2635. *Gentiana jamesii* Hemsley, 비로용담, U
 2636. *Gentiana jamesii* var. *albiflora* (Nakai) T. Lee 흰비로용담, U
 2637. *Gentiana jamesii* var. *kawakamii* (Makino) Nakai, U
 2638. *Gentiana pseudaquatica* Kusnezoff, 흰 그늘용담, U
 2639. *Gentiana scabra* var. *buergeri* (Miquel) Maximowicz, 용담, M.P
 2640. *Gentiana scabra* var. *buergeri* for. *stenophylla* Ohwi 진회여용담, P
 2641. *Gentiana scabra* var. *intermedia* Kusnezoff, U
 2642. *Gentiana squarrosa* Ledobour 구술봉이, U
 2643. *Gentiana squarrosa* var. *glabra* Nakai, 민구술봉이, U
 2644. *Gentiana squarrosa* var. *microphylla* Nakai, 솔 구술봉이 U
 2645. *Gentiana thunbergii* (G. Don) Griseb. 봄구술봉이 U
 2646. *Gentiana triflora* Pallas, 과남풀, U
 2647. *Gentiana uchiyamai* Nakai, 친잎용담, U
 2648. *Gentiana zollingeri* Fawcett, 콘 구술봉이, U
 2649. *Halenia corniculata* (L.) Cornag, 닻꽃, U
 2650. *Menyanthes trifoliata* L. 조류나물, M
 2651. *Nymphoides coreana* Hara, 줌이리연꽃, O
 2652. *Nymphoides indica* (L.) O. Kuntze 이리연꽃, O
 2653. *Nymphoides peltata* (S. G. Gmelin) O. Kuntze, 노랑 이리연꽃, O
 2654. *Pterygota volubilis* Maximowicz, 줍은잎덩굴용담, U
 2655. *Swertia pseudo-chinenensis* (Bunge) Hara, 치주풀, M
 2656. *Swertia japonica* (Schultes) Makino, 산풀, U
 2657. *Swertia tetrapetala* Pallas 배귀산풀, M
 2658. *Swertia diluta* var. *tosaensis* (Makino) Hara 새산풀, U
 2659. *Swertia veratroides* Maximowicz, 벌꽃풀, U

2660. *Swertia wilfordii* Kerner, 콘일쓴풀, M

2661. *Tripterospermum japonicum* (Siebold & Zuccarini) Maximowicz, 덩굴용담, U

Apocynaceae 협죽도과

2662. *Amsonia elliptica* (Thunb.) Roem. et Schultes, 경향풀, U

2663. *Apocynum Lancifolium* Russanow, 개정향풀, U

2664. **Nerium indicum* Mill. 협죽도, O

2665. *Trachelospermum asiaticum* (S. et Z.) Nakai. var. *glabrum* Nakai, 민마삭풀, M.P

2666. *Trachelospermum asiaticum* var. *intermedium* Nakai, 마삭풀, M.P

2667. *Trachelospermum* var. *majus* (Nak.) Ohwi, 백화등, M.P

2668. *Trachelospermum jasminoides* (Lindl.) Lemaire var. *pubescens* Nakai, 털마삭풀, M.P

Asclepiadaceae 박주가리과

2669. *Cynanchum amplexicaule* (Siebold & Zuccarini) Hemsley, 숨이마준, M

2670. *Cynanchum ascyrifolium* (Franchet & Savatier) Matsumura, 민백미꽃, M

2671. *Cynanchum atratum* Bunge, 맥미꽃, M

2672. *Cynanchum inamoenum* Loesner, 신백미꽃, M

2673. *Cynanchum japonicum* Morren et Decaisne, 덩굴민백미꽃, U

2674. *Cynanchum nipponicum* Matsumura, 덩굴 박주가리, U

2675. *Cynanchum nipponicum* var. *glabrum* (Leveille) Hara, 속박주가리, M

2676. *Cynanchum paniculatum* Kitagawa, 산해박, M

2677. *Cynanchum pubescens* Bunge, 딛조롱, U

2678. *Cynanchum purpureum* (Pallas) K. Schuman, U

2679. *Cynanchum sibiricum* R. Brown, 양반풀, M

2680. *Cynanchum volabile* (Maximowicz) Hemsley, 세포큰조롱, U

2681. *Cynanchum wilfordii* (Maximowicz) Hemsley, 콘조롱, M

2682. *Marsdenia tomentosa* Morren & Decaisne, 나도은조롱, U

2683. *Metaplexis japonica* (Thunberg) Makino, 박주가리, E.M.P

2684. *Tylophora floribunda* Miquel, 캐 박주가리, U

Convolvulaceae 매꽃과

2685. **Calonyction bona-nox* Bojer, 밤매꽃, O

2686. *Calystegia divaricata* (Sim.) Choisy 신매꽃, E

2687. *Calystegia hederacea* Wallich, 애기매꽃, E,M

2688. *Calystegia japonica* (Thunberg) Choisy, 매꽃, E.P

2689. *Calystegia japonica* var. *angustifolia* Nakai, 좁은잎매꽃, U

2690. *Calystegia sepium* var. *americana* Matsuda, 콘매꽃, E

2691. *Calystegia soldanella* Roem. et Schult. 갯매꽃, U

2692. *Cuscuta australis* R. Brown, 실새삼, U

2693. *Cuscuta chinensis* Lamarek, 갯실새산, M

2694. *Cuscuta japonica* Choisy, 새삼, M
 2695. *Dichondra repens* Forster, 아속예풀, U
 2696. **Ipomoea batatas* Lam. 고구마, E.P
 2697. **Pharbitis nil* Choisy, 나팔꽃, O.P
 2698. **Quamoclit angulata* Bojer, 둥근잎 유홍초, O
 2699. **Quamoclit pennata* Bojer, 유홍초, O

Polemoniaceae 꽂고비과

2700. **Phlox paniculata* L. 풀 협죽도, O.P
 2700 1 **Phlox subulata* L. 지면새생이꽃, O
 2701. *Polemonium racemosum* (Regel) Kitamura, 꽂고비, O
 2702. *Polemonium racemosum* var. *laxiflorum* (Regel) Nakai, 가지 꽂고비, O
 2703. *Polemonium racemosum* var. *leucanthum*. Nakai, 흰꽃고비, O

Boraginaceae 지친과

2704. *Bothriospermum imaii* Nakai, 평양꽃받이, U
 2705. *Bothriospermum secundum* Maximowicz, 참꽃받이, U
 2706. *Bothriospermum secundum* f. *albiflorum* Nakai, 흰 참꽃받이, U
 2707. *Bothriospermum tenellum* Fischer & Meyer, 꽃받이, U
 2708. *Brachybotrys paridiformis* Maximowicz ex Oliver, 당개지치, U
 2709. *Cynoglossum asperatum* Nakai, 섬꽃마리, U
 2710. *Cynoglossum asperatum* var. *tosaense* (Nakai) Hara, 채주꽃마리, U
 2711. *Cynoglossum zeylanicum* (Vahl) Thunb.
 2712. *Ehretia ovalifolia* Hasskahl, 광양나무, U
 2713. *Eritrichium pectinatum* (Pall.) DC. 산지치, U
 2714. *Hackelia deflexa* (Wahlenberg) Opiz, 뚜지치, U
 2715. *Lappula heteracantha* (Ledebour) Gürke, 둘지치, U
 2716. *Lappula echinata* Gilib. 둘지치, U
 2717. *Lithospermum arvense* L. 개지치, E
 2718. *Lithospermum erythrorhizon* Siebold & Zuccarini, 지치, M
 2719. *Lithospermum zollingeri* DC. 만디지치, U
 2720. *Mertensia asiatica* Macbride, 벗지치, U
 2721. *Messerschmidia sibirica* L. 모래지치, U
 2722. *Myosotis sylvestris* (Ehrhard) Hoffmann, 왜지치, U
 2723. *Myosotis laxa* Lehmann, 깨꽃마리, U
 2724. *Omphalodes krameri* Fr. et Sav. 자반풀, U
 2725. *Trigonotis coreana* Nakai, 꿈꽃말이, U
 2726. *Trigonotis icumae* Makino, 덩굴꽃말이, E
 2727. *Trigonotis nakaii* Hara, 참꽃말이, E
 2728. *Trigonotis peduncularis* Bentham, 꽂말이, E
 2729. *Trigonotis radicans* Steven, 거신텁 개지치, U

Verbenaceae 마편초과

2730. *Callicarpa dichotoma* Raeuschel, 좀 작살나무, O
2731. *Callicarpa japonica* Thunb. 작살나무, O
2732. *Callicarpa japonica* var. *glabra* Nakai, 민작살, O
2733. *Callicarpa japonica* var. *leucocarpa* Nakai, 흰작살, O
2734. *Callicarpa japonica* var. *luxurians* Rehder, 왕작살, O
2735. *Callicarpa japonica* var. *taquetii* Nakai, 송금나무, O
2736. *Callicarpa mollis* S. et Z. 새비나무, O
2737. *Callicarpa mollis* var. *microphylla* S. et Z. 진잎 새비나무, O
2738. *Callicarpa mollis* var. *ramosissima* Nakai, 좀 새비나무, O
2739. *Callicarpa shirasawana* Makino. 개새비나무, O
2740. *Caryopteris incana* (Thunb.) Miq. 층꽃나무, O
2741. *Caryopteris divaricata* (S. et Z.) Max. 누린내풀, M
2742. **Clerodendron japonicum* (Thunb.) Sweet, 당오동나무, O
2743. *Clerodendron trichotomum* Thunb. 누리장나무, E.M.P
2744. *Clerodendron trichotomum* var. *esculentum* Nakai, 견은 누리장나무, E.M.P
2745. *Clerodendron trichotomum* var. *ferrugineum* Nakai, 털누리장나무, E.M.P
2746. *Verbena officinalis* L. 마편초, M
2747. **Vitex cannabifolia* S. et Z. 목형, M
2748. **Vitex negundo* Linnaeus, U
2749. *Vitex negundo* var. *incisa* (Lam.) C. B. Clarke, 좀목형, U
2750. *Vitex rotundifolia* Linn. 순비기나무, M

Labiateae 꿀풀과

2751. *Agastache rugosa* (Fischer et Meyer) O. Kuntze, 배초향, E
2752. *Ajuga decumbens* Thunberg for. *hypoleuca* (Kudo) Hara 금란초, M
2753. *Ajuga multiflora* Bunge, 소개나물, M
2754. *Ajuga multiflora* for. *leucantha* (Nakai,) T. Lee 흰 조개나물, M
2755. *Ajuga spectabilis* Nakai, 자란초, U, 2755-1 *Ametystea coerulea* L. 개 차즈기 U
2756. *Clinopodium chinense* var. *glabrescens* (Nakai,) Ohwi, 푸른산총총이, U
2757. *Clinopodium chinense* var. *parviflorum* (Kudo,) Hara, 층층이꽃, E
2758. *Clinopodium chinense* var. *shibetense* Koidz. 산총총이, E
2759. *Clinopodium gracile* (Benth.) O. Kuntze, 애기님꽃, U
2760. *Clinopodium micranthum* (Regel) Hara, 두메 층총이, U
2761. *Clinopodium gracile* var. *multicaule* (Max.) Ohwi 탐꽃, U
2762. *Clinopodium gracile* var. *sachalinense* Fr. Schm. 두메탐꽃, U
2763. *Dracocephalum argunense* Fischer ex Link. 용머리, M
2764. *Dracocephalum argunense* for. *album* T. Lee, 흰용머리, U
2765. *Dracocephalum rupestre* Hance, 벌깨풀, U
2766. *Dysophylla verticillata* Benth. 물꼬리풀, U

2767. *Dysophylla yatabeana* Makino, 전주물꼬리풀, U
 2768. *Elscholtzia angustifolia* Kitagawa, 가는향유, U
 2769. *Elscholtzia minima* Nakai, 좀향유, U
 2770. *Elscholtzia saxatilis* (Komarov) Nakai, 애기향유, M
 2771. *Elscholtzia saxatilis* for. *leucantha* Nakai, 흰애기향유, M
 2772. *Elscholtzia ciliata* Hylander 향유, M
 2773. *Elscholtzia ciliata* for. *leucantha* (Nakai) T. Lee 흰향유, M
 2774. *Elscholtzia splendens* Nakai, 황향유, M
 2775. *Galeopsis bifida* Boenninghausen 딜향유 U
 2776. *Glechoma hederacea* L. 빙.ua풀, U
 2777. *Glechoma hederacea* var. *longituba* Nakai, 긴병.ua풀, M
 2778. *Isodon excisus* (Max.) Kudo, 오리풀, E
 2779. *Isodon excisus* for. *albiflorus* (Sakata) Hara, 흰오리풀, U
 2780. *Isodon excisus* var. *chiisanensis* (Nak.) T. Lee, 동군오리풀, U
 2781. *Isodon excisus* var. *coreanus* (Nak.) T. Lee, 거리오리풀, U
 2782. *Isodon inflexus* (Thunb.) Kudo, 산박하, E
 2783. *Isodon inflexus* var. *canescens* Kudo, 털산박하, U
 2784. *Isodon inflexus* var. *glaucocalyx* Max. 흰단산박하, U
 2785. *Isodon inflexus* var. *crophyllus* Max. 깨나풀, E
 2786. *Isodon inflexus* var. *transiticus* Kudo, 진산박하, E
 2787. *Isodon inflexus* var. *microphyllus* (Nak.) Kudo, 영도.털박하, U
 2788. *Isodon japonicus* (Burmann) Hara, 방아풀, E
 2789. *Isodon serra* Nomoto, 자주방아풀, U
 2790. *Lamium album* L. 꽈꽝대수입, U
 2791. *Lamium album* var. *barbatum* (S. et Z.) Fr. et Sav. 꽉꽝대수입, E, P
 2792. *Lamium amplexicaule* L. 꽉꽝나물, E
 2793. *Lamium cuspidatum* Nakai, 호꽝대수입, U
 2794. *Lamium takesimense* Nakai, 침꽝대수입, U
 2795. *Leonurus macranthus* Max 송장풀, M
 2796. *Leonurus sibiricus* L. 억모초, M
 2797. *Lycopus maackianus* Makino, 애기 깁자리, U
 2798. *Lycopus uniflorus* Michaux, 단깁자리, U
 2799. *Lycopus ramosissimus* Makino, 금사리, M
 2800. *Lycopus ramosissimus* var. *japonicus* Kitam. 개 깁자리, U
 2801. *Marrubium incisum* Benthem. 흰꽃 꽉꽝나물, U
 2802. *Meehania urticifolia* (Miquel) Makino, 벌레풀, E, P
 2803. *Meehania urticifolia* for. *leucantha* Hara, 흰벌레풀, E, P
 2804. *Meehania urticifolia* for. *rubra* T. Lee, 붉은벌레풀, E, P
 2805. *Mentha arvenscens* Malinvaud, 바하, M
 2806. *Mentha arvenscens* var. *barbata* Nakai, 날비하, M
 2807. *Nepeta cataria* L. 개박하, M

2808. *Nepeta stewartiana* Diels (1912), 간장풀, U
 2809. *Mosla chinense* Max. 가는잎 산들깨, U
 2810. *Mosla dianthera* Maximowicz 취깨풀, M. E
 2811. *Mosla dianthera* var. *nana* (Hara) Ohwi, 텐취깨풀, U
 2812. *Mosla japonica* Max. 산들깨, P
 2813. *Mosla japonica* var. *robusta* Ohwi
 2814. *Mosla punctulatum* (J. F. Gmelin) Nakai 들깨풀, M
 2815. *Perilla sikokiana* Nakai, 차조기, U
 2816. **Perilla frutescens* var. *japonica* Hara, 들깨, E
 2817. **Perilla frutescens* var. *crispa* Decne 소엽, M. P
 2818. *Phlomis koraiensis* Nakai, 산속단, M
 2819. *Phlomis umbrosa* Turczaninow, 속단, M. E
 2820. *Prunella vulgaris* var. *lilacina* Nakai, 붉은 꿀풀, E. M
 2821. *Prunella vulgaris* var. *lilacina* for. *albiflora* Nakai, 흰 꿀풀, E. M
 2822. *Prunella vulgaris* var. *lilacina* for. *asiatica* Hara, 꿀풀, E. M
 2823. *Prunella vulgaris* var. *aleutica* Fernald, 두께꿀풀, E. M
 2824. *Salvia chanroenica* Nakai, 핵배암차조기, O
 2825. *Salvia japonica* Thunberg, (동근)매암차조기, M
 2826. **Salvia officinalis* L. 살비아, M
 2827. *Salvia plebeia* R. Brown, 배암차조기, U ?
 2828. **Salvia miltiorrhiza* Bunge, 단삼, M
 2829. *Schizonepeta multisida* (L.) Briquet, 개형깨, U
 2830. *Schizonepeta tenuifolia* var. *japonica* Kitagawa, 헝개, M
 2831. *Scutellaria asperiflora* Nakai, 달걀꽃무꽃, U
 2832. *Scutellaria baicalensis* George, 황금, M. E
 2833. *Scutellaria fauriei* Leveille & Vaniot, 그늘꽃무꽃, U
 2834. *Scutellaria dependens* Maximowicz, 애기 꿀무꽃, U
 2835. *Scutellaria indica* L. 굳무꽃, M
 2836. *Scutellaria indica* var. *parvifolia* Makino, 좀 끈꽃무꽃, U
 2837. *Scutellaria indica* var. *tsusimensis* Ohwi 떡잎꽃무꽃, U
 2838. *Scutellaria insignis* Nakai, 광릉꽃무꽃, U
 2839. *Scutellaria japonica* Morren & Decaisne, 큰 끈꽃무꽃, U
 2840. *Scutellaria menziesii* Komarov, 구슬풀꽃무꽃, U
 2841. *Scutellaria pekinensis* var. *ussuriensis* Hand-Mazz. 호팔무, U
 2842. *Scutellaria pekinensis* var. *transitra* Hara 산골꽃무꽃, U
 2843. *Scutellaria regeliana* Nakai, 가는 꿀무꽃, U
 2844. *Scutellaria strigillosa* Hemsley, 침풀꽃무꽃, U
 2845. *Scutellaria strigillosa* var. *yezoensis* (Kudo) Ki.am. 왜꽃무꽃, U
 2846. *Scutellaria strigillosa* var. *subglabra* Nakai, 민꽃무꽃, U
 2847. *Stachys palustris* var. *imaii* Nakai, 우단식 잡풀, U
 2848. *Stachys riederi* Chamisso var. *japonica* Miquel, 써잡풀, P

2849. *Stachys riederi* var. *hispida* Hara, 털석침풀 P
 2850. *Stachys riederi* var. *hipsidula* Hara, 개석침 P
 2851. *Teucrium japonicum* Houttuyn, 개곽향, U
 2852. *Teucrium japonicum* var. *continentalis* Kitagawa, 가지 개곽향, U
 2853. *Teucrium veronicoides* Maximowicz, 곽향, U
 2854. *Teucrium viscidum* Blume, 섬곽향, U
 2855. *Teucrium viscidum* var. *miquelianum* Hara, 덩굴곽향, U
 2856. *Thymus quinquecostatus* Celakovsay, 베다향, O
 2857. *Thymus quinquecostatus* var. *japonica* Hara, 섬백리향, O

Solanaceae 가지과

2858. **Capsicum annuum* L. 고추, E
 2859. **Datura fastuosa* L. 흰독말풀, M
 2860. **Datura stramonium* L. 독말풀, M
 2861. **Hyoscyamus agrestis* Kitaibel et Schultes, 사리풀, M
 2862. *Lycium chinense* Miller, 구기자나무, E.M
 2863. **Lycopersicon esculentum* Mill. 도마도 E
 2864. **Nicotiana tabacum* L. 담배, S **Nicotianae sanderae* Sander, 꽃담배
 2865. **Petunia hybrida* Vilm. 페루니아, O
 2866. *Physalis alkekengi* Honda 가시파리, U
 2867. *Physalis angulata* L. 땅파리, O
 2868. **Physalis Alkekengi* var. *franchetii* Hort. 파리 E M
 2869. *Physalis minima* L. 애기 땅파리, O
 2870. *Physalis repens* Nakai, 덩굴파리, O
 2871. *Scopolia japonica* Max. 미치광이풀, M
 2872. *Solanum gracilescens* Nakai, U
 2873. *Solanum japonense* Nakai, 좁은잎 배풍등, U
 2874. *Solanum lycratum* Thunberg 배풍등, U
 2875. *Solanum megacarpum* Koidz. 왕배풍등, U
 2876. *Solanum melongense* L. 가지, E
 2877. *Solanum nigrum* L. 가마총, E.M.P
 2878. *Solanum nippone* Makino, 산파리, U
 2879. **Solanum tuberosum* L. 감자, E
 2880. *Tubocapsicum anomalum* Makino, 알파리, U

Scrophulariaceae 현삼과

2881. **Antirrhinum majus* L. 금어초, O
 2882. **Digitalis purpurea* L. 디가타리스, M
 2883. *Dopatrium junceum* (Roxb.) Hamilton, 등예풀, U
 2884. *Euphrasia coreana* W. Becker, 깨길妖怪풀, U
 2885. *Euphrasia coreanapina* Nakai, 애기 좁살풀, U

2886. *Euphrasia hirtella* Jordan ex Reuter, 큰산좁살풀, U
2887. *Euphrasia maximowiczii* Wettstein, 좁살풀, U
2888. *Euphrasia mucronulata* Nakai, 산좁살풀, U
2889. *Euphrasia retrotricha* Nakai, 턴 좁살풀, U
2890. *Deinostema adenocaula* (Maximowicz) Yamazaki 둥근잎고추풀, U
2891. *Deinostema violacea* (Maximowicz) Yamazaki 진망 고추풀, U
2892. *Gratiola japonica* Miquel, 큰 고추풀, U
2893. *Limnophila aromatica* (Lam.) Merrill, 소엽풀, U
2894. *Limnophila indica* Druce 민구와말, U
2895. *Limnophila sessiliflora* Blume, 구와말, U
2896. *Limosella aquatica* L. 등포풀, U
2897. *Linaria japonica* Miquel, 해란초, U
2898. *Linaria japonica* var. *geminiflora* (Fr. Schmidt) Nakai, U
2899. *Linaria vulgaris* Miller, 좁은잎 해란초, U
2900. *Lindernia procumbens* Philcox, 밭뚝외풀, U
2901. *Mazus japonicus* (Thunberg) O. Kuntze, 주름잎, E
2902. *Mazus miquelianus* Makino 누운주름잎, U
2903. *Mazus stachydisfolius* (Turczaninow) Maximowicz, 선주름잎, U
2904. *Melampyrum roseum* Max. 꽃며누리밥풀, U
2905. *Melampyrum roseum* Maximowicz for. *albiflorum* Nakai, 흰꽃며누리밥풀, U
2906. *Melampyrum roseum* for. *variegatum* Nakai, 알록꽃며누리밥풀, U
2907. *Melampyrum roseum* var. *hirsutum* Beauverd, 털며누리밥풀, U
2908. *Melampyrum roseum* var. *japonicum* Fr. et Sav. 수염며누리밥풀, U
2909. *Melampyrum roseum* var. *longisepalum* Tuyama, 긴꽃며누리밥풀, U
2910. *Melampyrum roseum* var. *ovalifolium* Nakai, 얕며누리밥풀, U
2911. *Melampyrum roseum* var. *ovalifolium* for. *albiflorum* (Beauverd) Nakai, 흰 알며누리밥풀, U
2912. *Melampyrum roseum* var. *ovalifolium* for. *heteracantha* (Beauverd) Tuyama, U
2913. *Melampyrum roseum* var. *villosum* Tuyama, 촉진꽃며누리밥풀, U
2914. *Melampyrum setaceum* (Maximowicz) Nakai, 애기며누리밥풀, U
2915. *Melampyrum setaceum* var. *congestum* Nakai, 가지애기며누리밥풀, U
2916. *Melampyrum setaceum* var. *nakaii* Yamazaki 며누리밥풀, U
2917. *Microcarpaea minima* (Koenig.) Merrill, 진흙풀, U
2918. *Mimulus nepalensis* var. *japonica* Miquel 물꽈리 아재비, U
2919. *Mimulus tenellus* Bunge, 애기 물꽈리아재비, U
2920. *Omphalothrix longipes* Makino. 살파도풀, U
2921. *Paulownia coreana* Uyeki, 오동, T
2922. *Paulownia tomentosa* Steudel, 참오동, T
2923. *Pedicularis amoena* Adams, 섬총이풀, U

이풀, P
가시 송이풀, P

2955. *Veronica anagallis-aquatica* L. 큰 물총여뀌
 2960. **Veronica arvensis* L. 선개 물풀
 2967. *Veronica persica* L. 흰여뀌
 2968. *Veronica persica* Forst. 흰여뀌
 2969. *Veronica polystachya* Lamazanii. 텐자리여뀌
 2970. *Veronica sibirica* Vahl. 토네여뀌 티리여뀌
 2971. *Veronica rotundifolia* L. 둘레여뀌
 2972. *Veronica urticifolia* L. 구름여뀌
 2973. *Scrophularia japonica* Nakai. 족발여뀌
 2974. **Scrophularia scorodonia* Miquel. 허드레
 2975. *Scrophularia buergeriana* Nakai. 쥐발여뀌
 2976. *Scrophularia cephalantha* Nakai. 미루개
 2977. *Scrophularia koraiensis* Franchet. 토현삼
 2978. *Scrophularia koraiensis* Nakai. 미루개
 2979. *Scrophularia koraiensis* Nakai. 미루개
 2980. *Scrophularia koraiensis* Nakai. 토현삼
 2981. *Scrophularia takasimensis* Nakai. 히천삼
 2982. *Scrophularia takasimensis* Nakai. 히천삼
2965. *Veronica anagallis-aquatica* L. E
 2966. **Veronica arvensis* L. 선개 물풀
 2967. *Veronica rotundifolia* var. *coreana* Yamaizaki. 치리산 고리풀, U

2968. *Veronica dahurica* Stevens 구와 꼬리풀, U
 2969. *Veronica didyna* var. *lilacina* (Hara) Yamazaki, 흰 꼬리풀, U
 2970. *Veronica kiusiana* Furumi, 여우 꼬리풀, U
 2971. *Veronica kiusiana* var. *diamantica* (Nakai) Yama
 2972. *Veronica kiusiana* var. *diamantica* for. *serrata* (?)
 2973. *Veronica kiusiana* var. *maxima* Yamazaki 큰 산포
 2974. *Veronica kiusiana* var. *villosa* (Furumi) Yamazak
 2975. *Veronica langrimsanensis* Chung, 낭림 투구풀, U
 2976. *Veronica linariaefolia* Pallas, 꼬리풀, U
 2977. *Veronica linariaefolia* for. *alba* T. Lee, 흰 꼬리풀
 2978. *Veronica linariaefolia* var. *dilatata* Nakai et Kita
 2979. *Veronica lineariaefolia* var. *vilosula* (Nakai) T.
 2980. *Veronica longifolica* L. 긴 산꼬리풀, U
 2981. *Veronica nakaiana* Ohwi, 섬꼬리풀, U
 2982. *Veronica ovata* Nakai, 넓은 산꼬리풀, U
 2983. *Veronica peregrina* L. 문묘초, U
 2984. **Veronica persica* Poir. 큰 개불알꽃, U
 2985. *Veronica pseudodelongifolia* var. *angustata* Nakai, ?
 2986. *Veronica pyrethrina* Nakai, 큰 구와꼬리풀, U
 2987. *Veronica rotunda* Nakai, 둥근산꼬리풀, U
 2988. *Veronica rotunda* var. *subintegra* (Nakai) Yamaz
 2989. *Veronica stelleri* Pallas var. *longistyla* Kitagawa,
 2990. *Veronica tenella* Allioni 투구꽃, U
 2991. *Veronica undulata* Wall. 문청개나물, U
 2992. *Veronicastrum sibirica* (L.) Pennell, 맹초, E.M.P.
 2993. *Veronicastrum sibirica* var. *zuccarini* Hara, 편맹초
 2994. *Veronicastrum sibirica*, var. *zuccarini* for. *albiflor*
2973. *Pseudolysimachion dahuricum* (Stev.) Holub 구와 꼬리풀
 2974. *Pseudolysimachion kiusianum* (Furumi) Holub 흰 꼬리풀
 2975. *Pseudolysimachion subsp. *kiusianum* var. *kiusianum* Yamazaki
 2976. *Pseudolysimachion kiusianum* var. *diamantaceum* Nak., Yamazaki 흰 꼬리풀
 2977. *Pseudolysimachion kiusianum* var. *glabriolium* Kitagawa, Yamazaki
 2978. *Pseudolysimachion kiusianum* subsp. *nivalei* Nak., Yamazaki 흰 꼬리풀
 2979. *Pseudolysimachion linariifolium* (Pall. ex Link) Holub 흰 꼬리풀
 2980. *Pseudolysimachion linariifolium* for. *album* (T. Lee) Yamazaki 흰 꼬리풀
 2981. *Pseudolysimachion linariifolium* var. *vilosum* Nak., Yamazaki 흰 꼬리풀
 2982. *Pseudolysimachion longifolium* (L.) Stev. 흰 꼬리풀
 2983. *Pseudolysimachion insulare* Nak., Yamazaki 흰 꼬리풀
 2984. *Pseudolysimachion ovatum* (Nak.) Yamazaki 흰 꼬리풀
 2985. *Pseudolysimachion pyrethrinum* Nak., Yamazaki 흰 꼬리풀
 2986. *Pseudolysimachion rotundum* Nak., Yamazaki 흰 꼬리풀
 2987. *Pseudolysimachion rotundum* var. *subintegrum* Nak., Yamazaki 흰 꼬리풀
 2988. *Pseudolysimachion rotundum* var. *corenum* Nak., Yamazaki 흰 꼬리풀*

Bignoniaceae 능소화과

2995. **Campsis grandiflora* (Thunb.) K. Schumann, 능소화
 2996. *Catalpa ovata* G. Don, 캐오동나무, M
 2997. **Catalpa speciosa* Warden, 꽃캐오동, O

Pedaliaceae 침개파

2998. **Sesamum indicum* L. 참깨, E
 2999. *Trapella sinensis* Oliver, 수얼마름, U

Orobanchaceae 열당파

- 2999-1 *Aeginetia indica* L. 앙고, U
 3000. *Boschniakia rossica* (Chamisso & Schlechtendal.) Fedtsch et Flerow. 놀라나무터부사리, U
 3001. *Lathraea japonica* Miquel, 개종윤, U

3002. *Orobanche amurensis* (Beck.) Komarov, 암록 더부사리, U
 3003. *Orobanche filicicola* Nakai, 백양더부사리, U
 3004. *Orobanche coerulescens* Stephan, 초종용, M
 3005. *Orobanche pycnostachya* Hance, 황종용, U
 3006. *Phacellanthus tubiflorus* Siebold et Zuccarini, 가지더부사리, U

Gesneriaceae 제스네리아과

3007. **Sinningia speciosa* Benth. et Hook. f. 크득시니아, O

Lentibulariaceae 통발과

3008. *Calpidisca takenakai* Nakai, 수원땅귀개, U
 3009. *Pinguicula vulgaris* L. 벌데 잡이 개비꽃(신), U
 3010. *Utricularia bifida* L. 땅귀개, U *Pinguicula villosa* L.
 3011. *Utricularia intermedia* Hayne, 개통발, U
 3012. *Utricularia japonica* Makino, 통밖, U
 3013. *Utricularia pilosa* Makino var. *koreana* Sakata, 둘통발, U
 3014. *Utricularia racemosa* Wallich, 이삭귀개, U

Acanthaceae 쥐꼬리망초과

3015. *Hygrophila lancea* Miquel, 물앞풀, P
 3016. *Justicia procumbens* L. 지꼬디망초, M.P
 3017. *Strobilanthes oliganthus* Miquel, 망울꽃, P

Phrymaceae 파리풀과

3018. *Phryma leptostachya* var. *asiatica* Hara, 파리풀, M

Plantaginaceae 질경이과

3019. *Plantago alata* Nakai, 섭질경이, E.M
 3020. *Plantago asiatica* Decaisne, 질경이, E.M.P
 3021. *Plantago asiatica* for. *lobulata* Pilger, 톱니질경이, E.M
 3022. *Plantago asiatica* for. *polystachya* (Makino) Nakai, 가기 질경이, E.M
 3023. *Plantago camtschatica* Chamisso, 개질경이, E.M.P
 3024. *Plantago depressa* Willdenow for. *minor* Komarov, 널질경이, E.M.P
 3025. *Plantago depressa* var. *davurica* Turczaninow, 균민질경이, E.M
 3026. *Plantago depressa* var. *decumbens* Turczaninow, 누운난간경이, E.M.P
 3027. *Plantago japonica* Franchet et Savatier, 왕질경이, E.M
 3028. **Plantago lanceolata* L. 창질경이, P
 3029. *Plantago japonica* var. *yezomaritima*(Koidzumi) Hara 깃 질경이, P

Rubiaceae 꼽두선이과

3030. *Adina rubella* Hance, 중대가리나무, O

3031. *Asperula lasiantha* Nakai, 갈끼아재비, U
 3032. *Asperula maximowiczii* Komarov var. *latifolia* Nakai, 넓은잎갈끼, U
 3033. *Asperula maximowiczii* Komarov 개갈끼, U
 3034. *Asperula odorata* L. 산갈끼, U
 3035. *Asperula platygallum* Maximowicz var. *alpina* Maximowicz, 산개갈끼, U
 3036. *Damnacanthus indicus* Gaertner fil., 호자나무, M
 3037. *Damnacanthus major* S. et Z. 수정옥, U
 3038. *Galium spurium* L. ' ' ' ' ' 갈끼당풀, E. M
 3039. *Galium boreale* L. var. *koreanum* Nakai, 털긴잎갈끼, U
 3040. *Galium boreale* var. *lanceolatum* Nakai, 참진잎갈끼, U
 3041. *Galium boreale* var. *leiocarpum* Nakai, 민짚갈끼, U
 3042. *Galium boreale* var. *latifolium* Turczaninow, 넓은 진잎갈끼, U
 3043. *Galium boreale* var. *vulgare* Turczaninow, ' 진잎갈끼, U
 3044. *Galium davuricum* Turczaninow var. *leiocarpum* Nakai, 콘네잎갈끼, U
 3045. *Galium davuricum* Turczaninow 콘잎갈끼, U
 3046. *Galium gracilens* (A. Gray) Makino, 좀네잎갈끼, U
 3047. *Galium trifloriforme* Komarov 개선갈끼, U
 3048. *Galium japonicum* Makino, 검은 개선갈끼, U
 3049. *Galium kamtschaticum* Steller var. *hirsutum* Takeda, 딜동근갈끼, U
 3050. *Galium kamtschaticum* for. *intermedium* Takeda, 동근갈끼, U
 3051. *Galium kinuta* Nakai et Hara, 민둥갈끼, U
 3052. *Galium koreanum* Nakai, 참갈끼당풀, U
 3053. *Galium linearifolium* Turcz. 실갈끼, U
 3054. *Galium paradoxum* Maximowicz, 두매갈끼, U
 3055. *Galium pagonanthum* Franchet & Savatier, 산갈끼, U
 3056. *Galium pagonanthum* for. *nudiflorum* (Makino) Ohwi 민산갈끼, U
 3057. *Galium pusillum* Nakai, 애기솔나물, U
 3058. *Galium remotiflorum* Leveille ex Nakai, 제주네잎갈끼, U
 3059.
 3060.
 3061. *Galium tokyoense* Makino, 흰갈끼, U
 3062. *Galium trachyspermum* A. Gray, 네잎갈끼, U
 3063. *Galium trachyspermum* var. *hispidum* Kitagawa, 털네잎갈끼, U
 3064. *Galium trifidum* L. 가는 네잎갈끼, U
 3065. *Galium verum* L. var. *asiaticum* Nakai, 솔나물, P
 3066. *Galium verum* var. *nikkoense* Nakai, U
 3067. *Galium verum* var. *trachycarpum* DC. 털솔나물, P
 3068. *Galium verum* var. *trachycarpum* for. *album* Nakai, 흰털솔나물, P
 3069. *Galium verum* var. *trachycarpum* for. *intermedium* Nakai, 개솔나물, P
 3070. *Galium verum* var. *trachyphyllum* Wallroth, 텸잎솔나물, P
 3071. **Gardenia jasminoides* Ellis for. *grandiflora* Makino, 치자나무, O

3072. **Gardenia jasminoides* var. *radicans* for. *simpliciflora* Makino. 꽃자자, O
3073. *Hedyotis biflora* var. *parvifolia* Hook. et Arnott, 낙시돌풀, U
3074. *Hedyotis diffusa* Willd, 백운풀, U
3075. *Hedyotis diffusa* var. *longipes* (Nak.) T. Lee, 긴잎백운풀, U
3076. *Hedyotis lindleyana* var. *hirsuta* Hara, 텁나풀, U
3077. *Hedyotis lindleyana* var. *glabra* Hara, 빛나풀, U
3078. **Diodia teres* Walt. 수염풀 var. *hirsutior* Ferr. et Griseb. 수염풀, U
3079. *Michelia undulata* S. et Z. 호자덩굴, U
3080. *Paederia scandens* (Lour.) Merrill, 세오동, M
3081. *Paederia scandens* var. *angustifolia* (Nak.) T. Lee, 좁은잎 세오동, U
3082. *Paederia scandens* var. *velutina* (Nak.) Nak. 털계요동, U
3083. *Rubia akane* Nakai, 꼭두선이, M.P
3084. *Rubia chinensis* var. *glabrescens* Kitagawa 큰 꼭두선이 M
3085. *Rubia cordifolia* var. *pratensis* Max. 갈퀴 꼭두선이, M.E.P
3086. *Rubia cordifolia* var. *sylvatica* Max. 텁불 꼭두선이, M.P
3087. *Rubia pubescens* Nakai, 우단 꼭두선이, U
3088. **Serissa japonica* Thunb. 백정화, O *Rubia yezensis* Miyabe et Miyak., U

Caprifoliaceae 인동파

3089. *Abelia coreana* Nakai, 털行政机关, E
3090. *Abelia insularis* Nakai, 섬行政机关, U
3091. *Abelia mosanensis* Chung, 행강나무, E
3092. *Abelia taihyoni* Nakai, 줄行政机关, E
3093. *Linnaea borealis* L. 흰내풀, U
3094. *Lonicera cerasoides* Nakai, 벌레신 괴불나무, U
3095. *Lonicera chrysanthra* Turcz. 각시 괴불나무, E
3096. *Lonicera chrysanthra* var. *crassipes* Nakai, 산괴불나무, E
3097. *Lonicera chrysanthra* var. *latifolia* Korshinsky, 넓은잎 산괴불나무, U
3098. *Lonicera chrysanthra* var. *longipes* Max. 길초나무, E
3099. *Lonicera chrysanthra* for. *villosa* Hort. 털산괴불나무, U
3100. *Lonicera coerulea* L. var. *edulis* Regel, 행방이 나무, E
3101. *Lonicera coerulea* var. *emphylolocalyx* Nakai, 깨들쭉, E
3102. *Lonicera coerulea* var. *longibracteata* Hara, U
3103. *Lonicera coerulea* var. *longibracteata* for. *normalis* Hort., 줄무늬 행방이, U
3104. *Lonicera coerulea* var. *longibracteata* for. *ovata* Hort., 넓은잎 행방이, ♀
3105. *Lonicera coerulea* var. *venulosa* Rehder, 풍선잎 행방이나무, E
3106. *Lonicera coreana* Nakai, 윗령나래나무, U
3107. *Lonicera insularis* Nakai, 섬괴불나무, I
3108. *Lonicera harai* Makino, 길바가지나무, U
3109. *Lonicera japonica* Thunb. 일본, M.P
3110. *Lonicera japonica* for. *chinensis* (Watson) Hara, 금관풀, M.P

3111. *Lonicera japonica* var. *repens* (Sieb.) Rehder, 삼인풀, M.P
 3112. *Lonicera maackii* Maximowicz, 괴불나무, E
 3113. *Lonicera monantha* Nakai, 불레괴불나무, U
 3114. *Lonicera nigra* L. 임괴불나무, U
 3115. *Lonicera okamotoana* Ohwi, 원통괴불나무, U
 3116. *Lonicera praeiorens* Batalin, 올 괴불나무, U
 3117. *Loniceaa ruprechtiana* Regel, 물에도나무, U
 3118. *Lonicera sachalinensis* Nakai, 흥 괴불나무, U
 3119. *Lonicera sachalinensis* var. *barbinervis* Nakai, 산홍괴불나무, U
 3120. *Lonicera sachalinensis* var. *stenophylla* Nakai, 좁은잎 괴불나무, U
 3121. *Lonicera subhispida* Nakai, 딜괴불나무, U
 3122. *Lonicera subsessilis* Rehder, 칭괴불나무, P
 3123. *Lonicera tatarinowi* Maximowicz var. *leptantha* Nakai, 흰괴불나무, U
 3124. *Lonicera vesicarpa* Komar, 구슬댕댕이, U
 3125. *Lonicera vidalii* Fr. et Sav. 왕괴불나무, U
 3126. *Sambucus latipinna* Nakai, 넓은잎 딱총나무, E
 3127. *Sambucus sieboldiana* Blume for. *glaberrima* (Nak.) Hara, 덧나무, U
 3128. *Sambucus sieboldiana* var. *miquelianii* (Nakai) Hara, 치령구나무, E.M.P
 3129. *Sambucus sieboldiana* var. *pendula* (Nak. pro sp.) T. Lee, 밤오줌나무, U
 3130. *Samhucus williamsii* Hance, 정짜총나무, E.M.P
 3131. *Samhucus williamsii* var. *coreana* Nakai, 딱총나무, E.M.P
 3132. *Viburnum awabucki* K. Koch, 애왜나무, O
 3133. *Viburnum burejaeticum* Regel et. Herder, 산분꽃나무, U
 3134. *Viburnum carlesii* Hemslay, 분꽃나무, U
 3135. *Viburnum carlesii* var. *bitchuense* Nakai, 삼 분꽃나무, U
 3136. *Viburnum dilatatum* Thunberg for. *hispidum* Nakai, 민가마살나무, U
 3137. *Viburnum dilatatum* for. *pilosulum* Nakai, 가마살나무, E
 3138. *Viburnum erosum* Thunberg, 덜꿩나무, P
 3139. *Viburnum erosum* var. *lanceum* Nakai, 긴잎덜꿩나무, P
 3140. *Viburnum erosum* var. *taquetii* (Lev.) Rehder, 가세덜꿩나무, P
 3141. *Viburnum erosum* var. *vegetum* Nakai, 개덜꿩나무, P
 3142. *Viburnum furcatum* Blume, 문단나무, O
 3143. *Viburnum koreanicum* Nakai, 배암나무, O
 3144. *Viburnum sargentii* Koehne, 백당나무, O
 3145. *Viburnum sargentii* for. *calvescens* (Rehder) Rehder, 민백당나무, O
 3146. *Viburnum sargentii* for. *sterile* (Makino) Hara, 불투화, O
 3147. *Viburnum wrightii* Miquel, 신가미 살나무, O
 3148. *Viburnum wrightii* var. *eglandulosum* Nakai, 무침 가마살나무, O
 3149. *Viburnum wrightii* var. *stipellatum* Nak. 텃잎 가마살나무, O
 3150. *Weigela florida* (Bunge) A. DC. 붉은 병꽃나무, O.P
 3151. *Weigela florida* for. *alba* (Carr.) Rehder, 흰병꽃나무, O.P

- 3152. *Weigela florida* for. *candida* (Voss.) Rehder, 흰병꽃나무, O.P
- 3153. *Weigela florida* for. *subtricolor* Nakai, 삼색병꽃나무, O.P
- 3154. *Weigela hortensis* (S. et Z.) K. Koch, 곤병꽃나무, O.P
- 3155. *Weigela praecox* L. H. Bailey, 소영도리나무, O
- 3156. *Weigela praecox* var. *pilosa* Nakai, 산소영도리나무, O
- 3157. *Weigela subsessilis* L. H. Bailey, 병꽃나무, O.P
- 3158. *Weigela subsessilis* var. *mollis* Uyek, 훠털병꽃나무, O.P
- 3159. *Weigela toensis* Nak. 통영병꽃나무, O.P

Adoxaceae 연복초과

- 3160. *Adoxa moschatellina* (Tournefort) L. 연복초, U

Valerianaceae 마타리과

- 3161. *Patrinia intermedia* Roemer & Schultes, 가는잎마타리, U
- 3162. *Patrinia rupestris* Jussieu, 둘마타리, U
- 3163. *Patrinia rupestris* var. *laciniata* Regel, 깃 마타리, U
- 3164. *Patrinia saniculaefolia* Hemsley 꿈마타리 U
- 3165. *Patrinia scabiosaeifolia* Fischer ex Link. 마타리 E.M.P
- 3166. *Patrinia villosa* (Thunberg) Jussieu, 뚝루, E
- 3167. *Valeriana amurensis* Smirnov. ex Komarov, 설령 쥐오줌풀, U
- 3168. *Valeriana fauriei* var. *coreana* (Briquet) Hara, 쫌쥐오줌풀, U
- 3169. *Valeriana fauriei* Briquet var. *fauriei* Hara 쥐오줌풀, E
- 3170. *Valeriana fauriei* var. *dasyarpa* Hara, 광릉쥐오줌풀, M.E
- 3171. *Valeriana officinalis* var. *integra* Nakai, 진잎 쥐오줌풀 U
- 3172. *Valeriana officinalis* var. *incisa* Nakai, 템 쥐오줌풀, U
- 3173. *Valeriana officinalis* var. *latifolia* Miquel, 넓은잎 쥐오줌풀, M
- 3174. *Valeriana pulchra* Nakai, 간토쥐오줌풀, U

Dipsacaceae 산토끼꽃과

- 3175. *Dipsacus japonicus* Miquel, 산토끼꽃, U
- 3176. *Scabiosa mansenensis* Nakai, 솔제꽃, O
- 3177. *Scabiosa mansenensis* for. *alpina* Nakai, 구금제꽃, O
- 3178. *Scabiosa mansenensis* for. *pinnata* Nakai, 체꽃, O
- 3179. *Scabiosa zuikoensis* Nakai, 민동체꽃, O

Cucurbitaceae 박과

- 3180. *Actinostemma lobatum* Max. 뚜껑덩굴, U
- 3181. **Benincasa cerifera* Sav. 동파, E
- 3182. **Citrullus vulgaris* Schrad. 수박, E
- 3183. **Cucumis alba* Nakai, 백사과, E

3184. **Cucumis conomon* var. *rugosa* Nakai, 물군노지, E
 3185. **Cucumis melo* L. 참외, E.P
 3186. **Cucumis microsperma* Nakai, 감참외, E
 3187. **Cucumis microsperma* var. *koreana* Nakai 개구리참외, E
 3188. **Cucumis sativus* L. 오, E
 3189. **Cucurbita moschata* var. *toonas* Makino. 호박, E
 3190. **Gymnostemma pentaphyllum* (Thunb.) Makino. 돌외, U
 3191. **Lagenaria leucantha* var. *depressa* Makino 박, S
 3192. **Lagenaria leucantha* var. *gourda* Makino. 포주박, S
 3193. **Luffa cylindrica* Roem. 수세미오이, S.M
 3194. **Melothria japonica* Max. 새박, U
 3195. **Momordica charantia* L. 여주 E
 3196. *Schizopepon bryoniaefolia* Max. 산외, U
 3197. *Thladiantha dubia* Bunge, 왕과, U
 3198. *Trichosanthes kirilowii* Max. 하늘타리 E.M
 3199. *Trichosanthes kirilowii* var. *japonica* Kimura, 노랑하늘타리, E.M

Campanulaceae 초롱꽃과

3200. *Adenophora coronopifolia* Fischer, 둥근잔대, E
 3201. *Adenophora coronopifolia* var. *angustifolia* Fischer, 좁은잎둥근잔대, E
 3202. *Adenophora coronopifolia* var. *latifolia* Fischer, 넓은잎둥근잔대, E
 3203. *Abenophora curvidens* Nakai, 톱잔대, E
 3204. *Adenophora divaricata* Franchet et Savatier, E
 3205. *Adenophora divaricata* var. *mandshurica* kitagawa 넓은 잔대, E
 3206. *Adenophora grandiflora* Nakai, 도라지모시대, E
 3207. *Adenophora koreana* Kitamura, 꽃잔대(신), E
 3208. *Adenophora kayasanensis* Kitamura, 가야산잔대, E
 3209. *Adenophora lamarckii* Fischer, 두메잔대, E
 3210. *Adenophora liliifolia* Ledebour, 가는잎잔대, E
 3211. *Adenophora liliifolia* for. *alba* Nakai, 흰가는잎잔대, E
 3212. *Adenophora liliifolia* var. *angusta* Nakai, E
 3213. *Adenophora liliifolia* for. *albiflora* Nakai, E
 3214. *Adenophora sparsa* Nakai, E
 3215. *Adenophora supiifolia* (Sprengel) Fischer var. *jaluensis* Komarov, E
 3216. *Adenophora obovata* Kitamura, E
 3217. *Adenophora palustris* Komarov, 진퍼리잔대, E
 3218. *Adenophora palustris* for. *leucantha* Nakai, 흰진퍼리잔대, E
 3219. *Adenophora palustris* var. *linearis* Nakai, 가는진퍼리잔대, E
 3220. *Adenophora polyantha* Nakai var. *glabricalyx* Kitagawa, 수원잔대, E
 3221. *Adenophora polyantha* Nakai var. *glabricalyx* for. *eriocalulis* Kitagawa, E
 3222. *Adenophora pulchra* Kitamura, E

3223. *Adenophora punctata* var. *media* Nakai & Kitagawa, E
 3224. *Adenophora punctata* var. *media* for. *densipila* Kitagawa, E
 3225. *Adenophora punctata* var. *scabricalyx* Kitagawa, E
 3226. *Adenophora triphylla* DC. 층층잔대, E
 3227. *Adenophora triphylla* DC. var. *jaopnica* Hara, 菊代
 3228. *Adenophora triphylla* DC. var. *angustifolia* Nakai, 가는 층층잔대, E.M
 3229. *Adenophora triphylla* DC. var. *hirsuta* Nakai, 털잔대, E
 3230. *Adenophora remotidens* Hemtley, E
 3231. *Adenophora remotiflora* (Siebold & Zuccarini) Miquel, 모시대, E.M
 3232. *Adenophora remotiflora* for. *leucantha* Honda, 흰 모시대, E.M
 3233. *Adenophora stricta* Miquel, 당잔대, E
 3234. *Adenophora taquetii* Leveille, 십잔대, E
 3235. *Adenophora tyosensis* Nakai 왕잔대, E.M
 3236. *Campanula glomerata* var. *dahurica* Fischer. 자주꽃방망이, P
 3237. *Campanula glomerata* var. *dahurica* for. *alba* Nakai, 흰 자주꽃방망이, P
 3238. *Campanula punctata* Lamarck, 초롱꽃, O
 3239. *Campanula punctata* var. *rubriflora* Makino. 자주초롱꽃, O
 3240. *Campanula takesimana* Nakai, 심초롱꽃, O
 3241. *Campanula takesimana* for. *alba* T. Lee, 심초롱꽃, O
 3242. *Codonopsis lanceolata* (S. et Z.) Trautv. 더덕, E.M.P
 3243. *Codonopsis minima* Nakai, 애기소경불알, U
 3244. *Codonopsis pilosula* (Franchet) Nannfeldt, 만산, E.M
 3245. *Codonopsis ussuriensis* (Ruprecht et Maximowicz) Hemsley, 소경불알, E
 3246. *Hanabusaya asiatica* Nakai, 금강초롱, O
 3247. *Hanabusaya latisepala* Nakai, 짚산초롱, O
 3248. *Phyteuma japonicum* Miquel. 영아자, E
 3249. *Peracarpa carnosa* var. *circaeoides* (Fr. Schmidt) Makino 홍노도라지, U
 3250. *Platycodon grandiflorum* A. DC. 도라지, E.M.O
 3251. *Platycodon grandiflorum* for. *albiflorum* Hara, 백도라지, E.M.O
 3252. *Platycodon grandiflorum* for. *duplex* Makino, 겹도라지, O.E
 3253. *Platycodon grandiflorum* for. *leucanthum* Hara, 흰겹도라지, O.E
 3254. *Platycodon grandiflorum* var. *monanthum* Nakai, 약도라지, M.O
 3255. *Platycodon grandiflorum* var. *subaphyllum* Nakai, 꽃도라지, O.E
 3256. *Wahlenbergia marginata* (Thunberg) A. DC. 애기 도라지, U

Lobeliaceae 솟잔대과

3257. *Lobelia chinensis* Loureiro, 수염가래꽃, M
 3258. **Lobelia inflata* L. 로베리아, O
 3259. *Lobelia sessilifolia* Lambert, 솟잔대, O

Compositae 국화과

Tubiflorae 영거시아과

3260. *Achillea ptarmica* L. var. *acuminata* Heimarl, 큰톱풀, U
3261. *Achillea sibirica* Ledebour, 톱풀, E.M
3262. *Achillea sibirica* var. *discoidea* Regel, 산톱풀, E.M
3263. *Achillea sibirica* subsp. *rhodoptarmica* Kitamura, 붉은 톱풀, E.M
3264. **Achillea milefolium* L. 서양톱풀, O
3265. *Adenocaulon himalaicum* Edgeworth, 면가치, E
3266. *Adenostemma latticixia* (L.) O. Kuntze, 물미위 U
3266-1 *Ageratum houstonianum* Mill. 불노화, O
3267. *Ainsliaea acerifolia* Schulz-Bip. et Zollinger, 단풍취, E
3268. *Ainsliaea acerifolia* var. *subapoda* Nakai, 쫌단풍취, U
3269. *Ainsliaea apiculata* Schulz-Bip, 끝따취, U
3270. **Ambrosia artemisiifolia* var. *erectior* Deco & ilis 깨지풀, U
3271. **Ammobium alatum* R. Br. 보리국화, U
3272. *Anaphalis sinica* Hance 다복벼룩, U
3273. *Anaphalis sinica* Hance subsp. *morii* (Nak.) Kitam., 구름벼룩, U
3274. *Antennaria dioica* Gaertn. 백두산벼룩, U
3275. **Arctium lappa* L. 우엉, E
3276. **Arnica unalascensis* Lessing, 큰과쪽, U
3277. *Artemisia annua* L. 개똥쑥, P
3278. *Artemisia apiacea* Hance, 개사월쑥, E.M.P
3279. *Artemisia argyi* Leveille et Vaniot, 황해쑥, E.P
3280. *Artemisia argyi* for. *microcephala* Pamp. 좀황해쑥, U
3281. *Artemisia aurata* Komarov, 금쑥, U
3282. *Artemisia borealis* var. *ledebouri* Besser, 중산쑥, U
3283. *Artemisia brachyphylla* Kitamura, 비로봉쑥, U
3284. *Artemisia capillaris* Thunberg, 사철쑥, E.P
3286. *Artemisia fauriei* Nakai, 인천비쑥, U
3287. *Artemisia feddei* Leveille et Vaniot, 뻣쑥, P
3288. *Artemisia fukudo* Makino, 큰비쑥, P
3289. *Artemisia iwayomogi* Kitamura, 더위자기, M.P
3290. *Artemisia japonica* Thunberg, 재비쑥, E.P
3291. *Artemisia japonica* var. *angustissima* (Nakai) Kitam. 실제비쑥, P
3292. *Artemisia japonica* var. *hallaisanensis* (Nakai) Kitam. 섬쑥, P
3293. *Artemisia japonica* var. *manshurica* Komarov, 큰제비쑥, P
3294. *Artemisia keiskeana* Miquel, 맑은대쑥, E.M.P
3295. *Artemisia koidzumii* Nakai, 율무쑥, P
3296. *Artemisia laciniata* Willdenow, 구와쑥, P
3297. *Artemisia lagocephala* var. *triloba* (Ledebour) Herder, 바단쑥, U
3298. *Artemisia latifolia* Ledebour, 넓은잎 구와쑥, P
3299. *Artemisia lavandulaefolia* DC. 침쑥, P

3300. *Artemisia littoricola* Kitamura, 갯제비쑥, E
 3301. *Artemisia montana* Pamp. 산쑥, P
 3302. *Artemisia nakai* Pamp. 애기비쑥 E
 3303. *Artemisia princeps Pampanini* var. *orientalis* (Pamp.) Hara, 쑥, U
 3304. *Artemisia pubescens* Ledeb. 모래쑥, P
 3305. *Artemisia rubripes* Nakai, 텁불쑥, U
 3306. *Artemisia sacrorum* Ledebour subsp. *manshurica* Kitamura, 텁산쑥, P
 3307. *Artemisia sacrorum* subsp. *manshurica* var. *vestita* (Komar.) Kitamura 환산쑥
 3308. *Artemisia saitoana* Kitam. 명천쑥, U
 3309. *Artemisia scoparia* Waldst. et Kit. 비쑥, P
 3310. *Artemisia scoparia* for. *villosa* Korschinsky, 털비쑥, E
 3311. *Artemisia selengensis* Turczaninow ex Besser 물쑥, E.P
 3312. *Artemisia selengensis* for. *simplicifolia* Pamp. 외잎물쑥, E.P
 3313. *Artemisia sieversiana* Willdenow, 흰쑥, U
 3314. *Artemisia stelleriana* Besser, 흰쑥, U
 3315. *Artemisia stolonifera* (Maximowicz) Komarov, 넓은잎 외잎쑥, E.P
 3316. *Artemisia subulata* Nakai, 가는잎쑥, P
 3317. *Artemisia sylvatica* Maximowicz, 그늘쑥, E.P
 3318. *Artemisia viridissima* (Komarov) Pampanini, 외잎쑥, P
 3319. *Aster ageratoides* Turczaninow 깨실쑥부쟁이, U
 3320. *Aster associatus* Kitagawa, U
 3321. *Aster chejuensis* (Kitamura) Nakai, U
 3322. *Aster ciliosus* Kitamura, 개쑥부쟁이, U
 3323. *Aster ciliosus* for. *alba* T. Lee, 흰개쑥부쟁이, U
 3324. *Aster fastigiatus* Fischer, 운갓나물, E
 3325. *Aster glehnii* Fr. Schmidt, 삼쑥부쟁이, E
 3326. *Aster hayatae* Leveille et Vaniot, 눈개쑥부쟁이, E
 3327. *Aster hispidus* Thunberg, 갯쑥부쟁이, E.M
 3328. *Aster hispidus* var. *involucratus* Nakai, 제주쑥부쟁이, U
 3329. *Aster incisus* Fischer 가재쑥부쟁이, U
 3330. *Aster indica* L. 남원쑥부쟁이, U
 3331. *Aster koraiensis* Nakai, 빙개미취, E
 3332. *Aster kyobuntoensis* Nakai, 거문쑥부쟁이, U
 3333. *Aster maackii* Regel, 풀개미취, U
 3334. *Aster pekinensis* (Hance) Chen, 가는쑥부쟁이, E
 3335. *Aster pinnatifidus* (Matsumura) Makino, 벼도성이나물, P
 3336. *Aster scaber* Thunberg, 침취, E.P
 3337. *Aster scaber* var. *minor* Yabe ex Nakai, 한라침취, U
 3338. *Aster spathulifolius* Maximowicz, 해국, U
 3339. *Aster tataricus* L. 개미취, E.M.P
 3340. *Aster tripolium* L. 갯개미취, U

3341. *Aster altaicus* var. *uchiyamai*(Nakai) Kitamura 단양속부생이, U
 3342. *Atractylodes koreana* Kitamura, 용원삼주, P
 3343. *Atractylodes japonica* Koidz. 삼주, E.M.P
 3344. *Atractylodes lancea* (Thunberg) DC. 줍은잎삼주, E
 3345. **Bellis perennis* L. 대이지, O
 3346. *Bidens bipinnata* L. 도깨비바늘, E.M.P
 3347. *Bidens biternata* (Loureiro) Merrill et Sherff, 텔도깨비바늘, P
 3348. *Bidens cernua* L. 줍은잎 가막사리, P
 3349. **Bidens frondosa* L. 미국가막사리, P
 3350. *Bidens parviflora* Willdenow, 까치발, E.M
 3351. *Bidens radiata* var. *pinnatifida* (Turcz.) Kitamura, 구와가막사리, E
 3352. *Bidensa tripartita* L. 가막사리, E.M
 3353. *Bidens tripartita* var. *repens* (D. Don) Sherff, 눈가막사리, E
 3354. *Cacalia adenostyloides* (Franchet et Savatier) Matsumura, 계박쥐나물, E
 3355. *Cacalia auriculata* DC 귀박쥐나물, E.P
 3356. *Cacalia auriculata* var. *ianantha* Nakai, 자주박쥐나물, E
 3357. *Cacalia auriculata* var. *kamtschatica* Matsum.나래박쥐나물, E.P
 3358. *Cacalia auriculata* var. *matsumurana* Nakai, 박쥐나물, E
 3359. *Cacalia firma* Komar. 병풀쌈, E
 3360. *Cacalia hastata* subsp. *orientalis* Kitamura 민박쥐나물, E
 3361. *Cacalia hastata* var. *ramosa* Kitamura, 가지민박쥐, E
 3362. *Cacalia koraiensis* Nakai, 참나래박쥐, E
 3363. *Cacalia pseudo-taimingasa* Nakai, 어리병풀, E
 3364. **Calendula arvensis* L. 금송화, O
 3365. **Calendula officinalis* L. 금잔화, O
 3366. *Callistephus chinensis* (L.) Nees, 과꽃, O
 3367. *Carduus crispus* L. 지느레미 엉겅퀴, E.M
 3368. *Carduus crispus* for. *albus* (Mak.) T. Lee 흰시느레미 엉겅퀴, E
 3369. *Carpesium abrotanoides* L. 담배풀, M
 3370. *Carpesium cernuum* L. 줍담배풀, E
 3371. *Carpesium divaricatum* Siebold et Zuccarini 진담배풀, E.M
 3372. *Carpesium glossophyllum* Maximowicz, 선일 담배풀, U
 3373. *Carpesium macrocephalum* Franchet et Savatier, 여우오줌, M
 3374. *Carpesium rosulatum* Miquel, 애기 담배풀, U
 3375. *Carpesium triste* var. *manshuricum* Kitamura, 두메 담배풀, U
 3376. **Carthamus tinctorius* L. 잇꽃, O.M.S
 3377. **Centaurea cyanus* L. 수배국화 O
 3378. *Centipeda minima* (L.) AL. Braun et Acherson. 중대가리풀 P
 3379. *Cephalonoplos segetus* (Bunge) Kitamura, 조뱅이, E.M.P
 3380. *Cephalonoplos segetus* for. *lactiflora* (Nakai) Kitamura, 흰조뱅이.P
 3381. *Cephalonoplos setosum* (Willdenow) Kitamura, 개지청개, U

3382. *Chrysanthemum boreale* Makino, 산국, M.P
 3383. **Chrysanthemum burbankii* Makino, 샤크스터국화, O
 3384. **Chrysanthemum cinerarifolium* Bocc. 재종국, S
 3385. **Chrysanthemum coronarium* var. *spatiosum* Bailey, 꽃갓, E
 3386. *Chrysanthemum indicum* L. 감국, E.M.P
 3387. *Chrysanthemum indicum* var. *acutum* Uyeki, 가는잎감국, U
 3388. *Chrysanthemum indicum* for. *albescens* (Mak.) 흰감국, E.M
 3389. *Chrysanthemum leiophyllum* Nakai, 시홍구진초, U
 3390. *Chrysanthemum lineare* Matsum. 키큰산국, U
 3391. *Chrysanthemum makinoi* Matsumura, 안민국화, U
 3392. *Chrysanthemum marshallii* Ascherson, 붉은재종국, S
 3393. *Chrysanthemum morifolium* Ramatuelle, 국화, O
 3394. *Chrysanthemum pallasianum* Komar. 솔인진, U
 3395. *Chrysanthemum sinchangense* Uyeki, 친창구진초, U
 3396. *Chrysanthemum zawadskii* Herbich, 산구진초, M.P
 3397. *Chrysanthemum zawadskii* var. *latilobum* Kitam. 구걸초, M.P
 3398. *Chrysanthemum zawadskii* var. *alpinum* Kitam. 바위구걸초, M.P
 3399. *Chrysanthemum zawadskii* var. *campanulatum* Kitamura. O
 3400. *Chrysanthemum zawadskii* var. *coreanum* (Nak.) T. Lee, 학의구걸초, M
 3401. *Chrysanthemum zawadskii* var. *lucidum* (Nakai) T. Lee, 울릉국화, O
 3402. *Chrysanthemum zawadskii* var. *tenuisectum* Kitagawa, 토친구진초, O
 3403. *Cirsium chanroenicum* Nakai, 정영잉경퀴, U
 3404. *Cirsium chanroenicum* var. *lanceolatum* Kitamura, 가는잎 정령잉경퀴, U
 3405. *Cirsium chinense* Grindel et Champ, 제주영경퀴, U
 3406. *Cirsium chinense* var. *laushanense* (Yabe) Kitamura.
 3407. *Cirsium japonicum* var. *ussuriense* Kitamura, 영경퀴, E.M.P
 3408. *Cirsium japonicum* var. *nakaiianum* (Leveille et Vnt.) Nakai, 족은잎 영경퀴, E.M.P
 3409. *Cirsium japonicum* var. *spinosissimum* Kitamura, 가시영경퀴, P
 3410. *Cirsium japonicum* var. *spinosissimum* for. *alba* T. Lee, 원가시영경퀴, U
 3411. *Cirsium leucanthum* Nakai, 황양경퀴, U
 3412. *Cirsium lineare* (Thunberg) Schult. & Bip. 바늘잎영경퀴, U
 3413. *Cirsium lineare* var. *franchetii* for. *pallidum* Kitamura, 넓은바늘잎 영경퀴, U
 3414. *Cirsium lineare* var. *laushanense* Kitamura, 번벼풀잎 영경퀴, U
 3415. *Cirsium lineare* for. *vestitum* Kitamura, 희벼풀잎 영경퀴, U
 3416. *Cirsium nipponicum* (Maximowicz) Makino, 물영경퀴, U
 3417. *Cirsium pendulum* Fisher DC. 둔영경퀴, E
 3418. *Cirsium rhinoceros* Nakai, 바늘영경퀴, P
 3419. *Cirsium rhinoceros* for. *albiflorum* Sakata et Nakai, 흰바늘영경퀴, P
 3420. *Cirsium schantarenase* Trautvetter et Meyer, 도깨비영경퀴, E
 3421. *Cirsium setidens* Nakai, 고려영경퀴, E
 3422. *Cirsium setidens* for. *alba* T. Lee, 흰고려영경퀴, E.P

3423. *Cirsium setidens* var. *niveo-araneum* Kitamura, 흰잎고려엉겅퀴, E.P.
3424. *Cirsium tanakae* (Franchet & Savatier) Matsumura, 제주엉겅퀴, U
3425. *Cirsium toraiense* Nakai, 동내엉겅퀴, U
3426. *Cirsium vlassovianum* Fischer, 흰잎엉겅퀴, U
3427. *Cirsium vlassovianum* var. *album* Nakai, 민흰잎엉겅퀴, U
3428. *Cirsium vlassovianum* for *leucanthum* Kitamura, 흰꽃잎엉겅퀴, U
3429. *Cirsium zenii* Nakai, 점봉산엉겅퀴, U
3430. **Coreopsis drummondii* Torrey et Gray, 금개국, O
3431. **Coreopsis lanceolata* L. 큰금개국, O
3432. **Coreopsis tinctoria* Nutt. 기생초, O
3433. **Cosmos bipinnatus* Cav. 코스모스, U
3434. *Dahlia pinnata* Cav. 다알리아, O
3435. *Echinops latifolius* Tausch. 큰질구째, M
3436. *Echinops setifer* Iljin, 질구째, M
3437. *Eclipta prostrata* L. 한련초, M
- 3437-1 **Emilia flammea* Cass. 불꽃怍바귀, O
- 3437-2 **Erechitites hieracifolia* Raf. 붉은서나물, E
3438. *Erigeron acre* L. 민망초, U
3439. *Erigeron acre* var. *droebachensis* Blytt. 산민망초, U
3440. *Erigeron annuus* (L.) Pers. 개망초, E
3441. **Erigeron bonariensis* L. 실망초, U
3442. **Erigeron canadensis* L. 망초, E
3443. **Erigeron philadelphus* L. 대구망초, U
3444. *Erigeron thunbergii* A. Gray subsp. *glabratus* Hara, 구름怍화, U
3445. *Eupatorium chinense* var. *simplicifolium* Kitamura, 농골나물, E.P
3446. *Eupatorium chinense* var. *simplicifolium* for *tripartitum* (Makino) Hara, 향동골나물, E.P
3447. *Eupatorium fortunei* Turcz. 벌등골나물, E.P
3448. *Eupatorium lindleyanum* DC. 꿀등골나물, E.P.
3449. *Farfugium japonicum* Kitamura, 널미위, M.P
3450. *Filifolium sibiricum* (L.) Kitamura, 신쑥, U
3451. *Gnaphalium affine* D. Don 떡쑥, E.M
3452. *Gnaphalium hypoleucum* DC. 금비쑥, E
3453. *Gnaphalium japonicum* Thunberg, 꿀솜나물, E
3454. *Gnaphalium uliginosum* L. 채떡쑥, E
3455. **Helianthus annuus* L. 해바라기, E.O
3456. **Helianthus tuberosus* L. 둥근자, E.O.P
3457. *Helichrysum bracteatum* Willd. 민꽃꽃, O
3458. *Hemistepta lyrata* Bunge 지청개, E.P
3459. **Inula helenium* L. 목향 M
3460. *Inula britannica* var. *chinense* Regel, 금불초, E.M.P
3461. *Inula britannica* var. *ramosa* Komar, 가지금불초, M.P
3462. *Inula britannica* var. *linariaefolia* Regel, 가는금불초, E.P
3463. *Inula britannica* var. *subulata* Komar, U

3464. *Inula salicina* var. *asiatica* Kitamura 벼들금불초 E.P
 3465. *Leibnitzia anandria* (L.) Nakai, 솜나물, E.P
 3466. *Leontopodium coreanum* Nakai, 솜다리, E
 3467. *Leontopodium hallaisanense* Hand.-Mazz. U
 3468. *Leontopodium japonicum* Miquel, 애송다리, U
 3469. *Leontopodium leiolepis* Nakai. 산솜다리, U
 3470. *Leontopodium leontopodioides* (Willd.) Beauverd, U 풀띠꽃
 3471. *Ligularia coreana* Nakai, U
 3472. *Ligularia deltoidea* Nakai, U
 3473. *Ligularia fischeri* (Ledebour) Turczaninow, 꿈취, E
 3474. *Ligularia fischeri* var. *spiciformis* Nakai, 한대티꿈취, E
 3475. *Ligularia intermedia* Nakai, 이어풀단비, E
 3476. *Ligularia intermedia* var. *stenocephala* Nakai, 짧은잎꾼단비, E
 3477. *Ligularia jaluensis* Komarov, 신잎꿈취, U
 3478. *Ligularia jamesii* (Hemsl.) Komarov, 화산꽃, U
 3479. *Ligularia japonica* Less. 두진꽃취, U
 3480. *Ligularia pulchra* Nakai, 진잎꽃취, E
 3481. *Ligularia schmidii* Makino 개담배, U
 3482. *Ligularia stenocephala* (Maximowicz) Matsumura, 곤달비, E.M
 3483. *Ligularia taquetii* Nakai, 깃취, U
 3484. **Matricaria maritima* subsp. *limosa* (Maximowicz) Kitamura, 개꽃, O
 3485. **Matricaria chamomilla* L. O
 3486. *Petasites japonica* (Siebold & Zuccarini) Maximowicz, 벼위, E.M.P
 3487. *Petasites saxatilis* (Turczaninow) Komarov, 개벼위, U
 3488. *Rhapontia uniflora* DC. 빼꽃재, E.M.P
 3489. *Rhynchospermum verticillatum* Reinwardt, 추분취, U
 3490. **Rudbeckia bicolor* Nutt. 원추진안국, O
 3491. **Rudbeckia laciniata* L. 십잎국화, O
 3492. **Rudbeckia laciniata* var. *hortensis* Bailey, 겹십잎국화, O
 3493. *Saussurea alpicola* Kitamura, 두매분취, P
 3494. *Saussurea amurensis* Turczaninow ex Dc. 벼들분취, P
 3495. *Saussurea calcicola* Nakai, 사창분취, P
 3496. *Saussurea chinnampensis* Leveille et Vaniot, 남포분취, P
 3497. *Saussurea conandrifolia* Nakai, 남매취, U
 3498. *Saussurea diamantica* Nakai, 꽈강분취, E.P
 3499. *Saussurea diamantica* var. *longifolia* Nakai, 긴잎꽈강분취, P
 3500. *Saussurea elongata* DC. var. *recurvata* Maximowicz, P 진분취
 3501. *Saussurea eriophylla* Nakai, 솜분취, E.P
 3502. *Saussurea gracilis* Maximowicz, 은분취, P
 3503. *Saussurea grandifolia* Maximowicz, 시길취, E.P
 3504. *Saussurea grandifolia* var. *caudata* (Herd.) Komar. 보리사길취, U

3505. *Saussurea grandifolia* var. *microcephala*, Nakai, 갈포령서덜취, E.M
 3506. *Saussurea japonica* (Thunberg) DC. 큰 각시취, P
 3507. *Saussurea koidzumiana* Kitamura, 경성서덜취, U
 3508. *Saussurea macrolepis*(Nak.) Kitam. 각시시덜취, E.^D
 3509. *Saussurea mongolica* Fr. 무분취, U
 3510. *Saussurea maximowiczii* Herder, 벼들분취, E.P
 3511. *Saussurea maximowiczii* var. *serrata* Nakai, 흡분취, P
 3512. *Saussurea maximowiczii* var. *triceps* (Lev. et Vnt.) Kitamura, 한라분취, P
 3513. *Saussurea myokoensis* Koidzumi, 묘향분취, U
 3514. *Saussurea neoserrata* Nakai, 산풀취, E.P
 3515. *Saussurea nomurae* Kitamura, 너울취, U
 3516. *Saussurea tanakae* Fr. et Sav. 당분취, P
 3517. *Saussurea odontolepis* Schulz-Bip. 빛살서덜취, P
 3518. *Saussurea polylepis* Nakai, 흥도서덜취, P
 3519. *Saussurea pseudo-gracilis* Kitamura, 가야산 은분취, E.P
 3520. *Saussurea pulchella* Fischchr. 각시취, E
 3521. *Saussurea pulchella* for. *albiflor* Kitamura, 흰각시취, E.P
 3522. *Saussurea pulchella* for. *lineariloba* Nakai, 가는 각시취, E.P
 3523. *Saussurea rectinervis* Nakai, 백설취, P
 3524. *Saussurea rorinsanensis* Nakai, 덤분취, P
 3525. *Saussurea saxatilis* Komarov, 비단분취, P
 3526. *Saussurea seoulensis* Nakai, 분취, E.P
 3527. *Saussurea stenolepis* Nakai 물풀취, P
 3528. *Saussurea triangulata* Trautvetter et Meyer, 두메취, U
 3529. *Saussurea triangulata* var. *alpina* Nakai, 촐두메취, U
 3530. *Saussurea triangulata* var. *pinnatifida* (Nakai) Kitamura, 깃덤분취, U
 3531. *Saussurea triangulata* subsp. *manshurica* Kitamura, 담불취, P
 3532. *Saussurea uchiyamana* Nakai, 그늘취, E.P
 3533. *Saussurea umbrosa* Komarov, 산각시취, P
 3534. *Saussurea umbrosa* var. *herbicola* Nakai, 긴산취, P
 3535. *Saussurea ussuriensis* Maximowicz, 구와취, E.P
 3536. *Senecio argunensis* Turczaninow, 쑥방망이, U
 3537. *Senecio argunensis* var. *tenuisectus* Nakai, 좁은잎쑥방망이, U
 3538. *Senecio aurantiacus* var. *leiocarpus* Baiss. 바위솜나물, U
 3539. *Senecio birubonensis* Kitamura, 비로봉쑥방망이, U
 3540. *Senecio cannabifolius* Less. 삼잎방망이, U
 3541. *Senecio flammeus* DC. 산솜방망이, U
 3542. *Senecio flammeus* var. *glabrifolius* Cufodotis, 민산솜방망이, U
 3543. *Senecio integrifolius* var. *spathulatus* Hara, 솜방망이, E
 3544. *Senecio koreanus* Komarov, 국화방망이, U
 3545. *Senecio nemorensis* L. 금방망이, U

3546. *Senecio pseudearnica* Lessing, 웅기솜나물, U
 3547. *Senecio pseudo-sonchus* Vaniot, 물솜방망이, U
 3548. *Senecio vulgaris* L. 개숙갓, U
 3549. *Serratula coronata* var. *insularis* Kitam. 산비장이, E
 3550. *Serratula coronata* var. *insularis* for *koreana* (Nakai,) T. Lee 한반도산비장이, I
 3551. *Serratula hayatae* Nakai, 잔톱비장이, U
 3552. *Siegesbeckia glabrescens* Makino, 전독풀, M.P
 3553. *Siegesbeckia orientalis* L. 제주진득풀, P
 3554. *Siegesbeckia pubescens* Makino, 텐진득풀, M.P
 3555. *Solidago virgaurea* var. *asiatica* Kitatamura, 미역취, E.M
 3556. *Solidago virgaurea* subsp. *leiocarpa* (Benth) Hulten, 애기미역취, E
 3557. *Solidago virgaurea* subsp. *leiocarpa* var. *coreana* Nakai, 나래미역취, E
 3558. *Solidago virgaurea* subsp. *leiocarpa* var. *gigantea* Nakai 운동미역취, E
 3559. **Solidago serotina* Aiton, 미국미역취, U
 3560. *Symphyllolcorpus exilis* Max. 개중대가리, U
 3561. *Syneilesis aconitifolia* (Bunge) Maximowicz, 애기우산나물, E.P
 3562. *Syneilesis palmata* (Thunb.) Maximowicz, 우산나물, E.P
 3563. *Syneilesis palmata* var. *subconcolor* Nakai, 대청우산나물, U
 3564. *Synurus deltoides* (Aiton) Nakai, 수리취, E.P
 3565. *Synurus deltoides* var. *inciso-lobata* Kitamura, 가세수리취, P
 3566. *Synurus excelsus* (Makino) Kitamura, 관수리취, E.P
 3567. *Synurus palmatopinnatus* var. *indivisa* Kitamura, 국화수리취, U
 3568. **Tagetes erecta* L. 친수국, U
 3569. **Tagetes patula* L. 민수국, U
 3570. *Tanacetum boccale* Fischer ex DC. 쑥국화, U
 3571. **Tithonia rotundifolia* Blake 맥시코헤바나기, O
 3572. *Wcedelia prostrata* Hemsl. 깃금불초, U
 3573. *Xanthium strumarium* L. 도꼬마리, M
 3574. **Zinnia elegans* Jacq. 백일홍, O

Liguliflorae 민들레아과

3575. **Crepidiastrixeric denticulato-platyphyllum* Kitam, 홍도고들빼기, U
 3576. *Crepiastrum lanceolatum* (Houttuyn) Nakai, 엣고들빼기, U
 3577. *Crepiastrum lanceolatum* for. *pinnatifolium* Nakai, 좁은잎 고들빼기, U
 3578. *Crepiastrum platyphyllum* Kitam, 절잉풀, U
 3579. *Hieracium coreanum* Nakai, 꿀결이풀, U
 3580. *Hieracium praelongum* Nakai, U
 3581. *Hieracium umbellatum* L. 조밥나물, E.P
 3582. *Hololeion maximowiczii* Kitamura, 깨풀, E.M.P
 3583. *Hololeion maximowiczii* var. *fauriei* Kitamura, 꿀풀, P

3584. *Hypochaeris ciliata* Makino. 금흔초, U
3585. *Ixeris chinensis* var. *strigosa* (Lev. et Vnt.) Ohwi, 선씀바귀, E.P
3586. *Ixeris chinensis* subsp. *versicolor* Kitam. 잡씀바귀, U
3587. *Ixeris dentata* (Thunberg) Nakai, 뿔바귀, E.M.P
3588. *Ixeris dentata* var. *albiflora* Nakai, 흰씀바귀, E.M.P
3589. *Ixeris dentata* var. *amplifolia* Kitam. 꽂씀바귀, E.M.P
3590. *Ixeris dentata* var. *lobata* Nakai, E. M
3591. *Ixeris japonica* Nakai, 범읍씀바귀, E.P
3592. *Ixeris polyccephala* Cassini, 벌씀바귀, E.P
3593. *Ixeris polyccephala* for. *dissecta* (Makino) Nakai, 가새벌씀바귀, P
3594. *Ixeris repens* A. Gray, 깃씀바귀, P
3595. *Ixeris stolonifera* A. Gary, 좀씀바귀, P
3596. *Lactuca indica* L. var. *laciniata* Hara, 왕고들빼기, E.M.P
3597. *Lactuca indica* L. var. *laciniata* for *indivisa* Hara, 가는잎왕고들빼기, E.P
3598. **Lactuca indica* L. var. *dracoglossa* (Makino) Kitamura, 용설채, E.P
3599. *Lactuca raddeana* Maximowicz, 산씀바귀, E. P
3600. **Lactuca sativa* L. 성추, E
3601. *Lactuca triangulata* Maximowicz, 두메고들빼기, P
3602. *Lapsana apogonoides* (Maximowicz) Hooker fil. et Jackson, 개보리뺑이, U
3603. *Lapsana humilis* (Thunberg) Makino, ut *Lampsana*, 그늘보리뺑이, U
3604. *Mulgedium sibiricum* (L.) Lessing, 자주방가지똥, = *Lactuca sibirica* Benth.
3605. *Picris hieracioides* var. *glatrescens* Ohwi 쇠사나물, E.P
3606. *Picris hieracioides* var. *koreana* (Ohwi) Nakai, 참모련채, E.P
3607. *Prenanthes ochroleuca* Max. 왕씀배, P
3608. *Prenanthes tatarinowi* (L.) Max. 개씀배, P
3609. *Scorzonera albicaulis* Bunge, 쇠채, E.P
3610. *Scorzonera austriaca* subsp. *glabra* Lipshitz et Kraschen. 엑쇠채, E, M.P
3611. *Sonchus brachyotus* DC. 사데풀, E.P
3612. **Sonchus asper* (L.) Garsault, 큰방가지똥, P
3613. *Sonchus oleraceus* L. 방가지똥, E.P
3614. *Taraxacum coreanum* Nakai, 흰민들레, E.M
3615. *Taraxacum coreanum* for. *lutescens* Kitam. 노랑민들레, E.M
3616. *Taraxacum formosanum* Kitam. 영도민들레, U
3617. *Taraxacum hallaisanense* Nakai, 좀민들레, E.M
3618. *Taraxacum heterolepis* Nakai et H. Koidzumi, 길민들레, E
3619. *Taraxacum latifolium* Kitamura, 넓은잎 민들레, E
3620. *Taraxacum mongolicum* Handel-Mazzetti, 털민들레, E
3621. **Taraxacum officinale* Weber, 서양민들레, E
3622. *Taraxacum ohwianum* Kitamura, 산민들레, E
3623. *Taraxacum platycarpum* H. Dahlstedt, 민들레, E.M
3624. *Taraxacum platypedatum* Diels, 흰태민들레, E



자난 *Bletilla striata* Reichb. fil. (1969년 8월 5일 유달산에서 처음 발견)

3625. *Youngia chelidonifolia* Kitamura, 까치고들빼기, E
 3626. *Youngia denticulata* Kitamura, 이고들빼기, E.P
 3627. *Youngia denticulata* for. *pinnatiparta* Kitam. ura, 강화이고들빼기, P
 3628. *Youngia denticulata* for. *tairensai* Makino, 대체나물, U
 3629. *Youngia koidzumiana* Kitam. ura, 자이고들빼기, U
 3630. *Youngia japonica* (L.) DC. 뽀리뱅이, E
 3631. *Youngia sonchifolia* Max. 고들빼기, E.P

Typhaceae 부들파

3632. *Typha angustata* Bory et Chauberd, 애기부들, M. P
 3633. *Typha orientalis* Presl. 부들, M. P

Sparganiaceae 흑삼능파

3634. *Sparganium angustifolium* Michx, 좁은잎흑삼능, U
 3635. *Sparganium japoicum* Rothert, 진흑삼능, U
 3636. *Sparganium stoloniferum* Hamilt. 흑삼능, U

Potamogetonaceae 가래파

3637. *Potamogeton berchtoldii* Fieber 선말, U
 3638. *Potamogeton crispus* L. 말倨, U
 3639. *Potamogeton cristatus* Regel & Maack, 가는가래, U
 3640. *Potamogeton fluitans* L. 좀가래, U
 3641. *Potamogeton distinctus* A.Benn. 가래, M.P
 3642. *Potamogeton fryeri* Bennett, 선가래, U
 3643. *Potamogeton gramineus* L. 앓은가래 U
 3644. *Potamogeton octandrus* Poir. 애기가래, U
 3645. *Potamogeton v. miduhikins* Hara 등포잎가래, U
 3646.
 3647. *Potamogeton maackianus* Bennett, 새우가래, U
 3648. *Potamogeton malaiacus* Miquel var. *latifolius* Nakai, 대가래, U
 3649. *Potamogeton natans* L. 대동가래, U
 3650. *Potamogeton oxyphyllus* Miquel 말 E
 3651. *Potamogeton pectinatus* L. var. *scoparius* Wallroth, 속잎가래, U
 3652. *Potamogeton perfoliatus* L. 넓은잎말, U
 3653. *Zannichellia palustris* var. *indica* Griseb. 뿔말, U
 3654. *Ruppia maritima* L. 나사줄말, U
 3655. *Ruppia rostellata* Koch, 줄말, U

Najadaceae 나자스말파

3656. *Najas graminea* Del 나자스말 U
 3657. *Najas marina* L. 민나자스말 U

3658. *Najas minor* Al. 투나나자스만, U

Zosteraceae 거머리말과

3659. *Zostera asiatica* Miki, 양가거머리말, U

3660. *Zostera caespitosa* Miki, 포기거머리말, U

3661. *Zostera caulescens* Miki, 주거거머리말, U

3662. *Zostera nana* Roth 애기 거머리말, U

3663. *Zostera marina* L. 거머리말 E

✓ 3664. *Scheuchzeria palustris* L. 마리풀
Scheuchzeriaceae 지채과

3664. *Scheuchzeria palustris* L. 장지채, U

3665. *Triglochin maritimum* L. 자채, E

3666. *Triglochin palustre* L. 물지채, U

Alismataceae 택사과

3667. *Alisma canaliculatum* Al. Braun & Bouche, 택사, M

3668. *Alisma plantago aquatica var. orientale* Samuelsson 전성아내사, M

3669. *Sagittaria aginashi* Makino, 모양, U

3670. *Sagittaria japonica* Levas, U

3671. *Sagittaria longiloba* Engelmann, 가는벗풀, U

3672. *Sagittaria natans* Pallas, U

3673. *Sagittaria pygmaea* Miquel, 올미, E

3674. *Sagittaria trifolia* L. 벗풀, O.M

3675. * *Sagittaria trifolia* var. *edulis* (Sieb.) Ohwi, 소귀나풀 E.M

3676. *Sagittaria trifolia* var. *minor* Nakai, U

Hydrocharitaceae 자라풀과

3677. *Blyxa aubertii* L. C. Rich, 올챙이자리, U

3678. *Blyxa echinosperma* Hook. f. 올챙이풀, U

3679. *Blyxa japonica* Max. 올챙이풀, U

3680. *Hydrilla verticillata* Casp. 진정풀, U

3681. *Hydrocharis dubia* (Bl.) Baker 자라풀, U

3682. *Ottelia alismoides* (L.) Pers. 물질경이, U

3683. *Vallisneria asiatica* Miki, 나사풀, U

Gramineae 벼과

3684. *Arunnidinaria simonii* (Carr.) Riviere, 해장국, S

3685. * *Phyllostachys bambusoides* S. et Z. 왕대, S,M

3686. *Phyllostachys compressa* Uyeki, 관암죽, S

3687. * *Phyllostachys edulis* (Carr.) Houzeau, 죽순대 S.E

3688. * *Phyllostachys nigra* (Loud.) Munro, 오죽, S

3689. *Phyllostachys nigra* var. *henonis* (Mitf.) Stapf. 솜태, S.M
 3690. *Phyllostachys nigra* for. *punctata* (Bean.) Schelle, 반죽, S
 3691. *Pseudosasa japonica* Makino, 이대, S
 3692. *Pseudosasa japonica* var. *purpurascens* Nakai, 자주이대, S
 3693. *Sasa coreana* Nakai, 산이대, P
 3694. *Sasa kurilensis* Mak. et Shibata, 섬조릿대(섬대), P
 3695. *Sasa quelpaertensis* Nakai, 제주조릿대(산죽) P.E
 3696. *Sasa borealis* (Hack.) Makino, 조릿대, E.P.M
 3697. *Sasa borealis* var. *chiisanensis* (Nak.) T. Lee, 갓대, P
 3698. *Agropyron chinense* Ohwi, 개밀아재비, P
 3699. *Agropyron ciliare* (Trin.) Franchet, 속털개밀 P
 3700. *Agropyron ciliare* for. *hackeliam* (Ohwi) Y. Lee, 가는개밀, P
 3701. *Agroporon tsukusiense* (Honda) Ohwi var. *transiens* (Hack.) Ohwi, 개밀, P
 3702. *Agropyron turczaninowii* Drob, 털개밀(신), P
 3703. *Agropyron yezoense* Honda, 자주개밀, P
 3704. *Agropyron yezoense* var. *koryoense* (Honda) Ohwi, 광동개밀, P
 3705. *Agrostis canina* L. 겹은거이삭, P
 3706. *Agrostis canina* for. *mutica* Gaudin, 만세기이삭, P
 3707. *Agrostis clavata* Trin. 산겨이삭, P
 3708. *Agrostis clavata* var. *nukabo* Ohwi, 거이삭, P
 3709. *Agrostis divaricatissima* Mez. 벼들거이삭, P
 3710. *Agrostis flaccida* v. *trinii* Turcz. 김정거이삭, P
 3711. *Agrostis hiemalis* (Walt) B.S.P. 진기이삭, P
 3712. *Agrostis palustris* Huds. 흰거이삭, P
 3713. *Alopecurus aequalis* Sobol, var. *amurensis* (Kom.) Ohwi 쇠풀, P
 3714. *Andropogon brevifolius* Sw. 쇠풀, P
 3715. *Andropogon ischaemum* L. 바랭이새, P
 3716. *Anthoxanthum odoratum* var. *furumii* (Honda) Ohwi, 표데향기풀, P
 3717. *Anthoxanthum odoratum* var. *aristatum* (Y. Lee) T. Lee, 까락표데향기풀
 3718. *Anthoxanthum odoratum* (L.) 향기풀, P
 A 3719. *Arrhenatherum elatius* (L.) Presl. 개나래새, P
 3720. *Arthraxon hispidus* (Thunb.) Makino, 조개풀, P
 3721. *Arundinella hirta* (Thunb.) Koidz. 새, P
 3722. * *Arundo donax* L. 물새, O
 3723. *Asperella longe-aristata* (Hack.) Ohwi, 수염개밀, P
 A 3724. *Avena fatua* L. 배씨리, E.P
 3725. * *Avena sativa* Linne, 귀리, E.P
 ~ 3726. *Beckmannia syzigachne* (Steud.) Fernald, 개피, P
 3727. *Bothriochloa parviflora* (R. Br.) Ohwi, 낙도기톱새, P
 3728. *Brachyelytrum erectum* Beauv var. *japonicum* Hack. 단상이삭풀, P
 3729. *Brachypodium sylvaticum* (Huds.) Beauv. 숲개밀, P

3730. *Brachypodium sylvaticum* var. *miserum* (Thunb.) Koidz. 민숲개밀, P
3731. *Bridza minor* L. 빙울새풀, P
3732. *Bromus japonicus* Thunb. 참새귀리, P
3733. *Bromus remotiflorus* (Steud.) Ohwi, 고리새, P
3734. *Bromus richardsonii* Link. 벼새귀리, P
3735. *Bromus tectorum* L. 단벌새귀리, P
3736. *Calamagrostis arundinacea* (L.) Roth, 실새풀, P
3737. *Calamagrostis arundinacea* var. *inaequaceta* Hackel, 제주새풀, P
3738. *Calamagrostis bungeana* V. Petr., P
3739. *Calamagrostis epigeios* (L.) Roth, 산조풀, P
3740. *Calamagrostis langsdorfi* (Link.) Trin. 산새풀, P
3741. *Calamagrostis langsdorfi* var. *ramosa* (Nakai) Nakai, 큰산새풀, P
3742. *Calamagrostis lapponica* (Wahlenb.) Hartm., S
3743. *Calamagrostis neglecta* var. *aculeolata* (Hack.) Miyabe et Kuds. 애지과, P
3744. *Calamagrostis paishanensis* Nakai, 백산새풀, P
3745. *Calamagrostis pseudo-phragmites* (Haller f.) Koeller, 개조풀, P
3746. *Calamagrostis subacrochaeta* Nakai, 낭립새풀, P
3747. *Chloris virgata* Swartz, 나도마랭이, P
3748. *Cinna latifolia* (Trevir.) Griseb, 나도딸기광이, P
3749. *Cleistogenes hackelii* (Honda) Honda, 대새풀, P
3750. *Cleistogenes hackelii* var. *nakaii* (Keng) Ohwi, 수염대새풀, P
3751. **Coix lachryma-jobi* L. 암주, O. E
3752. **Coix lachryma-jobi* var. *mayuen* (Roman) Staf. 울무, E
3753. *Crypsis aculeata* (L.) Ait. 캐율무(진), U
3754. *Cymbopogon tortilis* (Presl.) Hitchc. var. *geringii* (Steund.) Hand-Mazz. 새총새, P
3755. *Cynodon dactylon* (L.) Pers. 우산잔디, U
3756. **Dactylis glomerata* L. 오리새, P
3757. *Deschampsia caespitosa* (L.) Beauv. 줄새풀, P
3758. *Diarrhena fauriei* (Hack.) Ohwi, 평동용구암풀, P
3759. *Diarrhena japonica* (Franch. et Sav.) Franch et Sav. 흥-수연, P
3760. *Diarrhena mandshurica* Max. P 껌질용수연
3761. *Digitaria chinensis* Hornem. 좀바랭이, P
3762. *Digitaria sanguinalis* (L.) Scopoli, 바랭이, P
3763. *Digitaria violascens* Link. 민바랭이, P
3764. *Dimeria ornithopoda* Trin. 절터바랭이, P
3765. *Dimeria ornithopoda* var. *robusta* Hack. 캐비랭이, P
3766. *Echinochloa crusgalli* (L.) Beauv. 물벼, E. S
3767. *Echinochloa crusgalli* var. *echinata* Honda, 물벼, E. P
3768. *Echinochloa crusgalli* var. *frumentacea* (Roxb.) Wight, 벼, E. P
3769. *Eleusine indica* (L.) Gaertn. 왕바랭이, P
3770. *Elymus coreanus* Honda, 관모개보리, U

3771. *Elymus davuricus* Trucz. 깃보리, U
 3772. *Elymus mollis* Trin. 깃그령, U
 3773. *Elymus sibiricus* L. 개보리, U
 3774. *Eragrostis cilianensis* (All.) Lutati, 참새그령, P
 3775. *Eragrostis ferruginea* (Thunb.) Beauv. 그령, P
 3776. *Eragrostis japonica* (Thunb.) Beauv. 자씨그령, P
 3777. *Eragrostis pilosa* (L.) Beauv. 큰비노리, P
 3778. *Eragrostis pilosa* var. *multicaulis* (Steud.) T. Lee, 비노리, P
 3779. *Eragrostis poaeoides* Beauv. 좀새그령, P
 3780. *Eriochloa villosa* (Thunb.) Kunth, 나도개파, P
 3781. *Eulalia quadrinervis* (Hackel) Kuntze, 텔개억새, P
 3782. *Eularia speciosa* (Debaux) Kuntze, 개억새, P
 3783. *Festuca japonica* Makino, 산목새, P
 3784. *Festuca megalura* Nutt. 큰목새, P
 3785. *Festuca myuros* L. 들목새, P
 3786. *Festuca ovina* L. 김의털, P
 3787. *Festuca ovina* var. *chiisanensis* Ohwi, 지이산김의털, P
 3788. *Festuca ovina* var. *chosonica* Ohwi, 수엽김의털, P
 3789. *Festuca ovina* var. *coreana* (St-Yues) St-Yues, 참김의털, P
 3790. *Festuca ovina* var. *koreano-alpina* Ohwi, 두매김의털, P
 3791. *Festuca ovina* var. *sulcifera* Ohwi, 줄김의털, P
 3792. *Festuca parvigluma* Steud. 김의털아재비, P
 3793. *Festuca rubra* L. 왕김의털, P
 3794. *Festuca subulata* Trin. var. *japonica* Hack. 왕김의털아재비, P
 3795. *Festuca takedana* Ohwi (*Leiopoa*), 개목새, P
 3796. *Glyceria acutiflora* Torr. 육절 보리풀, P
 3797. *Glyceria alasteratum* Kom. 두매미꾸리꽝이, U
 3798. *Glyceria effusa* Kitagawa, U
 3799. *Glyceria ichyroneura* Steud. 진들파, U
 3800. *Glyceria leptolepis* Ohwi, 왕미꾸리꽝이, U
 3801. *Glyceria lithuanica* (Gorski) Lindm, U 쟁진꽝이
 3802. *Glyceria pallida* Trin. 끝나꾸리꽝이, U
 3803. *Glyceria spiculosa* (F. Schm.) Keshev, U 대대꽝이
 3804. *Glyceria triflora* (Korsh) Kom. 금강진들파, U
 3805. *Hemarthria sibirica* (Gandeg) Ohwi, 쇠치기풀, P
 3806. *Hierachloe alpina* (Swartz) Roem. et Schultes, 산향모, U
 3807. *Hierachloe odorata* (L.) Beauv. 향모, U
 3808. *Holcus lanatus* L. U
 3809. **Hordeum vulgare* L. 보리, E
 3810. **Hordeum vulgare* var. *hexastichon* Asch. 쌈보리, P
 3811. *Imperata cylindrica* var. *koenigii* (Retz) Durand et Sunitz, 짜, E

3812. *Isachne globosa* (Thunb.) O. Kuntze, 기장대풀, P
 3813. *Isachne nippensis* Ohwi, 3-운기장대풀, P
 3814. *Ischaemum anthephoroides* (Steud.) Miq. 갯쇠보리, P
 3815. *Ischaemum crassipes* (Steud.) Thell. 쇠보리, P
 3816. *Koeleria cristata* (L.) Pers. 도랭이풀, P
 3817. *Leersia japonica* Makino, 나도겨풀, P
 3818. *Leersia oryzoides* (L.) Swartz, 줌겨풀, P
 3819. *Leersia oryzoides* var. *japonica* Hackel, 겨풀, P
 3820. *Leptochloa chinensis* Nees, 드렁새, P
 ↳ 3821. **Lolium perenne* L., U 호밀풀
 3822. *Lophatherum gracile* Brongn. 조릿대풀, P
 3823. *Lophatherum sinense* Rendle, 텔조릿대풀, P
 3824. *Melica nutans* L. 왕쌀새, P
 3825. *Melica onoei* Franchet, 쌀새, P
 3826. *Melica scabrosa* Trin. 짚쌀새, P
 3827. *Melica turczaninowiana* Ohwi, 큰 껌질새, P
 3828. *Microstegium japonicum* (Miq.) Koidz. 민바랭이, P
 3829. *Microstegium vimineum* (Trin.) A. Camus var. *polystachyum* Ohwi, 나도바랭이새, P
 3830. *Milium effusum* L. 나도겨이삭, P
 3831. *Misanthus changi* Y. Lee, 장억새, P
 3832. *Misanthus sacchariflorus* (Max.) Hackel, 물억새, P
 3833. *Misanthus sacchariflorus* for. *latifolius* Adati, 넓은잎 물억새, P
 3834. *Misanthus sacchariflorus* var. *gracilis* Y. Lee, 가는잎 물억새, P
 3835. *Misanthus oligostachyus* var. *longiberbis* Chung, 억새아재비, P
 3836. *Misanthus sinensis* Andersson 짚억새 S.M
 3837. *Misanthus sinensis* for. *variegatus* (Beal ex Hitch.) Nakai, 알록억새, P
 3838. *Misanthus sinensis* var. *gracillimus* Hitchcock, 가는잎억새, P
 3839. *Misanthus sinensis* var. *ionandros* (Nakai.) Y. Lee, 못억새, P
 3840. *Misanthus sinensis* var. *keumunensis*. Y. Lee, 거문억새, P
 3841. *Misanthus sinensis* var. *nakaianus* (Honda) Y. Lee 중성억새, P
 3842. *Misanthus sinensis* var. *purpurascens* Rendle, 억새, P
 3843. *Misanthus sinensis* var. *sunanensis* Y. Lee, 춘안억새, P
 3844. *Molinia japonica* Hack. 진파리새 (Molinopsis), P
 3845. *Muhlenbergia hakonensis* (Hack.) Makino, 선취꼬리새, P
 3846. *Muhlenbergia hugelii* Trin. 큰취꼬리새, P
 3847. *Muhlenbergia japonica* Steud. 취꼬리새, P
 3848. *Oplismenus undulatifolius* (Ard.) Beauv. 주름조개풀, P
 3849. *Oplismenus undulatifolius* var. *japonicus* (Steud.) Koidz. 민주름조개풀, P
 3850. *Oplismenus undulatifolius* for. *elongatus* (Honda) Y. Lee, 침주름조개풀, P
 3851. **Oryza sativa* L. 벼, E.P

3852. *Panicum bisulcatum* Thunb. 개기장, E.P
 3853. **Panicum dichotomiflorum* Michx. 미국개기장, P
 3854. **Panicum miliaceum* L. 기장, E
 3855. *Paspalum thunbergii* Kunth, 침새피, P.M
 3856. *Penisetum alopecuroides* (L.) Spreng, 수크령, P
 3857. *Penisetum alopecuroides* for. *viridescens* Ohwi, 청수크령, P
 3858. *Phacelurus latifolius* (Steud.) Ohwi, 모새달, P
 3859. *Phacelurus latifolius* var. *angustifolius* (Desv.) Kitag. 가는잎 모새달, P
 3860. *Phaenosperma globosa* Munro (*Phaeosperma*), 산기장, P
 3861. *Phalaris arundinacea* L. 갈풀, P
 3862. *Phalaris arundinacea* var. *picta* L. 흰갈풀, O
 3863. *Phleum alpinum* L. 산조아재비, P
 3864. *Phleum pratense* L. 큰조아재비, P
 3865. *Phragmites communis* Trin. 갈대, P.M
 3866. *Phragmites japonica* Steud. 딸뿌리풀, P.M
 3867. *Phragmites karka* (Retz.) Trin. 큰답뿌리풀, P
 3868. *Poa acroleuca* Steud. 신포아풀, P
 3869. *Poa acroleuca* var. *submoniliformis* Makino, 마디포아풀, P
 3870. *Poa alpina* Linn. 두메포아풀, P
 3871. *Poa annua* L. 새포아풀, P
 3872. *Poa compressa* Linn, P 좀포아풀
 3873. *Poa deschampsoides* Ohwi, P
 3874. *Poa glauca* Vahl, 자주포아풀, P
 3875. *Poa hamhungensis* Chung, 학홍포아풀, P
 3876. *Poa hisauchii* Honda, P 구내풀
 3877. *Poa kanboensis* Ohwi, 관모포아풀, P
 3878. *Poa komarovii* Roshev. P
 3879. *Poa kumkangsani* Ohwi, 금강포아풀, P
 3880. *Poa kyongsongensis* Chung, 경성포아풀, P
 3881. *Poa matsumurae* Hack. 가는포아풀, P
 3882. *Poa nemoralis* L. 냄포아풀, P
 3883. *Poa nipponica* Koidz. 큰꾸레미풀, P
 3884. *Poa palustris* L. 늪포아풀(신), P
 3885. *Poa pratensis* L. 왕포아풀, P
 3886. *Poa radula* Fr. et Sav. 좀꾸레미풀, P
 3887. *Poa sibirica* Roshev. P
 3888. *Poa sphondyloides* Trin. 포아풀, P
 3889. *Poa takeshimana* Honda, 섬포아풀, P
 3890. *Poa trivialis* L. 큰세포아풀(신), P
 3891. *Poa ullungdoensis* Chung, 우산포아풀, P
 3892. *Poa ussuriensis* Roshev, 갑산포아풀, P

3893. *Poa viridula* Palibin, 청포아풀, P
3894. *Polygong fugax* Nees 쇠돌파 P
3895. *Polygong monspeliensis* (L.) Desf. 갯쇠돌파(신), P
3896. *Pseudoraphis ukishiba* Ohwi 물잔디, P
3897. *Puccinellia chinampensis* Ohwi, 자세비구리풀이, P
3898. *Puccinellia coreensis* Honda, 갯거이삭, P
3899. *Puccinellia nipponica* Ohwi, 갯꾸레미풀, P
3900. *Sacciolepis indica* L. Chase, 줄풀뚝새, P
3901. *Sacciolepis indica* var. *oryzetorum* (Mak.) Ohwi, 물뚝새, P
3902. *Schizachne purpurascens* (Torr.) Swallen, 호오리새, P
3903. **Secale cereale* L. 호밀, E
3904. *Setaria chondrachne* (Steud.) Honda, 조아재비, P
3905. *Setaria faberii* Herrm. 가을강아지풀, P
3906. *Setaria glauca* (L.) Beauv. 금강아지풀, P
3907. *Setaria glauca* var. *dura* (Chung) I. Chung, P
3908. **Setaria italica* (L.) Beauv. 조 E
3909. *Setaria viridis* (L.) Beauv. 강아지풀 P
3910. *Setaria viridis* var. *pachystachys* (Fr. et Sav.) Makino et Nemoto, 캣강아지풀, P
3911. *Setaria viridis* var. *gigantea* Matsumura, 수강아지풀, P
3912. *Sorghum nitidum* (Vahl) Pers. 수수새, P
3913. **Sorghum bicolor* Moench, 수수, E
3914. *Spodiopogon cotulifer* (Thunb.) Hackel, 기름새, P
3915. *Spodiopogon sibiricus* Trin. 큰기름새, P
3916. *Sporobolus elongatus* R. Br. 위꼬리새풀, P
3917. *Sporobolus japonicus* (Steud.) Maxim. 나도잔디, P
3918. *Stipa coreana* Nakai (*Patis*) 참나래새, P
3919. *Stipa coreana* var. *japonica* Y.Lee, 제주나래새, P
3920. *Stipa mongolica* Turcz. (*Lasiagrostis*) 수입풀, P
3921. *Stipa mongolica* var. *pubicalyx* Ohwi, 나래새, P
3922. *Stipa sibirica* (L.) Lamb. 난나래새, P
3923. *Themeda triandra* var. *japonica* Mak. 솔새, P
3924. *Tripogon chinensis* Hackel, 갯침자리풀, P
3925. *Tripogon longiaristatus* (Honda) Nakai, 교례잠자리풀, P
3926. *Trisetum bifidum* (Thunb.) Ohwi, 잡자리풀, P
3927. *Trisetum sibiricum* Rupr. 시베리아진자리풀, P
3928. *Trisetum spicatum* (L.) Richt, 산잠자리풀, P
3929. **Triticum aestivum* L. 밀, E
3930. **Zea mays* L. 옥수수 E
3931. *Zizania latifolia* Turcz, 줄, P
3932. *Zoysia japonica* Steud. 잔디, O
3933. *Zoysia macrostachya* Franchet, 왕잔디, P

3934. *Zoysia sinica* Hance, 갯잔디, P
 3935. *Zoysia tenuifolia* Willd. 금잔디, O

Cyperaceae 사초과

3936. *Bulbostylis barbata* Kunth, 모기풀, U
 3937. *Bulbostylis densa* Hand-Mazz. 풍하늘작이, U
 3938. *Bulbostylis densa* var. *capisata* (Miq.) Ohwi, 실하늘작이, U
 3939. *Carex accrescens* Ohwi, 경성사초, P
 3940. *Carex alterniflora* Fr., 산사초, P
 3941. *Carex aphanolepis* Fr. et Sav. 골사초, P
 3942. *Carex aphanolepis* var. *mixta* Nakai, 잡풀사초, P
 3943. *Carex arenicola* Fr. Schmidt, 진페리사초, P
 3944. *Carex arnellii* Christ, 무산사초, P
 3945. *Carex atrata* L. 감동사초
 3946. *Carex austroinowiczii* Memsh. 자이사초, P
 3947. *Carex bipartita* All. 산타래사초, P
 3948. *Carex biwensis* Fr. 출잎사초, P
 3949. *Carex blepharicarpa* var. *insularis* Nakai, 여우꼬리사초, P
 3950. *Carex boottiana* Hook. et Arnott, 밀사초, P
 3951. *Carex bostrichostigma* Max. 길뚝사초, P
 3952. *Carex breviculmis* R. Br. 청사초, P
 3953. *Carex breviculmis* var. *fibrillosa* Kuekenth. 갯청사초, P
 3954. *Carex brownii* Tucharm. 흰꼬리사초, P
 3955. *Carex caespitosa* L. 포기사초, P
 3956. *Carex canescens* L. 산사초, P
 3957. *Carex capillacea* Boott, 잔출잎사초, P
 3958. *Carex capillacea* var. *sachalinensis* Ohwi, 진잔출잎사초, P
 3959. *Carex capillaris* L. 잎풀사초, P
 3960. *Carex capricornis* Memsh. 양뿔사초, P
 3961. *Carex chloroleuca* Memsh. 푸른사초, P
 3962. *Carex chordorrhiza* Ehrh. 바늘사초, P
 3963. *Carex ciliato-marginata* Nakai, 털대사초, P
 3964. *Carex cinerascens* Kuekenth. 회색사초, P
 3965. *Carex concolor* R. Br. 갈미사초, P
 3966. *Carex conica* Boott. 애기사초, P
 3967. *Carex dickinsii* Fr. et Sav. 도깨비사초, P
 3968. *Carex dimorpholepis* Steud. 이삭사초, P
 3969. *Carex dispalata* Boott. 샷갓사초, P
 3970. *Carex disperma* Dewey 가는사초, P
 3971. *Carex dissitispicula* Ohwi, 장성사초, P
 3972. *Carex doniana* Spreng, 흰사초, P

3973. *Carex drymophila* Turcz. 숲이삭사초, P
3974. *Carex drymophila* var. *glabrata* Ohwi, 민숲이삭사초, P
3975. *Carex duriuscula* C.A. Mey. 둔사초, P
3976. *Carex erythrobasis* Lev. et Vnt. 한화사초, P
3977. *Carex fernaldiana* Lev. et Vnt. 실사초, P
3978. *Carex filipes* var. *oligostachys* Kuek. 낚시사초, P
3979. *Carex forficula* Fr. et Sav. 살풀사초, P
3980. *Carex forficula* var. *scabrida* Kuek. 금강산풀사초, P
3981. *Carex formosensis* Lev. et Vnt. 진득포사초, P
3982. *Carex fuscanensis* Ohwi, 애기감동사초, P
3983. *Carex genkaiensis* Ohwi, 무표사초, P
3984. *Carex gibba* Wahlenb. 나도별사초, P
3985. *Carex glabrescens* Ohwi, 유출사초, P
3986. *Carex glaucaeformis* Meinsh. 밤사초, P
3987. *Carex globularis* L. 진돌사초, P
3988. *Carex gmelini* Hook. et Arnott, 덕진사초, P
3989. *Carex gotoi* Ohwi, 회령사초, P
3990. *Carex hakonensis* Fr. et Sav. 애기바늘사초, P
3991. *Carex hancockiana* Max. 부산사초, P
3992. *Carex heterolepis* Bunge, 산비늘사초, P
3993. *Carex heterostachya* Bunge, 인제사초, P
3994. *Carex hondoensis* Ohwi, 일본사초, P
3995. *Carex humbertiana* Ohwi, 흰풀사초, P
3996. *Carex humilis* Leyss. 산거울, P
3997. *Carex idzuroei* Fr. et Sav. 품도깨비사초, P
3998. *Carex incisa* Boott, 바령이삭초, P
3999. *Carex ischnostachya* Steud. 약주사초, P
4000. *Carex jaluensis* Komar, 잡삿갓사초, P
4001. *Carex japonica* Thunb. 캐씨비리사초, P
4002. *Carex kirganica* Komar. 서수나사초, P
4003. *Carex kobomugi* Ohwi, 통보리사초, P
4004. *Carex lasiocarpa* v. *occultans* Kük. 벌사초, P
4005. *Carex korshinskyi* Komar. 유성사초, P
4006. *Carex laevissima* Nakai, 애쟁이사초, P
4007. *Carex lanceolata* A. Gray. 그늘사초, P *lasicarpa* v. *occultans* Kuk. 벌사초, I
4008. *Carex lasiolepis* Fr. 난사초, U
4009. *Carex laticeps* C. B. Clarke, 깃보리사초, P
4010. *Carex latisquamea* Komar. 털잎사초, P
4011. *Carex laxa* Wahlenb. 심이삭사초, P
4012. *Carex lehmanni* Drej. 낙강사초, P
4013. *Carex leiorthyncha* C. A. Meyer 산쟁이사초, P

4014. *Carex lenta* Don, 줄사초, P
 4015. *Carex lenta* var. *sendaica* T. Koyama, 홍노줄사초, P
 4016. *Carex lenta* var. *sendaica* for. *simplex* T. Koyama, 제주줄사초, P
 4017. *Carex ligulata* var. *austrokoreensis* Ohwi, 깃사초 P
 4018. *Carex limosa* L., 대백사초, P
 4019. *Carex lingbyei* Horn. 산이삭사초, P
 4020. *Carex lithophila* Turcz. 바위사초, P
 4021. *Carex livida* Willd. 동백사초, P
 4022. *Carex loliacea* L. 복사초, P
 4023. *Carex longerostrata* C.A. Meyer, 피사초, P
 4024. *Carex longerostrata* var. *pallida* Ohwi, 신피사초, P
 4025. *Carex maackii* Max. 타래사초, P
 4026. *Carex macrandrolepis* Lev. 침피사초, P
 4027. *Carex maculata* Boott, 무늬시초, P
 4028. *Carex mandshurica* Meinh. 만주사초, P
 4029. *Carex matsumurae* Fr. 왕밀사초, P
 4030. *Carex maximowiczii* Miquel, 왕비늘사초, P
 4031. *Carex maximowiczii* var. *suisunensis* Nakai, 가는비늘사초, P
 4032. *Carex metallica* Lev. 흰이삭사초, P
 4033. *Carex meyeriana* Kunth, 큰 검정사초 P
 4034. *Carex mira* Kuek. 꼬랑사초, P
 4035. *Carex misandra* R. Br. 열룩사초, P
 4036. *Carex mitrata* Fr. 겨사초, P
 4037. *Carex mollicula* Boott, 애기흰사초, P
 4038. *Carex mollissima* Christ. 염낭사초, P
 4039. *Carex montana* L. 산양지사초, P
 4040. *Carex muricata* L. = *echinata* Murr. 한복사초, P
 4041. *Carex nakashimae* Ohwi, 화산사초, P
 4042. *Carex nervata* Fr. et Sav. 양지사초, P
 4043. *Carex neurocarpa* Max. 꽁이사초, P
 4044. *Carex norvegica* Retz. 검정타래사초, P
 4045. *Carex ochrochlamys* Ohwi, 애기이삭사초, P
 4046. *Carex okamotoi* Ohwi, 지이대사초, P
 4047. *Carex onoei* Fr. et Sav. 바늘사초, P
 4048. *Carex oxyandra* Kudo, 인디사초, P
 4049. *Carex papulosa* Boott. 쇠낚시사초, P
 4050. *Carex pauciflora* Lightf. 산바늘사초, P
 4051. *Carex pauciflora* var. *macroglossa* (Fr. et Sav.) Ohwi, 보리사초, P
 4052. *Carex paxii* Kuek. 대구사초, P
 4053. *Carex pediformis* C.A. Meyer, 넓은잎 그늘사초, P
 4054. *Carex pediformis* var. *rhizina* Kuek. 왕그늘사초, P
 4055. *Carex peiktusani* Komarov. 배두산사초, P

4056. *Carex phacota* Spreng, 비늘사초, P
 4057. *Carex phaethrix* Ohwi, 조이삭사초, P
 4058. *Carex pilosa* Scop. 털사초, P
 4059. *Carex planiculmis* Komarov. 그늘흰사초, P
 4060. *Carex polyschoena* Lev. et Vnt. 가지청사초, P
 4061. *Carex pseudo-chinensis* Lev. et Vnt. 엣사초, P
 4062. *Carex pseudocuraica* Fr. Schmidt, 냉군사초, P
 4063. *Carex pumila* Thunb. 줍보리사초, P
 4064. *Carex quadriflora* Ohwi, 놀lett사초, P
 4065. *Carex raddei* Kuek. 화산급승사초, P
 4066. *Carex remotiuscula* Wahlenb. 층신사초, P
 4067. *Carex rhizopoda* Maximowicz, 뿌리대사초, P
 4068. *Carex rhynchophysa* C.A. Meyer, 왕사갓사초, P
 4069. *Carex rostrata* Stokes, 큰물사갓사초, P
 4070. *Carex rostrata* var. *borealis* Harm. 물사갓사초, P
 4071. *Carex rotundata* Wahlenb. 물사초, P
 4072. *Carex rugulosa* Kükenth. 큰천일사초, P
 4073. *Carex rupestris* Bell. 늘사초, P
 4074. *Carex sabynensis* Less. 실침사초, P
 4075. *Carex sabynensis* var. *rostrata* Ohwi, 부리실침사초, P
 4076. *Carex sabynensis* var. *leiosperma* Ohwi, 지리실침사초, P
 4077. *Carex sachalinensis* var. *sikokiana* Ohwi, 녹빛실서초, P
 4078. *Carex scabrifolia* Steud. 친일사초, P
 4079. *Carex shimidzuensis* Fr. 산꼬리사초, P
 4080. *Carex schmidtii* Meinh. 참똑사초, P
 4081. *Carex sedakovii* C.A. Meyer, 난생이 사초, P
 4082. *Carex siderosticta* Hance, 대사초, P
 4083. *Carex siroumensis* Koidz. 포태산사초, P
 4084. *Carex stipata* Muehlenb. 양덕사초, P
 4085. *Carex subumbellata* Meinh. 선령사초, P
 4086. *Carex tegulata* Lev. et Vnt. 구술사초, P
 4087. *Carex teinogyna* Boott, 끌이사초, P
 4088. *Carex tenuiflora* Wahlenb, 벤사초, P
 4089. *Carex tenuiformis* Lev. et Vnt. 나도그늘사초, P
 4090. *Carex tenuiformis* var. *neofilipes* Ohwi, 그늘실사초, P
 4091. *Carex thunbergii* var. *appendiculata* Ohwi, 똑사초, P
 4092. *Carex transversa* Boott, 하살사초, P
 4093. *Carex tristachya* Thunb. 비늘사초, P
 4094. *Carex tristachya* var. *pocilliformis* Kuek. 예기반들사초, P
 4095. *Carex tuminensis* Komarov, 중사갓사초, P
 4096. *Carex uda* Max. 개바늘사초, P

1097. *Carex ussuriensis* Komarov, 쌔래기사초, P
 4098. *Carex vaginata* var. *petersii* Akiyama, 짐사초, P
 4099. *Carex valleculosa* Ohwi, P
 4100. *Carex vasicaria* L. 새방울사초, P
 4101. *Carex caryophyllea* var. *microtricha* Kükenh. = *verna* var. 삼색사초, P
 4102. *Carex xiphium* Komar. 넓은잎벼사초, P
 4103. *Cladium chinense* Nees, 충충고랭이, U
 4104. *Cyperus amuricus* Max. 방동산이, M
 4105. *Cyperus cyperoides* O. Kuntze, 방동산이아제비, U
 4106. *Cyperus diaphanus* Schrader, 결점방동산이, U
 4107. *Cyperus difformis* L. 알방동산이, U
 4108. *Cyperus exaltatus* var. *iwasakii* T. Koyama, 왕풀, R
 4109. *Cyperus flaccidus* R. Br. 병아리방동산이, U
 4110. *Cyperus globosus* All. 트령방동산이, U
 4111. *Cyperus glomeratus* L. 물방동산이, U
 4112. *Cyperus haspan* L. 모기방동산이, U
 4113. *Cyperus iria* L. 참방동산이, U
 4114. *Cyperus microiria* Steud. 금방동산이, U
 4115. *Cyperus nipponicus* Fr. et Sav. 나도방동산이, U
 4116. *Cyperus orthostachyus* Fr. et Sav. 쇠방동산이, U
 4117. *Cyperus pacificus* Ohwi, 서울방동산이, U
 4118. *Cyperus polystachyos* Rottb. 갯방동산이, U
 4119. *Cyperus rotundus* L. 향부자, M
 4120. *Cyperus sanguinolentus* Vahl. 방동산이대가리, U
 4121. *Cyperus serotinus* Rottb. 냉도방동산이, U
 4122. *Cyperus tenuispica* Steud. 우산방동산이, U
 4123. *Elaeocharis acicularis* Roem. et Schult. 원산쇠털풀, U
 4124. *Elaeocharis acicularis* for. *longiseta* (Svenson) T. koyama, 쇠털풀, U
 4125. *Elaeocharis attenuata* var. *laeviseta* (Nakai) Hara, 참바늘풀, U
 4126. *Elaeocharis congesta* D. Don. 바늘풀, U
 4127. *Elaeocharis congesta* var. *maximowiczii* (Ohwi), 원산바늘풀, U
 4128. *Elaeocharis dulcis* (Burm. f.) Trinius, 남방개, U
 4129. *Elaeocharis kamtschatica* Komar. 울릉개아재비, U
 4130. *Elaeocharis kuroguwai* Ohwi, 울방개, E.M
 4131. *Elaeocharis mamillata* var. *cyclocarpa* Kitag. 물꼬챙이, U
 4132. *Elaeocharis valleculosa* Ohwi, 까타풀, U
 4133. *Elaeocharis wickurae* Böckler, 네모풀, U
 4134. *Eriophorum angustifolium* Roth, 참황새풀, U
 4135. *Eriophorum brachyantherum* Trautv. 설령황새풀, U
 4136. *Eriophorum gracile* Koch, 작은황새풀, U
 4136-1. *Eriophorum latifolium* Hoppe, 큰황새풀, U

4137. *Erioporum russeolum* Frice. 눈섭황새풀, U
4138. *Eriophorum vaginatum* L. 황새풀, U
4139. *Fimbristylis autumnalis* (L.) Roem. 애기 하늘작이, U
4140. *Fimbristylis complanata* (Retz.) Link. 어른작이, U
4141. *Fimbristylis cymosa* R. Br. 바다작이, U
4142. *Fimbristylis dichotoma* Vahl, 하늘작이, U
4143. *Fimbristylis dichotoma* for. *depauperata* Ohwi, 가는 하늘작이, U
4144. *Fimbristylis dichotoma* for. *tomentosa* Ohwi, 털하늘작이, U
4145. *Fimbristylis diphyloides* Makino, 겹정하늘작이, U
4146. *Fimbristylis ferruginea* var. *sieboldii* Ohwi, 갯하늘작이, U
4147. *Fimbristylis globosa* var. *austro-japonica* Ohwi, 둥근 하늘작이, U
4148. *Fimbristylis longispica* Ohwi, 긴 하늘작이, U
4149. *Fimbristylis miliacea* (L.) Vahl, 바람하늘작이, U
4150. *Fimbristylis monostachya* (L.) Hassk. 쇠하늘작이, U
4151. *Fimbristylis pieroti* Miquel, 물하늘작이, U
4152. *Fimbristylis schoenoides* (Retz) Vahl, 제주하늘작이, U
4153. *Fimbristylis sericea*(Poir.) R. Br. 텐잎하늘작이, U
4154. *Fimbristylis squarrosa* Vahl, 빙하늘작이, U
4155. *Fimbristylis squarrosa* var. *esquarrosa* Makino, 암하늘작이, U
4156. *Fimbristylis stauntonii* Debeaux et Meyen, 밤하늘작이, U
- 4156-1. *Fimbristylis subbispicata* Nees et Meyer, 꽃하늘작이, U
4157. *Fimbristylis verrucifera* Makino, 부른 하늘작이, U
4158. *Kobresia bellardi* Degl. 품바늘사초, U
4159. *Kyllingia brevifolia* var. *leiolepis* Hara, 파대가리, U
4160. *Lipocarpha microcephala* (R. Br.) Kunth, 세대가리, U
4161. *Rhynchospora alba* Vahl, 흰고양이 수염, P
4162. *Rhynchospora chinensis* Nees et Meyer, 고양이수염, P
4163. *Rhynchospora faberi* C.B. Clarke, 골풀아재비, P
4164. *Rhynchospora fauriae* Fr. 큰고양이수염, P
4165. *Rhynchospora fujiiana* Makino, 흡쟁이수염, P
4166. *Rhynchospora nipponica* Makino, 한라꾼풀아재비, P
4167. *Rhynchospora rubra* Makino, 붉은골풀아재비, P
4168. *Scirpus fluviatilis* (Torr) Gray, 매자기, M
4169. *Scirpus hudsonianus* (Michx.) Fernald, 애기황새풀, U
4170. *Scirpus juncoides* Roxb. 올챙이 고랭이, U
4171. *Scirpus karuizawensis* Makino, 춘방울 고랭이, U
4172. *Scirpus komarovii* Roshev. 광능풀, U
4173. *Scirpus maximowiczii* C.B. Clarke, 황새고랭이, U
4174. *Scirpus mucronatus* L. 췄송이 고랭이, U
4175. *Scirpus nipponicus* Makino, 문고랭이, U
4176. *Scirpus planiculmis* Fr. Schmidt, 새섬매자기, U
4177. *Scirpus sylvaticus* var. *maximowiczii* Regel, 김운도루박이, U

4178. *Scirpus triangulatus* Roxb. 송이고랭이, U
 4179. *Scirpus radicans* Schk. 도루박이, U
 4180. *Scirpus tabernaemontani* Gmel. 큰고랭이, U
 4181. *Scirpus triqueter* L. 세모고랭이, U
 4182. *Scirpus wallichii* Nees, 수원고랭이, U
 4183. *Scirpus wightii* Bockler, 방울고랭이, U
 4184. *Scirpus tabernaemontani* × *triqueter* = *Scirpus lacustris* subsp. *carinatus* Makino, 잡큰고랭이, U
 4185. *Scleria fenestrata* Fr. et Sav. 네도고랭이, P
 4186. *Scleria mutoensis* Nakai, 무등풀, P
 4187. *Scleria onoei* var. *glabrescens* Koidz. 턱산풀, P
 4188. *Scleria pergracilis* Kunth, 애기덕삼풀, P

Araceae 천남성과

4189. *Acorus calamus* L. v. *angustatus* Bess. 쥐나, M·P
 4190. *Acorus gramineus* Solander, 석창포, M·P
 4191. **Alocasia watsoniana* Hort. 알로카시아, O
 4192. **Anthurium andreanum* Lind. 홍화꽃, O
 4193. **Anthurium scherzerianum* Schott. 안투리움, O
 4194. *Arisaema amurense* Maximowicz var. *serratum* Nakai, 천남성, M·P
 4195. *Arisaema amurense* Max. 동근잎 천남성, M·P
 4196. *Arisaema amurense* var. *violaceum* Engler, 남산동근잎 천남성, M·P
 4197. *Arisaema angustatum* var. *peninsulae* Nakai, 절백이천남성, M·P
 4198. *Arisaema angustatum* var. *peninsulae* for. *variegatum* Nakai, 일록접백이천남성, M·P
 4199. *Arisaema angustatum* var. *atropurpureum* Nakai, 자주점백이천남성, M·P
 4200. *Arisaema angustatum* var. *caespitosum* Nakai, 포기점백이천남성, M
 4201. *Arisaema convolutum* Nakai, 무한산천남성, M
 4202. *Arisaema heterophyllum* Blume, 두루미 천남성, M
 4203. *Arisaema negishii* Mak. 삼 천남성, M
 4204. *Arisaema ringens* Schott, 큰 천남성, M
 4205. *Arisaema robustum* (Engler) Nakai, 넓은잎 천남성, M
 4206. *Arisaema robustum* var. *purpureum* Nakai, 자주천남성, M
 4207. *Arisaema takesimense* Nakai, 우산천남성, M
 4208. *Arisaema thunbergii* Blume, 무늬천남성, M
 4209. **Caladium bicolor* Vent. 칼라다움, O
 4210. **Colocasia antiquorum* var. *esculentum* Schot, 토란, E
 4211. **Diploblechnum hoffmannii* Hort. 디펜바치아, O
 4212. **Monstera deliciosa* Liebm. 몬스테라, O
 4213. **Philodendron friedrichstalli* Hort. 무호덩굴, O
 4214. **Philodendron hastatum* var. *variegatum* Hort. 알록 무호덩굴, O
 4215. **Philodendron panduriforme* var. *bipenifolium* Engl. 삼현 무호덩굴, O
 4216. *Pinellia ternata* (Thunberg) Breitenb. 반하, M

4217. *Symplocarpus buchenensis* Chung, 산부채, U = *Calla palustris* L.
 4218. *Symplocarpus nipponicus* Makino, 애기 앉은부채, P (풀이 먹는다고)
 4219. *Symplocarpus renifolius* Schott, 앉은부채, E.P
 4220. **Zantedesia aethiopica* Spr. 칼라, O
 4221. **Zantedesia elliotiana* Engl. 노랑꽃 칼라, O
 4222. **Zantedesia rehmannii* Engl. 장미색 칼라, O

Lemnaceae 개구리밥과

4223. *Lemna paucicostata* Hegelmier, 품개구리밥, M
 4224. *Spirodela polyrhiza* (L.) Schleiden, 개구리밥, M
 4225. *Wolffia arrhiza* (L.) Wimmer, 분개구리밥, U

Eriocaulaceae 곡정초과

4226. *Eriocaulon atrum* Nakai, 검정곡정초, U
 4227. *Eriocaulon atrum* var. *platypetalum* Satake, 제주검정곡정초, U
 4228. *Eriocaulon caulinervum* Makino, 가지곡정초, U
 4229. *Eriocaulon decemflorum* Maximowicz, 양주풀개수염, U
 4230. *Eriocaulon decemflorum* for. *coreanum* Nakai, 주개수염, U
 4231. *Eriocaulon decemflorum* var. *nipponicum* (Maximowicz) Nakai 실개수염, U
 4232. *Eriocaulon hondoense* Satake, 큰개수염, U
 4233. *Eriocaulon miquelianum* Kornicke, 개수염, U
 4234. *Eriocaulon miquelianum* var. *taquetii* Nakai (*E. taquetii* Lecomte), U
 4235. *Eriocaulon parvum* Koernicke, 짧은 개수염, U
 4236. *Eriocaulon robustius* Makino, 넓은잎 개수염, U
 4237. *Eriocaulon sieboldianum* Siebold et Zuccarini, 꿀정초, M
 4238. *Eriocaulon sikokianum* Max. 흰개수염, M
 4239. *Eriocaulon sphagnicola* Ohwi, 애기곡정초, U
 4240. *Eriocaulon tenuissimum* Nakai, 가는개수염, U

Commelinaceae 닭의장풀과

4241. *Aneilema keisak* Hassk. 사마귀풀, U
 4242. *Commelina communis* L. 닭의장풀 M. E.P
 4243. *Commelina communis* var. *latifolia* Nakai, 넓은잎 닭의장풀, M. E.P
 4244. *Commelina coreana* Leveille, 좁닭의장풀, M. E.P
 4245. *Commelina coreana* for. *leucantha* Nakai, 흰꽃좁닭의장풀, M. E.P
 4246. *Commelina ludens* Miquel, 우단단의장풀, U
 4247. *Pollia japonica* Thunberg, 나도생강, U
 4248. **Rhoeo discolor* Hance, 자주만년청, O
 4249. *Streptolirion cordifolium* (Griffith) O. Kuntze, 덩굴닭의장풀, E
 4250. **Tradescantia fluminensis* Vell. 열록닭의장풀, O

4251. **Tradescantia reflexa* Rafin. 자주닭개비, O
 4252. **Zebrinia pendula* Schnitz. 일득자주닭개비, O
 4253. **Zebrinia purpurea* Hort. 큰자주닭개비, O

Pontederiaceae 물옥잠과

4254. **Eichornia crassipes* Solms. 부레옥잠, O
 4255. *Monochoria korsakowii* Regel et Maack, 물옥잠, U
 4256. *Monochoria vaginalis* var. *plantaginea* Solms. 물닭개비, U

Juncaceae 꿀풀과

4257. *Juncus alatus* Fr. et Sav. 날개꿀풀, U
 4258. *Juncus brachyspathus* Max. 침꿀풀, U
 4259. *Juncus bufonius* L. 애기꿀풀, U
 4260. *Juncus diastrophanthus* Buch. 별날개꿀풀, U
 4261. *Juncus effusus* var. *decipiens* Buchen. 꿀풀, M.P
 4262. *Juncus effusus* var. *decipiens* for. *glomeratus* Makino, M.P
 4263. *Juncus effusus* var. *decipiens* for. *robustior* (Satake), M.P
 4264. *Juncus gracillimus* (Buchenau) Krecz et Gontscharov, 물꿀풀, U
 4265. *Juncus haenkei* E. Meyer, 잿꿀풀, P
 4266. *Juncus hallasanensis* Chung, 한라비녀꿀풀, U
 4267. *Juncus krameri* Franchet & Savatier, 비녀꿀풀, U
 4268. *Juncus leschenaultii* Gray, 참비녀꿀풀, U
 4269. *Juncus maximowiczii* Buchenau, 실비녀꿀풀, U
 4270. *Juncus monticola* Steudel (*J. koidzumii* Satake), 가는꿀풀, U
 4271. *Juncus ounsanensis* Chung, 솔비녀꿀풀, U
 4272. *Juncus papillosum* Franchet et Savatier, 청비녀꿀풀, U
 4273. *Juncus potanini* Buchenau, U
 4274. *Juncus setschuensis* v. *effusoides* Buchen. 푸른갯꿀풀, U
 4275. *Juncus stygius* L., 대태비녀꿀풀, U
 4276. *Juncus triceps* Rostkovius, 신령꿀풀, U
 4277. *Juncus triceps* var. *koreanus* Satake, 신흥꿀풀, U
 4278. *Juncus triglumis* L. 구름꿀풀, U
 4279. *Juncus wallichianus* Laharp, 눈비녀꿀풀, U
 4280. *Luzula capitata* (Miquel) Miq. 평의밥, U
 4281. *Luzula plumosa* v. *macrocarpa* Chin. 별꿩의밥, U
 4282. *Luzula multiflora* Lejeune, 산꿩의밥, U
 4283. *Luzula oligantha* Samuelsson, 구름꿩의밥, U
 4284. *Luzula pallescens* (Wahlenb.) Bess. 산새밥, U
 4285. *Luzula wahlenbergii* Ruprecht, 좀꿩의밥, U

LiLiaceae 백합과

4286. *Aletris fauriei* Leveille, 여우꼬리풀, U
4287. *Aletris spicata* (Thunb.) Fr. et Sav. 치꼬리풀, U
4288. *Allium anisopodium* Ledebour, 실부추, E
4289. **Allium cepa* L. 양파, E
4290. *Allium chinense* G. Don, 염부추, U
4191. *Allium condensatum* Turczaninow, 노망부추, E
4292. **Allium fistulosum* L. 파, E.M
4293. *Allium grayi* Regel, 산달래, E.M
4294. *Allium jaluanicum* Nakai, 압록강부추, E
4295. *Allium komarovianum* Vvedenski, 맹산부추, E
4296. *Allium macrostemon* Bunge, 큰달래 E
4297. *Allium moly* L. E
4298. *Allium monanthum* Maximowicz, 달래, E
4299. *Allium ochotense* Prokhanow, E
4300. *Allium ochotense* f. *variegatum* Nakai, E
4301. **Allium tuberosum* Roth 부추, E.M
4302. *Allium ophipogon* Leveille ex Nakai, E
4303. *Allium ouensanense* Nakai, 원산부추, E
4304. *Allium sacculiferum* Maximowicz, 참산부추, E
4305. *Allium sacculiferum* var. *viviparum* Regel, E
4306. *Allium schoenoprasnum* L. var. *orientale* Regel, 산파, E
4307. **Allium sativum* for. *pekinense* Makino, 마늘, E.M
4308. *Allium senescens* L. 두메부추, E
4309. *Allium splendens* Willdenow, E
4310. *Allium strictum* Schrader, E
4311. *Allium taquetii* leveille et Vaniot, 한라부추, E
4312. *Allium thunbergii* G. Don, 산부추, E
4313. *Allium victorialis* var. *platyphyllum* Mak. 신마늘, E
4314. *Allium zimmermanni* Gilg, E
4315. *Asparagus davuricus* Fischer, 망작침문동, U
4316. **Asparagus cochinchinensis* Merr. 친문동, M.E
4317. **Asparagus officinalis* L. 야스파라가스, E
4318. *Asparagus oligoclonos* Maximowicz, 망운미파루, E
4319. *Asparagus rigidulus* Nakai, 노간주미파루, U
4320. *Asparagus schoberioides* Kunth, 비짜루, E
4321. *Asparagus verrucosus* Nakai, U
4322. **Aspasia elatior* Bl. 엽란, O
4323. *Chionographis japonica* Max. 실꽃풀, U
4324. *Clintonia udensis* Trautvetter et Meyer, 나도우칼회, E

4325. *Convallaria keiskei* Miquel, 은방울꽃, M
4326. *Disporum flavens* Kitagawa, U
4327. *Disporum ovale* Ohwi, U
4328. *Disporum sessile* D. Don, 윤판나물, E.P
4329. *Disporum smilacinum* A. Gray, 애기나리, E.P
4330. *Disporum smilacinum* var. *ramosum* Nakai, U
4331. *Disporum viridescens* (Max) Nakai, 큰 애기나리, E.P
4332. *Erythronium japonicum* Decaisne, 얼레지, M.E
4333. *Fritillaria ussuriensis* Maximowicz, 폐모, M, -1 * *F. verticillata* var. *thunbergii* Baker
4334. *Gagea japonica* Pascher 애기종의무릇, U 중국폐모, M
4335. *Gagea lutea* Ker-Gawl, 종의 무릇, U
4336. *Heloniopsis orientalis* C. Tanaka, 쳐녀치마, U
4337. *Hemerocallis dumortieri* Morren, 각시원추리, O.E.P
4338. *Hemerocallis fulva* L. 원추리, M.O.E.P
4339. *Hemerocallis fulva* var. *kwanso* Regel, 왕원추리, O.P
4340. *Hemerocallis hakuunensis* Nakai, 벼운원추리, M.O.E.P
4341. *Hemerocallis lilioasphodelus* L., 골잎원추리, O.E.P
4342. *Hemerocallis littorea* Makino, 흥도원추리, O.E.P
4343. *Hemerocallis maculata* Nakai, O.E
4344. *Hemerocallis micrantha* Nakai, 합양원추리, O.E.P
4345. *Hemerocallis middendorffii* Trautvetter et Meyer, 군원추리, M.O.E
4346. *Hemerocallis minor* Miller, 애기원추리, O.E
4347. *Hemerocallis thunbergii* Barr. 노랑원추리, O.E
4348. *Hosta capitata* Nakai, 일월비비추, E.P
4349. *Hosta clausa* Nakai var. *normalis* Maekawa, 참비비추, E.P
4350. *Hosta ensata* F. Maekawa, 이사비비추, E.P
4351. *Hosta japonica* var. *lancifolia* Nakai, 주걱비비추, E.P
4352. *Hosta japonica* var. *latifolia* Nakai, 넓은우昶화, E.P
4353. *Hosta lancifolia* Engl. 산우昶화, E.P
4354. *Hosta longipes* Nakai, 비비추, E.P
4355. *Hosta minor* (Baker) Nakai, 줄비비추, E.P
4356. *Hosta minor* f. *alba* (Nakai) F. Maekawa, 희꽃줄비비추, E.P
4357. **Hosta plantaginea* Aschers. 우昶화, O
4358. **Hyacinth orientalis* L. 히아신스, O.E
4359. *Lilium amabile* Palibin, 텔중나리, M.E
4360. *Lilium amabile* var. *flaviflorum* Nakai, E
4361. *Lilium brownii* var. *colchesteri* Wilson, 당나리, E
4362. *Lilium callosum* Siebold & Zuccarini, 땅나리, E
4363. *Lilium cernuum* Komarov, 출나리, E
4364. *Lilium cernuum* var. *candidum* Nakai, E
4365. *Lilium cernuum* var. *atropurpureum* Nakai, E

4366. *Lilium concolor* var. *partheneion* Baker, 하늘나리, M.E.O
 4367. *Lilium davuricum* Gawler, 날개하늘나리, E
 4368. *Lilium distichum* Nakai, 말나리, E
 4369. *Lilium hansonii* Leichtlin, 섬말나리, E.O
 4370. *Lilium leichtlinii* var. *tigrinum* Nichols, 중나리, M.E
 4371. **Lilium longistylum* Thunb. 백합, E.O
 4372. **Lilium medeoloides* A. Gray, E.O
 4373. *Lilium tenuifolium* Fischer, 콘솔잎나리, E
 4374. *Lilium tenuifolium* var. *chrysanthum* Nakai, E
 4375. *Lilium tigrinum* Ker-Gawl. 참나리, M.E
 4376. *Lilium tsingtauense* Gilg, 하늘말나리, E.M.P.O
 4377. *Lilium tsingtauense* var. *carneum* Nakai, 짜이산 하늘말나리, E.M.P.O
 4378. *Lilium tsingtauense* var. *flavum* Wilson, 노란하늘말나리, E.P.O
 4379. *Lilium venustum* Kunth, E
 4380. *Liriope platyphylla* Wang et Tang, 맥문동, M.P
 4381. *Liriope spicata* Lour. 개맥문동, M.P
 4382. *Lloydia serotina* Sweet, 개감채, U
 4383. *Lloydia triflora* Baker. 나도개감채, U
 4384. *Majanthemum bifolium* (L.) F.W. Schmidt, 두루미꽃, U
 4385. *Majanthemum dilatatum* (Wood) Nelsons & Macbride, 콘두루미꽃, U
 4386. *Metanarthecium luteo-viride* Maximowicz, 철보치마, U
 4387. *Ophiopogon jaburan* Lodd. 맥문아례비, U
 4388. *Ophiopogon japonicus* Ker-Gawl. 소엽맥문동, M
 4389. *Ophiopogon gracile* (Kunth) Koidzumi, U
 4390. *Ophiopogon taquetii* Leveille, U
 4391. *Paris verticillata* Bieberst, 삿갓나물, E
 4392. *Paris verticillata* for. *purpurea* Miyabe et Tatewaki, 자주삿갓나물, E
 4393. *Polygonatum cryptanthum* Leveille et Vaniot, 목포용등굴레, E.P
 4394. *Polygonatum desoulavyi* Komarov, 안민용등굴레, E.P
 4395. *Polygonatum falcatum* A. Gray, 진황정, M.E
 4396. *Polygonatum humile* Fisher, 가새 등굴레, E.P
 4397. *Polygonatum humillimum* Nakai, 좀간새등굴레, E.P
 4398. *Polygonatum inflatum* Komarov, 등등굴레, E.P
 4399. *Polygonatum involucratum* Maximowicz, 용등굴레, E.P
 4400. *Polygonatum koreanum* Nakai, 배도등굴레, E
 4401. *Polygonatum lasianthum* Maximowicz var. *coreanum* Nakai, 죽대, M
 4402. *Polygonatum nipponicum* Makino, U
 4403. *Polygonatum odoratum* (Mill.) Druce var. *pluriplorum* Ohwi, 등굴레, E.P
 4404. *Polygonatum odoratum* var. *maximowiczii* (Fr. Schmidt) Koidzumi, E.P
 4405. *Polygonatum odoratum* var. *quelpaertense* Hara, 제주등굴레, E.P
 4406. *Polygonatum odoratum* var. *thunbergii* Mort. et Decne, 산통등굴레, E.P.

4407. *Polygonatum robustum* Nakai, 왕동굴레, E
4408. *Polygonatum stenanthum* Nakai, E
4409. *Polygonatum stenophyllum* Maximowicz, 층층동굴레, P
4410. **Rhodea japonica* Roth, 만년침, O.M
4411. *Scilla sinensis* Merrill, 무릇, E
4412. *Scilla sinensis* for. *alba* Makino 희무릇, E
4413. *Smilacina bicolor* Nakai, 자주솜대, E
4414. *Smilacina davurica* Turczaninow, 민솜대, E
4415. *Smilacina japonica* A. Gray, 솜대, E
4416. *Smilacina japonica* var. *mandshurica* Maximowicz, 왕솜대, E
4417. *Smilacina trifolia* (L.) Desfontaines, 세잎솜대, U
4418. *Smilax china* L. 칭미래덩굴, M.E.P
4419. *Smilax china* L. var. *microphylla* Nakai, 좀첨미래덩굴, E.P
4420. *Smilax nipponica* Miquel, 신밀나물, E.P
4421. *Smilax riparia* var. *ussuriensis* Hara et T. Koyama, 밀나물, E.P
4422. *Smilax riparia* var. *ussuriensis* for. *stenophylla* Koyama, 좁은잎 밀나물, E.P
4423. *Smilax sieboldii* Miquel, 청가시덩굴, E.P
4424. *Smilax sieboldii* var. *inermis* Nakai, 민청가시덩굴, E.P
4425. *Streptopus amplexifolius* var. *papillatus* Ohwi, 죽대아재비, U
4426. *Streptopus koreanus* (Komarov) Ohwi, 왕죽대아재비, U
4427. *Tofieldia coccinea* Richard, 속은 돌창포, U
4428. *Tofieldia coccinea* var. *rubescens* (Hoppe) T. Lee, 겹은돌창포, U
4429. *Tofieldia fauriei* Leville et Vaniot, 한라돌창포, U
4430. *Tofieldia nuda* Maximowicz, 돌창포, U
4431. *Tofieldia nuda* var. *koreana* Ohwi, U
4432. *Tricyrtis dilatata* Nakai, 빠쪽나리, E
4433. *Trillium kamtschaticum* Pall., 연영초, M
4434. *Trillium tschonoskii* Maximowicz, 큰 연영초, M
4435. **Tritonia crocosmaeflora* Fem. O
4436. **Tulipa gesneriana* L. 츄립, O
4437. *Tulipa edulis* Baker, 산자고, U
4438. *Veratrum alpestre* Nakai, 관모박새, M
4439. *Veratrum bohnhoefi* Loesner fil. var. *latifolium* Nakai, 삼수여로, M
4440. *Veratrum dolichopetalum* Loesner. f. 푸른박새, M
4441. *Veratrum maackii* Regel, 진잎여로, M
4442. *Veratrum maackii* var. *japonicum* T. Shimizu, 여로, M
4443. *Veratrum maackii* var. *parviflorum*: Hara et Mizushima, 파란여로, M
4444. *Veratrum maackii* var. *parviflorum* for. *koreanum* (Loesner fil.), Shimizu, 한라이로, M
4445. *Veratrum maackii* var. *parviflorum* for. *viridiflorum* (Nakai), 파란진잎여로, M
4446. *Veratrum nigrum* L. var. *ussuriense* Loesner fil. 참여로, M
4447. *Veratrum patulum* Loesner fil., 박새, M

4448. *Veratrum versicolor* Nakai, 희여로, U
 4449. *Zygadenus sibiricus* A. Gray, 나도여로, U

***Haemodoraceae* 지모과**

4450. *Anemarrhena asphodeloides* Bunge, 지모, U

***Amarylidaceae* 수선화과**

4451. **Clivia miniata* Regel, 군자란, O
 4452. *Crinum asiaticum* var. *japonicum* Baker, 문주란, O
 4453. **Crinum moorei* var. *album* Hort, 아프리카 문주란, O
 4454. **Hippeastrum hybridum* Host, 아마일리스, O
 4455. *Lycoris aurea* Herb. 개상사화, O
 4456. *Lycoris albiflora* Koidzumi, 흰상사화, O
 4457. *Lycoris koreana* Nakai, 백양꽃, O
 4458. *Lycoris radiata* Herb. 석산, O
 4459. *Lycoris squamigera* Max. 상사화, O
 4460. **Narcissus tazetta* L. var. *chinensis* Roemer, 수선화, O
 4461. **Zephyranthes candida* Herb. 흰꽃나도사포란, O
 4462. **Zephyranthes carinata* Herb. 나도사포란, O

***Agavaceae* 용설난과**

4463. **Agave americana* L, 용설난, O
 4464. **Agave americana* var. *marginata* Trel. 연록용설란, O
 4465. **Yucca recurvifolia* L. 육가, O

***Dioscoreaceae* 마파**

4466. *Dioscorea batatas* Decne. 마, M.E.P
 4467. *Dioscorea bulbifera* L. 둥근마, E.M
 4468. *Dioscorea coreana* Kunth, U
 4469. *Dioscorea giralddii* Kunth, 만주단풍마, U
 4470. *Dioscorea heptana* Nakai, 단부채마, U
 4471. *Dioscorea japonica* Thunberg, 참마, M.E
 4472. *Dioscorea nipponica* Makino, 부채마, E.P
 4473. *Dioscorea quinqueloba* Thunberg, 단풍마, P
 4474. *Dioscorea septemloba* Thunberg, 국화마, M
 4475. *Dioscorea tenuipes* Franchet et Savatier, 각시마, M
 4476. **Dioscorea tokoro* Makino, 도꼬로마, M.E
 4477. *Dioscorea wantoensis* Nakai, 완도마, U

***Iridaceae* 봇꽃과**

4478. **Belamcanda chinensis* (L.) DC. 범부채, M

4479. **Crocus sativus* L. 사프란, O
 4480. **Gladiolus gandavensis* Van Houtt., 글라지오파스, O
 4481. *Iris ensata* Thunberg var. *spontanea* (Makino) Nakai, 꽃창포, O.P
 4482. *Iris koreana* Nakai, 노랑붓꽃, O.P
 4483. *Iris laevigata* Fischer, 재비붓꽃, O.P
 4484. *Iris manshurica* Max. 만주붓꽃, O
 4485. *Iris nertschinskia* Loddiges, 붓꽃, M.O.P
 4486. *Iris pallassii* Fischer var. *chinensis* Fischer, 타래붓꽃, M.O.P
 4487. *Iris pseudoacorus* L. 노랑꽃창포, O.P
 4488. *Iris rossi* Baker, 각시붓꽃, O.P
 4489. *Iris ruthenica* Ker-Gawler, 출붓꽃, M.O.P
 4490. *Iris savatieri* Nakai, 금붓꽃, O.P
 4491. *Iris setosa* Pallas, 부채붓꽃, O.P
 4492. *Iris thunbergii* Lundstrom, O
 4493. *Iris uniflora* Pallas var. *carinata* Kitagawa, 난장이붓꽃, O.P
 4494. **Sisyrinchium angustifolium* Mill. 등심붓꽃, O

Zingiberaceae 생강과

4495. *Zingiber mioga* (Thunberg) Roscoe, 양하, E
 4496. **Zingiber officinalis* Roscoe, 생강, E.M

Musaceae 파초과

4497. **Musa basjoo* S. et Z. 파초, O

Cannaceae 통초과

4498. **Canna indica* var. *orientalis* Hook. fil. 뜰통초, O
 4499. **Canna generalis* Bailey, 흥초, O

Orchidaceae 난과

4500. *Aerides japonicum* Reichenbach fil. 나도풍난, O
 4501. *Amitostigma gracilis* (Blume) Schlechter, 병아리난초, U
 4502. *Bletilla striata* (Thunb.) Reichenb. fil. 자난, M.O
 4503. *Bulbophyllum drymoglossum* Maximowicz, 콩짜개난, U
 4504. *Bulbophyllum inconspicuum* Maximowicz, 흑난초, U
 4505. *Calanthe coreana* Nakai, 심새우난, U
 4506. *Calanthe discolor* Lindley, 새우난초, M.O
 4507. *Calanthe puberula* Lindley et Wallich, U
 4508. *Calanthe reflexa* Max. 여름새우난, U
 4509. *Calanthe striata* for. *sieboldii* (Decaisne) Ohwi, 금새우난, O
 4510. *Calypso bulbosa* Reichenbach, 풍선난초, U
 4511. *Cephalanthera erecta* (Thunberg) Lindley, 은난초, U

4512. *Cephalanthera falcata* Blume, 금난초, U
 4513. *Cephalanthera longibracteata* Blume, 운데난초, U
 4514. *Coeloglossum viride* var. *bracteatum* Richter, 개재비난, U
 4515. *Coeloglossum coreanum* (Nakai) Schlechter, 모내재비난, U
 4516. *Corallorrhiza trifida* Chatelin, U
 4517. *Cremastra appendiculata* Makino 약난초, M
 4518. *Cremastra unguiculata* Finet 두잎약난초, U
 4519. *Cymbidium goeringii* Reichb. fil. 보춘화, O
 4520. *Cymbidium kanran* Makino, 한란, O
 4521. *Cymbidium nipponicum* Makino 대홍난, U
 4522. *Cypripedium calceolus* L. 노랑개불알꽃, U
 4523. *Cypripedium guttatum* Swartz var. *koreanum* Nakai, 흰개불알꽃, U
 4524. *Cypripedium japonicum* Thunberg, 평늘요강꽃, U
 4525. *Cypripedium macranthum* Swartz var. *vulgare* Reichenbach, 개불알꽃, U
 4526. *Dendrobium moniliforme* (L.) Swartz, 사곡, M.O
 4527. *Diplolabellum coreanum* (Finet) F. Maekawa, 두잎감자난, U
 4528. *Epipactis albensis* Chung, 희단의난초, U
 4529. *Epipactis papillosa* Franchet & Savatier, 흥법의난초, U
 4530. *Epipactis puzensis* Chung, 부전난, U
 4531. *Epipactis thunbergii* A. Gray, 담의 난초, U
 4532. *Epipogium aphyllum* Swartz, 유령난, U
 4533. *Galeola septentrionalis* Reichenbach, 으름난초, U
 4534. *Gastrodia elata* Blume, 친마, M
 4535. *Gastrodia gracilis* Blume, 진대천마, U
 4536. *Goodyera macrantha* Max. 붉은사천난, U
 4537. *Goodyera maximowiczii* Makino, 섬사천난, U
 4538. *Goodyera repens* (L.) R. Brown 아기사천난, U
 4539. *Goodyera schlechtendaliana* Reichenbach, 사천난, U
 4540. *Goodyera schlechtendaliana* for. *similis* (Blume) Makino, 정서천난, U
 4541. *Goodyera velutina* Maximowicz ex Regel, 낸시풀난, U
 4542. *Gymnadenia camtschatica* Miyabe et Kudo, 주름재비난, U
 4543. *Gymnadenia conopsea* R. Brown, 손바닥난, U
 4544. *Gymnadenia cucullata* (L.) Rich, 구름명아리난초, U
 4545. *Habenaria flagellifera* (Maximowicz) Makino, 맹울난초, U
 4546. *Habenaria linearifolia* Maximowicz, 짚자리난초, U
 4547. *Habenaria linearifolia* var. *integriloba* Ohwi, U
 4548. *Habenaria radiata* Spr. 해오라비난초, U
 4549. *Herminium longicrure* (C. Wright) Wang et Tang 썩눈난초, U
 4550. *Herminium monorchis* (L.) R. Brown, 나도썩눈난, U
 4551. *Hetaeria sikokiana* Tuyama, 애기천마, U
 4552. *Lecanorchis japonica* Bl. 무염난, U

4553. *Liparis japonica* Maximowicz, 키다리난초, U
 4554. *Liparis koreana* Nakai, 참나리난초, U
 4555. *Liparis krameri* Franchet & Savatier, 나나벌이난초, U
 4556. *Liparis kumokiri* F. Mackawa, 옥감난초, U
 4557. *Liparis makinoana* Schlechter, 나리난초, U
 4558. *Listera nipponica* Makino, U
 4559. *Listera pinetorum* Lindley 쌍잎난초, U
 4560. *Microstylis monophylla* (L.) Lindley, 이삭단엽난, U
 4561. *Microstylis monophylla* var. *diphylla* (Chamisso) Nakai, 이삭쌍엽난, U
 4562. *Myrmecchis japonica* (Reichenbach fil.) Rolf. 개미난초, U
 4563. *Neofinetia falcata* (Thunb.) Hu, 풍난, U
 4564. *Neottia asiatica* Ohwi, 애기무엽난, U
 4565. *Neottia nidus-avis* Richard var. *mandshurica* Komar. 홍산무엽난, U
 4566. *Oberonia japonica* Makino, 나도제비난, U
 4567. *Orchis cyclochila* Max. 차일봉난, U
 4568. *Orchis graminifolia* Tang et Wang, 나비난초, U
 4569. *Orchis joo-iokiana* Makino, 너도제비난, U
 4570. *Oreorchis patens* Lindley, 감자난, U
 4571. *Platanthera hologlottis* Max., 흰제비난, U
 4572. *Platanthera japonica* Lindley, 갈매기난초, U
 4573. *Platanthera komarovii* Schlechter, U
 4574. *Platanthera mandarinorum* Reichenbach fil. 산제비난, U
 4575. *Platanthera mandarinorum* var. *brachycentron* (Fr. et Sav.) Koidz. 짧은산제비난, U
 4576. *Platanthera mandarinorum* var. *maximowicziana* (Schlechter) Ohwi, 애기제비난, U
 4577. *Platanthera metabifolia* Maekawa, 제비난, U
 4578. *Platanthera minor* Reichenbach fil. (*P. interrupta* Maximowicz), 한라점자리난, U
 4579. *Platanthera ophrydioides* Fr. Schmidt, 구름제비꽃, U
 4580. *Platanthera sachalinensis* Fr. Schmidt, 큰제비난, U
 4581. *Platanthera taquetii* Schlechter, U
 4582. *Pogonia japonica* Reichenbach fil. 큰방울새난,
 4583. *Pogonia minor* Makino, 방울새난, U
 4584. *Sarcanthus scolopendriformis* Makino, 지네발난, U
 4585. *Spiranthes sinensis* (Pers.) Ames, 다래난초, U
 4586. *Taeniophyllum aphyllum* Makino, 기미난, U
 4587. *Tipularia japonica* Matsumura, 비비취난초, U
 4588. *Tulotis asiatica* Hara, 나도점자리난, U
 4589. *Tulotis ussuriensis* Hara, 나도제비난, U
 4590. *Vexillarium yakushimense* var. *nakaianum* (F. Maekawa) T. Lee, 벼운난초, U.